

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 1

Report Criteria: | Series: TMS 900-2 | Status: Approved

HP COLR 7517C

900-401	HP WHITE	9.0000 g
900-410	HP YELLOW	55.0000 g
900-422	HP SCARLET	13.5000 g
900-425	HP RED	4.5000 g
900-470	HP BLACK	18.0000 g

PMS BLACK 6C

900-253	TMS MARINE	45.2000 lb
900-270	TMS BLACK	48.5000 lb
900-201	TMS WHITE	5.5000 lb
900-225	TMS RED	0.8000 lb

PMS BLACK 2C

900-210	TMS YELLOW	35.0000 lb
900-201	TMS WHITE	2.5000 lb
900-225	TMS RED	11.0000 lb
900-270	TMS BLACK	51.5000 lb

PMS BLACK 7C

900-270	TMS BLACK	73.7000 lb
900-201	TMS WHITE	13.6000 lb
900-225	TMS RED	5.3000 lb
900-210	TMS YELLOW	7.4000 lb

PMS BLACK 3C

900-210	TMS YELLOW	17.9000 lb
900-270	TMS BLACK	80.4000 lb
900-201	TMS WHITE	1.7000 lb

PMS BLACK C

900-201	TMS WHITE	1.0000 lb
900-210	TMS YELLOW	18.0000 lb
900-225	TMS RED	17.0000 lb
900-270	TMS BLACK	64.0000 lb

PMS BLACK 4C

900-210	TMS YELLOW	26.0000 lb
900-270	TMS BLACK	60.0000 lb
900-201	TMS WHITE	3.0000 lb
900-222	TMS SCARLET	11.0000 lb

PMS CL GY 10C-2

900-201	TMS WHITE	47.5000 lb
900-210	TMS YELLOW	7.0000 lb
900-253	TMS MARINE	5.0000 lb
900-259	TMS VIOLET	5.5000 lb
900-270	TMS BLACK	35.0000 lb

PMS BLACK 5C

900-270	TMS BLACK	46.6000 lb
900-201	TMS WHITE	6.0000 lb
900-222	TMS SCARLET	22.0000 lb
900-225	TMS RED	25.4000 lb

PMS CL GY 11C-2

900-201	TMS WHITE	30.0000 lb
900-210	TMS YELLOW	7.0000 lb
900-253	TMS MARINE	6.0000 lb
900-259	TMS VIOLET	7.0000 lb
900-270	TMS BLACK	50.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 2

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMS CL GY 1C

900-270	TMS BLACK	1.3000 lb
900-201	TMS WHITE	98.5000 lb
900-210	TMS YELLOW	0.1000 lb
900-253	TMS MARINE	0.1000 lb

PMS CL GY 6C

900-201	TMS WHITE	83.0000 lb
900-270	TMS BLACK	10.0000 lb
900-210	TMS YELLOW	1.5000 lb
900-253	TMS MARINE	4.5000 lb
900-225	TMS RED	1.0000 lb

PMS CL GY 2C-2

900-201	TMS WHITE	96.4900 lb
900-210	TMS YELLOW	0.5000 lb
900-253	TMS MARINE	0.5000 lb
900-270	TMS BLACK	2.5000 lb
900-259	TMS VIOLET	0.0100 lb

PMS CL GY 7C-2

900-201	TMS WHITE	76.5000 lb
900-210	TMS YELLOW	4.0000 lb
900-253	TMS MARINE	2.0000 lb
900-270	TMS BLACK	15.0000 lb
900-259	TMS VIOLET	2.5000 lb

PMS CL GY 3C-2

900-201	TMS WHITE	93.0000 lb
900-210	TMS YELLOW	1.2000 lb
900-253	TMS MARINE	0.8000 lb
900-270	TMS BLACK	4.5000 lb
900-259	TMS VIOLET	0.5000 lb

PMS CL GY 8C-2

900-201	TMS WHITE	68.5000 lb
900-210	TMS YELLOW	5.0000 lb
900-253	TMS MARINE	3.0000 lb
900-270	TMS BLACK	20.0000 lb
900-259	TMS VIOLET	3.5000 lb

PMS CL GY 4C-2

900-201	TMS WHITE	89.0000 lb
900-210	TMS YELLOW	2.0000 lb
900-253	TMS MARINE	1.0000 lb
900-270	TMS BLACK	7.0000 lb
900-259	TMS VIOLET	1.0000 lb

PMS CL GY 9C

900-201	TMS WHITE	63.0000 lb
900-270	TMS BLACK	22.0000 lb
900-210	TMS YELLOW	4.0000 lb
900-253	TMS MARINE	9.0000 lb
900-225	TMS RED	2.0000 lb

PMS CL GY 5C-2

900-201	TMS WHITE	84.0000 g
900-210	TMS YELLOW	3.0000 g
900-253	TMS MARINE	1.5000 g
900-270	TMS BLACK	10.0000 g
900-259	TMS VIOLET	1.5000 g

PMS GREEN C

900-201	TMS WHITE	10.0000 lb
900-240	TMS GREEN	65.0000 lb
900-3310	ST FL. LEMON	25.0000 lb

PMS PROC. BLUE

900-3350	ST FL. BLUE	97.3000 lb
900-3310	ST FL. LEMON	2.7000 lb

PMS PURPLE C

900-3390	ST FL. MAGENTA	30.0000 lb
900-3394	ST FL. VIOLET	70.0000 lb

PMS REFLEX BL

900-253	TMS MARINE	64.3000 lb
900-201	TMS WHITE	2.8000 lb
900-251	TMS BLUE G/S	32.9000 lb

PMS RHODA RED

900-201	TMS WHITE	4.5000 lb
900-3390	ST FL. MAGENTA	91.0000 lb
900-259	TMS VIOLET	4.5000 lb

PMS RUBINE RED

900-225	TMS RED	20.0000 lb
900-253	TMS MARINE	0.4000 lb
900-3390	ST FL. MAGENTA	79.6000 lb

PMS VIOLET C

900-259	TMS VIOLET	15.0000 lb
900-253	TMS MARINE	15.0000 lb
900-3394	ST FL. VIOLET	70.0000 lb

PMS WARM RED C

900-210	TMS YELLOW	26.0000 lb
900-222	TMS SCARLET	46.0000 lb
900-201	TMS WHITE	28.0000 lb

PMS WM GY 10C

900-270	TMS BLACK	31.5000 lb
900-201	TMS WHITE	57.5000 lb
900-210	TMS YELLOW	8.0000 lb
900-222	TMS SCARLET	3.0000 lb

PMS WM GY 11C

900-270	TMS BLACK	55.6000 lb
900-201	TMS WHITE	22.2000 lb
900-210	TMS YELLOW	15.1000 lb
900-222	TMS SCARLET	7.1000 lb

PMS WM GY 1C

900-270	TMS BLACK	1.9100 lb
900-201	TMS WHITE	97.5500 lb
900-210	TMS YELLOW	0.4500 lb
900-222	TMS SCARLET	0.0900 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 4

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMS WM GY 2C-2

900-201	TMS WHITE	93.0000 lb
900-210	TMS YELLOW	2.5000 lb
900-222	TMS SCARLET	0.5000 lb
900-270	TMS BLACK	4.0000 lb

PMS WM GY 7C-2

900-201	TMS WHITE	69.0000 lb
900-210	TMS YELLOW	9.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-270	TMS BLACK	20.0000 lb

PMS WM GY 3C-2

900-201	TMS WHITE	84.6500 lb
900-210	TMS YELLOW	5.6000 lb
900-222	TMS SCARLET	0.6000 lb
900-270	TMS BLACK	9.1500 lb

PMS WM GY 8C

900-270	TMS BLACK	30.0000 lb
900-201	TMS WHITE	57.5000 lb
900-210	TMS YELLOW	9.0000 lb
900-222	TMS SCARLET	3.0000 lb
900-240	TMS GREEN	0.5000 lb

PMS WM GY 4C-2

900-201	TMS WHITE	83.2000 lb
900-210	TMS YELLOW	6.0000 lb
900-222	TMS SCARLET	0.8000 lb
900-270	TMS BLACK	10.0000 lb

PMS WM GY 9C-2

900-201	TMS WHITE	51.5000 lb
900-210	TMS YELLOW	11.0000 lb
900-222	TMS SCARLET	2.5000 lb
900-270	TMS BLACK	35.0000 lb

PMS WM GY 5C-2

900-201	TMS WHITE	76.0000 lb
900-210	TMS YELLOW	7.0000 lb
900-222	TMS SCARLET	1.5000 lb
900-370	ST BLACK	15.5000 lb

PMS YELLOW C

900-210	TMS YELLOW	33.0000 lb
900-201	TMS WHITE	11.0000 lb
900-3310	ST FL. LEMON	56.0000 lb

PMS WM GY 6C-2

900-201	TMS WHITE	74.0000 lb
900-210	TMS YELLOW	8.0000 lb
900-222	TMS SCARLET	1.6000 lb
900-270	TMS BLACK	16.4000 lb

PMS2X 116C

900-210	TMS YELLOW	99.0000 lb
900-222	TMS SCARLET	1.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 5

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMS2X 130C

900-210	TMS YELLOW	95.0000 lb
900-222	TMS SCARLET	4.0000 lb
900-270	TMS BLACK	1.0000 lb

PMS2X 165 C

900-201	TMS WHITE	9.0000 lb
900-210	TMS YELLOW	51.0000 lb
900-222	TMS SCARLET	25.0000 lb
900-3318	ST FL. ORANGE	15.0000 lb

PMS2X 1788C

900-210	TMS YELLOW	10.0000 lb
900-222	TMS SCARLET	90.0000 lb

PMS2X 185C

900-222	TMS SCARLET	46.0000 lb
900-225	TMS RED	8.0000 lb
900-3320	ST FL. RED	46.0000 lb

PMS2X 239C

900-259	TMS VIOLET	10.0000 lb
900-3390	ST FL. MAGENTA	90.0000 lb

PMS2X 2592C

900-259	TMS VIOLET	40.0000 lb
900-3390	ST FL. MAGENTA	20.0000 lb
900-3394	ST FL. VIOLET	40.0000 lb

PMS2X 299C

900-251	TMS BLUE G/S	20.0000 lb
900-3350	ST FL. BLUE	80.0000 lb

PMS2X 306C

900-251	TMS BLUE G/S	5.0000 lb
900-3310	ST FL. LEMON	5.0000 lb
900-3350	ST FL. BLUE	90.0000 lb

PMS2X 320C

900-240	TMS GREEN	50.0000 lb
900-251	TMS BLUE G/S	25.0000 lb
900-3350	ST FL. BLUE	25.0000 lb

PMS2X 327C

900-251	TMS BLUE G/S	57.0000 lb
900-3310	ST FL. LEMON	43.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 6

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMS2X 354C

900-210	TMS YELLOW	35.0000 lb
900-3340	ST FL. GREEN	35.0000 lb
900-3316	ST FL. YELLOW	30.0000 lb

PMS2X 464C

900-210	TMS YELLOW	42.0000 lb
900-222	TMS SCARLET	39.0000 lb
900-270	TMS BLACK	19.0000 lb

PMS2X 368C

900-210	TMS YELLOW	45.0000 lb
900-240	TMS GREEN	55.0000 lb

PMS2X 471C

900-210	TMS YELLOW	67.0000 lb
900-222	TMS SCARLET	25.0000 lb
900-253	TMS MARINE	8.0000 lb

PMS2X 375C

900-210	TMS YELLOW	75.0000 lb
900-240	TMS GREEN	25.0000 lb

PMS2X GREEN C

900-240	TMS GREEN	65.0000 lb
900-3310	ST FL. LEMON	35.0000 lb

PMS2X 382C

900-210	TMS YELLOW	94.0000 lb
900-240	TMS GREEN	6.0000 lb

PMS2X PROC BLU

900-251	TMS BLUE G/S	50.0000 lb
900-3310	ST FL. LEMON	2.0000 lb
900-3350	ST FL. BLUE	48.0000 lb

PMS2X 433C

900-253	TMS MARINE	45.0000 lb
900-270	TMS BLACK	55.0000 lb

PMS2X PURPLE C

900-259	TMS VIOLET	8.0000 lb
900-3390	ST FL. MAGENTA	52.0000 lb
900-3394	ST FL. VIOLET	40.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 7

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMS2X REFLEX

900-252	TMS BLUE R/S	10.0000 lb
900-253	TMS MARINE	90.0000 lb

PMS2X YELLOWC

900-210	TMS YELLOW	40.0000 lb
900-3310	ST FL. LEMON	60.0000 lb

PMS2X RHODA

900-259	TMS VIOLET	5.0000 lb
900-3390	ST FL. MAGENTA	95.0000 lb

PMSCOLR 012C

900-201	TMS WHITE	32.0000 lb
900-210	TMS YELLOW	68.0000 lb

PMS2X RUBINE

900-225	TMS RED	30.0000 lb
900-253	TMS MARINE	1.0000 lb
900-3390	ST FL. MAGENTA	69.0000 lb

PMSCOLR 021C

900-210	TMS YELLOW	83.9000 lb
900-222	TMS SCARLET	8.5000 lb
900-3316	ST FL. YELLOW	7.6000 lb

PMS2X VIOLET C

900-253	TMS MARINE	15.0000 lb
900-259	TMS VIOLET	65.0000 lb
900-3394	ST FL. VIOLET	20.0000 lb

PMSCOLR 032C

900-201	TMS WHITE	12.7000 lb
900-222	TMS SCARLET	84.0000 lb
900-225	TMS RED	3.3000 lb

PMS2X WRM RED

900-210	TMS YELLOW	60.0000 lb
900-222	TMS SCARLET	40.0000 lb

PMSCOLR 072C

900-201	TMS WHITE	1.0000 lb
900-253	TMS MARINE	88.0000 lb
900-252	TMS BLUE R/S	11.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 8

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 100C

900-210	TMS YELLOW	5.6000 lb
900-201	TMS WHITE	94.4000 lb

PMSCOLR 106C

900-210	TMS YELLOW	15.8000 lb
900-201	TMS WHITE	84.2000 lb

PMSCOLR 102C

900-210	TMS YELLOW	38.0000 lb
900-201	TMS WHITE	61.9000 lb
900-240	TMS GREEN	0.1000 lb

PMSCOLR 107C

900-210	TMS YELLOW	30.3000 lb
900-201	TMS WHITE	69.7000 lb

PMSCOLR 103C

900-210	TMS YELLOW	98.1000 lb
900-222	TMS SCARLET	0.2000 lb
900-253	TMS MARINE	1.7000 lb

PMSCOLR 108C

900-210	TMS YELLOW	80.0000 lb
900-201	TMS WHITE	20.0000 lb

PMSCOLR 104C

900-210	TMS YELLOW	94.7000 lb
900-201	TMS WHITE	2.2000 lb
900-222	TMS SCARLET	0.3000 lb
900-270	TMS BLACK	2.8000 lb

PMSCOLR 109C

900-201	TMS WHITE	27.0000 lb
900-210	TMS YELLOW	72.9000 lb
900-222	TMS SCARLET	0.1000 lb

PMSCOLR 105C

900-201	TMS WHITE	22.5000 lb
900-222	TMS SCARLET	4.1000 lb
900-210	TMS YELLOW	64.8000 lb
900-252	TMS BLUE R/S	8.6000 lb

PMSCOLR 110C

900-201	TMS WHITE	6.0000 lb
900-210	TMS YELLOW	93.4000 lb
900-222	TMS SCARLET	0.3000 lb
900-252	TMS BLUE R/S	0.3000 lb

PMSCOLR 110U

900-201	TMS WHITE	5.3000 g
900-210	TMS YELLOW	92.5000 g
900-222	TMS SCARLET	1.2000 g
900-252	TMS BLUE R/S	1.0000 g

PMSCOLR 115C

900-201	TMS WHITE	55.0000 lb
900-210	TMS YELLOW	30.0000 lb
900-3316	ST FL. YELLOW	5.0000 lb
900-3310	ST FL. LEMON	10.0000 lb

PMSCOLR 111C

900-201	TMS WHITE	0.6000 lb
900-210	TMS YELLOW	97.3000 lb
900-225	TMS RED	0.6000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 116C

900-210	TMS YELLOW	64.7000 lb
900-201	TMS WHITE	35.0000 lb
900-222	TMS SCARLET	0.3000 lb

PMSCOLR 112C

900-210	TMS YELLOW	69.4000 lb
900-222	TMS SCARLET	3.2000 lb
900-201	TMS WHITE	22.4000 lb
900-252	TMS BLUE R/S	5.0000 lb

PMSCOLR 117C

900-210	TMS YELLOW	82.5000 lb
900-201	TMS WHITE	14.6000 lb
900-222	TMS SCARLET	1.0000 lb
900-270	TMS BLACK	1.9000 lb

PMSCOLR 113C

900-210	TMS YELLOW	14.4000 lb
900-222	TMS SCARLET	0.0400 lb
900-201	TMS WHITE	85.5600 lb

PMSCOLR 118C

900-210	TMS YELLOW	96.7000 lb
900-222	TMS SCARLET	0.9000 lb
900-270	TMS BLACK	2.4000 lb

PMSCOLR 114C

900-210	TMS YELLOW	16.8600 lb
900-222	TMS SCARLET	0.0800 lb
900-201	TMS WHITE	83.0600 lb

PMSCOLR 119C

900-210	TMS YELLOW	72.0000 lb
900-222	TMS SCARLET	5.0000 lb
900-270	TMS BLACK	4.0000 lb
900-201	TMS WHITE	13.0000 lb
900-252	TMS BLUE R/S	6.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 10

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 1205C

900-210	TMS YELLOW	2.0000 lb
900-222	TMS SCARLET	0.0600 lb
900-201	TMS WHITE	97.9400 lb

PMSCOLR 122C

900-201	TMS WHITE	80.0000 lb
900-210	TMS YELLOW	19.7500 lb
900-222	TMS SCARLET	0.2500 lb

PMSCOLR 120C

900-210	TMS YELLOW	5.4000 lb
900-222	TMS SCARLET	0.0800 lb
900-201	TMS WHITE	94.5200 lb

PMSCOLR 1235C

900-222	TMS SCARLET	0.8000 lb
900-201	TMS WHITE	23.0000 lb
900-210	TMS YELLOW	76.2000 lb

PMSCOLR 1215C

900-210	TMS YELLOW	4.3600 lb
900-222	TMS SCARLET	0.1800 lb
900-201	TMS WHITE	95.4000 lb
900-252	TMS BLUE R/S	0.0600 lb

PMSCOLR 123C

900-201	TMS WHITE	30.0000 lb
900-210	TMS YELLOW	69.7500 lb
900-222	TMS SCARLET	0.2500 lb

PMSCOLR 121C

900-201	TMS WHITE	89.4000 lb
900-210	TMS YELLOW	10.4000 lb
900-222	TMS SCARLET	0.1500 lb
900-252	TMS BLUE R/S	0.0500 lb

PMSCOLR 1245C

900-222	TMS SCARLET	1.8000 lb
900-201	TMS WHITE	26.8000 lb
900-210	TMS YELLOW	68.6000 lb
900-270	TMS BLACK	2.8000 lb

PMSCOLR 1225C

900-210	TMS YELLOW	37.9000 lb
900-222	TMS SCARLET	0.5000 lb
900-201	TMS WHITE	61.6000 lb

PMSCOLR 124C

900-201	TMS WHITE	9.5000 lb
900-210	TMS YELLOW	88.5000 lb
900-222	TMS SCARLET	1.0000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 125C

900-201	TMS WHITE	4.4000 lb
900-210	TMS YELLOW	89.9000 lb
900-222	TMS SCARLET	1.4000 lb
900-253	TMS MARINE	4.3000 lb

PMSCOLR 1265C

900-210	TMS YELLOW	65.0000 g
900-201	TMS WHITE	21.4000 g
900-252	TMS BLUE R/S	7.0000 g
900-222	TMS SCARLET	6.6000 g

PMSCOLR 126C

900-201	TMS WHITE	24.7000 lb
900-210	TMS YELLOW	67.3000 lb
900-222	TMS SCARLET	3.6000 lb
900-252	TMS BLUE R/S	4.4000 lb

PMSCOLR 127C

900-210	TMS YELLOW	5.2000 g
900-201	TMS WHITE	94.4000 g
900-225	TMS RED	0.2000 g
900-240	TMS GREEN	0.2000 g

PMSCOLR 128C

900-210	TMS YELLOW	4.9000 lb
900-201	TMS WHITE	25.2700 lb
900-225	TMS RED	0.5800 lb
900-3310	ST FL. LEMON	69.2500 lb

PMSCOLR 129C

900-210	TMS YELLOW	46.8700 lb
900-201	TMS WHITE	52.6800 lb
900-225	TMS RED	0.4500 lb

PMSCOLR 130C

900-210	TMS YELLOW	95.0000 lb
900-201	TMS WHITE	4.4000 lb
900-270	TMS BLACK	0.1000 lb
900-222	TMS SCARLET	0.5000 lb

PMSCOLR 131C

900-210	TMS YELLOW	92.3000 lb
900-201	TMS WHITE	1.7000 lb
900-270	TMS BLACK	2.8000 lb
900-222	TMS SCARLET	3.2000 lb

PMSCOLR 132C

900-210	TMS YELLOW	87.4000 lb
900-222	TMS SCARLET	1.7000 lb
900-270	TMS BLACK	4.1000 lb
900-201	TMS WHITE	6.8000 lb

PMSCOLR 133C

900-210	TMS YELLOW	79.0000 lb
900-270	TMS BLACK	14.0000 lb
900-225	TMS RED	7.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 12

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 1345C

900-201	TMS WHITE	96.2000 lb
900-210	TMS YELLOW	3.4000 lb
900-222	TMS SCARLET	0.4000 lb

PMSCOLR 136C

900-201	TMS WHITE	67.5000 lb
900-210	TMS YELLOW	31.5000 lb
900-222	TMS SCARLET	1.0000 lb

PMSCOLR 134C

900-210	TMS YELLOW	7.5000 lb
900-222	TMS SCARLET	0.4000 lb
900-201	TMS WHITE	92.1000 lb

PMSCOLR 1375C

900-201	TMS WHITE	13.4000 lb
900-222	TMS SCARLET	2.4000 lb
900-210	TMS YELLOW	84.2000 lb

PMSCOLR 1355C

900-210	TMS YELLOW	8.4000 lb
900-201	TMS WHITE	90.8000 lb
900-222	TMS SCARLET	0.6000 lb
900-270	TMS BLACK	0.2000 lb

PMSCOLR 137C

900-201	TMS WHITE	38.8000 lb
900-210	TMS YELLOW	58.8000 lb
900-222	TMS SCARLET	2.4000 lb

PMSCOLR 135C

900-201	TMS WHITE	74.0000 lb
900-210	TMS YELLOW	25.0000 lb
900-222	TMS SCARLET	1.0000 lb

PMSCOLR 1385C

900-201	TMS WHITE	20.5000 lb
900-222	TMS SCARLET	5.6000 lb
900-210	TMS YELLOW	73.9000 lb

PMSCOLR 1365C

900-210	TMS YELLOW	25.7000 lb
900-201	TMS WHITE	72.8000 lb
900-222	TMS SCARLET	1.5000 lb

PMSCOLR 1385U

900-201	TMS WHITE	13.0000 g
900-210	TMS YELLOW	77.0000 g
900-222	TMS SCARLET	6.0000 g
900-270	TMS BLACK	4.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 13

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 138C

900-210	TMS YELLOW	97.7200 lb
900-222	TMS SCARLET	2.1500 lb
900-251	TMS BLUE G/S	0.1300 lb

PMSCOLR 141C

900-201	TMS WHITE	74.0000 lb
900-210	TMS YELLOW	24.0000 lb
900-270	TMS BLACK	0.4000 lb
900-225	TMS RED	1.6000 lb

PMSCOLR 1395C

900-210	TMS YELLOW	93.5000 lb
900-222	TMS SCARLET	4.5000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 142C

900-201	TMS WHITE	72.0200 lb
900-210	TMS YELLOW	26.6800 lb
900-225	TMS RED	1.3000 lb

PMSCOLR 139C

900-210	TMS YELLOW	91.5000 lb
900-222	TMS SCARLET	5.5000 lb
900-251	TMS BLUE G/S	3.0000 lb

PMSCOLR 143C

900-201	TMS WHITE	40.0000 lb
900-210	TMS YELLOW	56.8000 lb
900-222	TMS SCARLET	2.4000 lb
900-270	TMS BLACK	0.8000 lb

PMSCOLR 1405C

900-252	TMS BLUE R/S	9.3000 lb
900-222	TMS SCARLET	16.5000 lb
900-210	TMS YELLOW	74.2000 lb

PMSCOLR 144C

900-201	TMS WHITE	27.8000 lb
900-210	TMS YELLOW	59.1000 lb
900-225	TMS RED	3.2000 lb
900-3390	ST FL. MAGENTA	9.9000 lb

PMSCOLR 140C

900-210	TMS YELLOW	70.9500 lb
900-222	TMS SCARLET	9.8800 lb
900-201	TMS WHITE	11.2600 lb
900-252	TMS BLUE R/S	7.9100 lb

PMSCOLR 145C

900-210	TMS YELLOW	91.5000 lb
900-222	TMS SCARLET	6.0000 lb
900-270	TMS BLACK	2.5000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 14

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 146C

900-210	TMS YELLOW	88.0000 lb
900-222	TMS SCARLET	6.5000 lb
900-270	TMS BLACK	5.5000 lb

PMSCOLR 149C

900-201	TMS WHITE	94.4000 lb
900-210	TMS YELLOW	4.8000 lb
900-222	TMS SCARLET	0.8000 lb

PMSCOLR 147C

900-210	TMS YELLOW	76.2000 g
900-270	TMS BLACK	14.9000 g
900-225	TMS RED	8.9000 g

PMSCOLR 1505C

900-201	TMS WHITE	16.0000 lb
900-210	TMS YELLOW	75.0000 lb
900-222	TMS SCARLET	4.5000 lb
900-3318	ST FL. ORANGE	4.5000 lb

PMSCOLR 1485C

900-210	TMS YELLOW	10.0000 lb
900-201	TMS WHITE	88.6000 lb
900-222	TMS SCARLET	1.4000 lb

PMSCOLR 150C

900-201	TMS WHITE	69.4000 lb
900-210	TMS YELLOW	27.8000 lb
900-222	TMS SCARLET	2.8000 lb

PMSCOLR 148C

900-201	TMS WHITE	94.9800 lb
900-210	TMS YELLOW	4.5000 lb
900-222	TMS SCARLET	0.5200 lb

PMSCOLR 1515C

900-201	TMS WHITE	16.0000 lb
900-210	TMS YELLOW	75.0000 lb
900-222	TMS SCARLET	4.5000 lb
900-3318	ST FL. ORANGE	4.5000 lb

PMSCOLR 1495C

900-201	TMS WHITE	52.0000 lb
900-210	TMS YELLOW	45.0000 lb
900-222	TMS SCARLET	3.0000 lb

PMSCOLR 151C

900-222	TMS SCARLET	5.0000 lb
900-210	TMS YELLOW	95.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 15

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 1525C

900-201	TMS WHITE	5.0000 lb
900-210	TMS YELLOW	76.0000 lb
900-222	TMS SCARLET	15.0000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 1545C

900-225	TMS RED	34.0000 lb
900-210	TMS YELLOW	50.0000 lb
900-270	TMS BLACK	16.0000 lb

PMSCOLR 1525U

900-210	TMS YELLOW	87.0000 g
900-222	TMS SCARLET	10.0000 g
900-270	TMS BLACK	3.0000 g

PMSCOLR 154C

900-222	TMS SCARLET	8.6000 lb
900-210	TMS YELLOW	86.5000 lb
900-270	TMS BLACK	4.9000 lb

PMSCOLR 152C

900-210	TMS YELLOW	90.0000 lb
900-222	TMS SCARLET	9.5000 lb
900-270	TMS BLACK	0.5000 lb

PMSCOLR 1555C

900-201	TMS WHITE	95.8000 lb
900-225	TMS RED	1.2000 lb
900-210	TMS YELLOW	2.8000 lb
900-270	TMS BLACK	0.2000 lb

PMSCOLR 1535C

900-201	TMS WHITE	5.0000 lb
900-210	TMS YELLOW	70.0000 lb
900-222	TMS SCARLET	15.0000 lb
900-270	TMS BLACK	10.0000 lb

PMSCOLR 155C

900-210	TMS YELLOW	4.7500 lb
900-270	TMS BLACK	0.2500 lb
900-225	TMS RED	0.5000 lb
900-201	TMS WHITE	94.5000 lb

PMSCOLR 153C

900-210	TMS YELLOW	89.0000 lb
900-222	TMS SCARLET	8.6000 lb
900-270	TMS BLACK	2.4000 lb

PMSCOLR 1565C

900-201	TMS WHITE	76.0000 lb
900-210	TMS YELLOW	20.5000 lb
900-222	TMS SCARLET	3.5000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 16

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 156C

900-210	TMS YELLOW	5.0000 lb
900-201	TMS WHITE	92.9000 lb
900-225	TMS RED	2.0000 lb
900-270	TMS BLACK	0.1000 lb

PMSCOLR 1595C

900-210	TMS YELLOW	85.0000 lb
900-222	TMS SCARLET	13.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 1575C

900-201	TMS WHITE	43.0000 lb
900-210	TMS YELLOW	50.0000 lb
900-222	TMS SCARLET	7.0000 lb

PMSCOLR 159C

900-225	TMS RED	3.2000 lb
900-210	TMS YELLOW	69.1600 lb
900-3390	ST FL. MAGENTA	27.0400 lb
900-252	TMS BLUE R/S	0.6000 lb

PMSCOLR 157C

900-201	TMS WHITE	66.0000 lb
900-210	TMS YELLOW	27.0000 lb
900-222	TMS SCARLET	5.5000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 1605C

900-210	TMS YELLOW	83.0000 lb
900-225	TMS RED	12.0000 lb
900-270	TMS BLACK	5.0000 lb

PMSCOLR 1585C

900-201	TMS WHITE	11.6000 lb
900-210	TMS YELLOW	76.9000 lb
900-222	TMS SCARLET	9.6000 lb
900-3316	ST FL. YELLOW	1.9000 lb

PMSCOLR 160C

900-210	TMS YELLOW	64.3400 lb
900-225	TMS RED	9.0200 lb
900-3390	ST FL. MAGENTA	25.1500 lb
900-252	TMS BLUE R/S	1.4900 lb

PMSCOLR 158C

900-210	TMS YELLOW	71.4000 lb
900-270	TMS BLACK	0.6000 lb
900-222	TMS SCARLET	8.0000 lb
900-201	TMS WHITE	20.0000 lb

PMSCOLR 1615C

900-201	TMS WHITE	8.0000 lb
900-210	TMS YELLOW	53.5000 lb
900-270	TMS BLACK	17.0000 lb
900-222	TMS SCARLET	21.5000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 17

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 161C

900-210	TMS YELLOW	47.2000 lb
900-201	TMS WHITE	3.4000 lb
900-222	TMS SCARLET	24.7000 lb
900-270	TMS BLACK	24.7000 lb

PMSCOLR 1625C

900-201	TMS WHITE	95.0000 lb
900-222	TMS SCARLET	2.4000 lb
900-210	TMS YELLOW	2.6000 lb

PMSCOLR 162C

900-210	TMS YELLOW	2.0000 lb
900-201	TMS WHITE	97.0000 lb
900-222	TMS SCARLET	1.0000 lb

PMSCOLR 1635C

900-201	TMS WHITE	72.4000 lb
900-210	TMS YELLOW	20.0000 lb
900-222	TMS SCARLET	7.6000 lb

PMSCOLR 163C

900-201	TMS WHITE	77.5000 lb
900-210	TMS YELLOW	16.0000 lb
900-222	TMS SCARLET	6.0000 lb
900-270	TMS BLACK	0.5000 lb

PMSCOLR 1645C

900-201	TMS WHITE	43.0000 lb
900-210	TMS YELLOW	45.0000 lb
900-225	TMS RED	12.0000 lb

PMSCOLR 164C

900-201	TMS WHITE	55.0000 lb
900-210	TMS YELLOW	36.0000 lb
900-222	TMS SCARLET	9.0000 lb

PMSCOLR 1655C

900-222	TMS SCARLET	14.0000 lb
900-210	TMS YELLOW	82.0000 lb
900-3316	ST FL. YELLOW	4.0000 lb

PMSCOLR 165C

900-210	TMS YELLOW	87.0000 lb
900-222	TMS SCARLET	10.0000 lb
900-3316	ST FL. YELLOW	3.0000 lb

PMSCOLR 1665C

900-201	TMS WHITE	5.0000 lb
900-210	TMS YELLOW	74.5000 lb
900-225	TMS RED	19.0000 lb
900-270	TMS BLACK	1.5000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 18

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 166C

900-210	TMS YELLOW	58.2000 lb
900-222	TMS SCARLET	25.9000 lb
900-201	TMS WHITE	15.1000 lb
900-270	TMS BLACK	0.8000 lb

PMSCOLR 168C

900-210	TMS YELLOW	44.8300 lb
900-222	TMS SCARLET	35.2000 lb
900-201	TMS WHITE	0.8100 lb
900-270	TMS BLACK	19.1600 lb

PMSCOLR 1675C

900-201	TMS WHITE	16.5300 lb
900-222	TMS SCARLET	31.5600 lb
900-210	TMS YELLOW	48.1400 lb
900-251	TMS BLUE G/S	3.7700 lb

PMSCOLR 169C

900-201	TMS WHITE	97.8000 lb
900-222	TMS SCARLET	1.4000 lb
900-210	TMS YELLOW	0.8000 lb

PMSCOLR 1675U

900-201	TMS WHITE	10.0000 g
900-210	TMS YELLOW	45.0000 g
900-222	TMS SCARLET	30.0000 g
900-270	TMS BLACK	15.0000 g

PMSCOLR 170C

900-201	TMS WHITE	83.6000 lb
900-222	TMS SCARLET	9.1000 lb
900-210	TMS YELLOW	7.3000 lb

PMSCOLR 167C

900-201	TMS WHITE	10.0000 lb
900-210	TMS YELLOW	66.0000 lb
900-222	TMS SCARLET	19.0000 lb
900-270	TMS BLACK	5.0000 lb

PMSCOLR 171C

900-201	TMS WHITE	35.0000 lb
900-210	TMS YELLOW	42.0000 lb
900-222	TMS SCARLET	23.0000 lb

PMSCOLR 1685C

900-201	TMS WHITE	8.9000 lb
900-222	TMS SCARLET	25.0000 lb
900-210	TMS YELLOW	51.8000 lb
900-270	TMS BLACK	14.3000 lb

PMSCOLR 172C

900-210	TMS YELLOW	50.8000 lb
900-222	TMS SCARLET	24.8000 lb
900-201	TMS WHITE	18.0000 lb
900-3318	ST FL. ORANGE	6.4000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 19

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 173C

900-201	TMS WHITE	22.7300 lb
900-210	TMS YELLOW	47.2700 lb
900-222	TMS SCARLET	27.2700 lb
900-270	TMS BLACK	2.7300 lb

PMSCOLR 1767C

900-201	TMS WHITE	97.4000 lb
900-222	TMS SCARLET	2.2000 lb
900-210	TMS YELLOW	0.2000 lb
900-259	TMS VIOLET	0.2000 lb

PMSCOLR 173U

900-201	TMS WHITE	16.0000 g
900-210	TMS YELLOW	38.0000 g
900-222	TMS SCARLET	40.0000 g
900-270	TMS BLACK	6.0000 g

PMSCOLR 176C

900-210	TMS YELLOW	0.2000 lb
900-222	TMS SCARLET	1.2000 lb
900-201	TMS WHITE	98.6000 lb

PMSCOLR 174C

900-210	TMS YELLOW	36.2800 lb
900-222	TMS SCARLET	44.6600 lb
900-201	TMS WHITE	12.4500 lb
900-251	TMS BLUE G/S	6.6100 lb

PMSCOLR 1775C

900-201	TMS WHITE	87.5000 lb
900-210	TMS YELLOW	0.5000 lb
900-222	TMS SCARLET	11.0000 lb
900-225	TMS RED	1.0000 lb

PMSCOLR 175C

900-210	TMS YELLOW	26.0000 lb
900-222	TMS SCARLET	43.0000 lb
900-270	TMS BLACK	22.8000 lb
900-201	TMS WHITE	8.2000 lb

PMSCOLR 1777C

900-201	TMS WHITE	81.0000 lb
900-210	TMS YELLOW	1.0000 lb
900-222	TMS SCARLET	16.0000 lb
900-225	TMS RED	2.0000 lb

PMSCOLR 1765C

900-201	TMS WHITE	94.6000 lb
900-222	TMS SCARLET	5.0000 lb
900-210	TMS YELLOW	0.4000 lb

PMSCOLR 177C

900-201	TMS WHITE	83.0000 lb
900-210	TMS YELLOW	7.0000 lb
900-222	TMS SCARLET	10.0000 lb

PMSCOLR 1785C

900-201	TMS WHITE	30.5500 lb
900-222	TMS SCARLET	12.0400 lb
900-225	TMS RED	1.8500 lb
900-3320	ST FL. RED	55.5600 lb

PMSCOLR 1797C

900-201	TMS WHITE	12.0000 lb
900-222	TMS SCARLET	75.0000 lb
900-225	TMS RED	11.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 1787C

900-201	TMS WHITE	50.0000 lb
900-210	TMS YELLOW	3.0000 lb
900-222	TMS SCARLET	40.0000 lb
900-225	TMS RED	7.0000 lb

PMSCOLR 179C

900-210	TMS YELLOW	29.5000 lb
900-222	TMS SCARLET	43.3500 lb
900-251	TMS BLUE G/S	0.1500 lb
900-201	TMS WHITE	27.0000 lb

PMSCOLR 1788C

900-201	TMS WHITE	38.6000 lb
900-210	TMS YELLOW	1.8000 lb
900-222	TMS SCARLET	59.6000 lb

PMSCOLR 1805C

900-201	TMS WHITE	10.0000 lb
900-222	TMS SCARLET	70.0000 lb
900-225	TMS RED	17.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 178C

900-201	TMS WHITE	68.0000 lb
900-210	TMS YELLOW	14.0000 lb
900-222	TMS SCARLET	18.0000 lb

PMSCOLR 1807C

900-201	TMS WHITE	9.1000 lb
900-222	TMS SCARLET	54.5000 lb
900-225	TMS RED	31.8000 lb
900-270	TMS BLACK	4.6000 lb

PMSCOLR 1795C

900-201	TMS WHITE	11.8000 lb
900-222	TMS SCARLET	78.4000 lb
900-210	TMS YELLOW	7.4000 lb
900-225	TMS RED	2.0000 lb
900-270	TMS BLACK	0.4000 lb

PMSCOLR 180C

900-201	TMS WHITE	10.5000 lb
900-210	TMS YELLOW	28.5000 lb
900-222	TMS SCARLET	59.0000 lb
900-270	TMS BLACK	2.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 21

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 1815C

900-201	TMS WHITE	9.2000 g
900-222	TMS SCARLET	67.0000 g
900-210	TMS YELLOW	2.2000 g
900-253	TMS MARINE	21.6000 g

PMSCOLR 184C

900-201	TMS WHITE	74.2000 lb
900-222	TMS SCARLET	22.8000 lb
900-225	TMS RED	3.0000 lb

PMSCOLR 1817C

900-201	TMS WHITE	10.0000 lb
900-222	TMS SCARLET	60.0000 lb
900-270	TMS BLACK	30.0000 lb

PMSCOLR 185C

900-222	TMS SCARLET	18.7000 lb
900-225	TMS RED	3.8000 lb
900-3320	ST FL. RED	74.5000 lb
900-201	TMS WHITE	3.0000 lb

PMSCOLR 181C

900-201	TMS WHITE	12.0000 lb
900-210	TMS YELLOW	20.0000 lb
900-222	TMS SCARLET	48.0000 lb
900-270	TMS BLACK	20.0000 lb

PMSCOLR 186C

900-222	TMS SCARLET	70.0000 lb
900-225	TMS RED	20.0000 lb
900-201	TMS WHITE	10.0000 lb

PMSCOLR 182C

900-201	TMS WHITE	97.8000 lb
900-222	TMS SCARLET	1.6000 lb
900-225	TMS RED	0.4000 lb
900-210	TMS YELLOW	0.2000 lb

PMSCOLR 187C

900-222	TMS SCARLET	57.0000 lb
900-225	TMS RED	30.0000 lb
900-201	TMS WHITE	12.0000 lb
900-210	TMS YELLOW	1.0000 lb

PMSCOLR 183C

900-201	TMS WHITE	88.0000 lb
900-222	TMS SCARLET	10.5000 lb
900-225	TMS RED	1.5000 lb

PMSCOLR 188C

900-222	TMS SCARLET	46.3400 lb
900-225	TMS RED	17.9100 lb
900-201	TMS WHITE	11.3400 lb
900-210	TMS YELLOW	4.3600 lb
900-253	TMS MARINE	20.0500 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 22

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 1895C

900-201	TMS WHITE	98.0000 lb
900-222	TMS SCARLET	1.2000 lb
900-225	TMS RED	0.6000 lb
900-253	TMS MARINE	0.2000 lb

PMSCOLR 191C

900-225	TMS RED	15.7000 lb
900-201	TMS WHITE	52.9000 lb
900-210	TMS YELLOW	1.3000 lb
900-222	TMS SCARLET	30.1000 lb

PMSCOLR 189C

900-225	TMS RED	2.0000 lb
900-201	TMS WHITE	95.8000 lb
900-210	TMS YELLOW	0.2000 lb
900-222	TMS SCARLET	2.0000 lb

PMSCOLR 1925C

900-201	TMS WHITE	15.0000 lb
900-222	TMS SCARLET	20.0000 lb
900-225	TMS RED	15.0000 lb
900-3390	ST FL. MAGENTA	50.0000 lb

PMSCOLR 1905C

900-201	TMS WHITE	93.0000 lb
900-222	TMS SCARLET	3.5000 lb
900-225	TMS RED	3.0000 lb
900-253	TMS MARINE	0.5000 lb

PMSCOLR 192C

900-222	TMS SCARLET	27.5000 lb
900-3390	ST FL. MAGENTA	28.5000 lb
900-201	TMS WHITE	21.5000 lb
900-225	TMS RED	12.5000 lb
900-210	TMS YELLOW	10.0000 lb

PMSCOLR 190C

900-201	TMS WHITE	85.0000 lb
900-222	TMS SCARLET	12.0000 lb
900-225	TMS RED	3.0000 lb

PMSCOLR 1935C

900-201	TMS WHITE	25.0000 lb
900-222	TMS SCARLET	26.5000 lb
900-225	TMS RED	38.5000 lb
900-210	TMS YELLOW	10.0000 lb

PMSCOLR 1915C

900-201	TMS WHITE	63.5000 g
900-222	TMS SCARLET	21.0000 g
900-225	TMS RED	14.5000 g
900-253	TMS MARINE	1.0000 g

PMSCOLR 193C

900-222	TMS SCARLET	38.5000 lb
900-201	TMS WHITE	21.6000 lb
900-225	TMS RED	25.5000 lb
900-210	TMS YELLOW	13.1000 lb
900-270	TMS BLACK	1.3000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 23

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 1945C

900-222	TMS SCARLET	24.0000 lb
900-225	TMS RED	40.0000 lb
900-201	TMS WHITE	20.0000 lb
900-270	TMS BLACK	1.5000 lb
900-210	TMS YELLOW	14.5000 lb

PMSCOLR 195U

900-201	TMS WHITE	16.0000 g
900-222	TMS SCARLET	26.0000 g
900-225	TMS RED	16.0000 g
900-252	TMS BLUE R/S	16.0000 g
900-210	TMS YELLOW	26.0000 g

PMSCOLR 194C

900-222	TMS SCARLET	24.0000 lb
900-201	TMS WHITE	19.0000 lb
900-225	TMS RED	33.0000 lb
900-210	TMS YELLOW	19.0000 lb
900-270	TMS BLACK	5.0000 lb

PMSCOLR 196C

900-225	TMS RED	2.0000 lb
900-201	TMS WHITE	97.2000 lb
900-270	TMS BLACK	0.2000 lb
900-210	TMS YELLOW	0.6000 lb

PMSCOLR 194U

900-201	TMS WHITE	18.0000 g
900-222	TMS SCARLET	46.0000 g
900-225	TMS RED	18.0000 g
900-252	TMS BLUE R/S	9.0000 g
900-210	TMS YELLOW	9.0000 g

PMSCOLR 197C

900-201	TMS WHITE	92.5000 lb
900-225	TMS RED	5.6000 lb
900-210	TMS YELLOW	1.2000 lb
900-222	TMS SCARLET	0.7000 lb

PMSCOLR 1955C

900-222	TMS SCARLET	20.0000 lb
900-225	TMS RED	50.0000 lb
900-201	TMS WHITE	14.0000 lb
900-270	TMS BLACK	4.0000 lb
900-210	TMS YELLOW	12.0000 lb

PMSCOLR 198C

900-201	TMS WHITE	45.0000 lb
900-225	TMS RED	24.0000 lb
900-222	TMS SCARLET	30.0000 lb
900-210	TMS YELLOW	1.0000 lb

PMSCOLR 195C

900-222	TMS SCARLET	25.0000 lb
900-225	TMS RED	35.0000 lb
900-201	TMS WHITE	10.0000 lb
900-270	TMS BLACK	14.0000 lb
900-210	TMS YELLOW	16.0000 lb

PMSCOLR 199C

900-201	TMS WHITE	20.0000 lb
900-225	TMS RED	24.0000 lb
900-222	TMS SCARLET	44.0000 lb
900-3390	ST FL. MAGENTA	12.0000 lb

PMSCOLR 200C

900-201	TMS WHITE	9.0000 lb
900-225	TMS RED	35.0000 lb
900-3318	ST FL. ORANGE	28.0000 lb
900-222	TMS SCARLET	28.0000 lb

PMSCOLR 205C

900-201	TMS WHITE	23.5000 lb
900-210	TMS YELLOW	1.5000 lb
900-225	TMS RED	17.0000 lb
900-3390	ST FL. MAGENTA	58.0000 lb

PMSCOLR 201C

900-201	TMS WHITE	27.5000 lb
900-225	TMS RED	14.8000 lb
900-222	TMS SCARLET	53.7000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 206C

900-225	TMS RED	20.0000 lb
900-201	TMS WHITE	15.0000 lb
900-222	TMS SCARLET	20.0000 lb
900-3390	ST FL. MAGENTA	45.0000 lb

PMSCOLR 202C

900-201	TMS WHITE	7.5000 lb
900-225	TMS RED	41.3000 lb
900-210	TMS YELLOW	24.4000 lb
900-222	TMS SCARLET	22.0000 lb
900-270	TMS BLACK	4.8000 lb

PMSCOLR 207C

900-210	TMS YELLOW	0.5000 lb
900-225	TMS RED	29.5000 lb
900-3330	ST FL. PINK	70.0000 lb

PMSCOLR 203C

900-201	TMS WHITE	96.0000 lb
900-225	TMS RED	3.6000 lb
900-210	TMS YELLOW	0.4000 lb

PMSCOLR 208C

900-210	TMS YELLOW	4.5000 g
900-201	TMS WHITE	1.3000 g
900-3390	ST FL. MAGENTA	78.2000 g
900-253	TMS MARINE	16.0000 g

PMSCOLR 204C

900-201	TMS WHITE	88.0000 lb
900-222	TMS SCARLET	5.0000 lb
900-225	TMS RED	7.0000 lb

PMSCOLR 209C

900-201	TMS WHITE	16.6000 lb
900-222	TMS SCARLET	30.4000 lb
900-225	TMS RED	39.2000 lb
900-210	TMS YELLOW	2.0000 lb
900-270	TMS BLACK	11.8000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 25

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 210C

900-201	TMS WHITE	82.4000 lb
900-222	TMS SCARLET	0.8000 lb
900-3390	ST FL. MAGENTA	16.0000 lb
900-253	TMS MARINE	0.8000 lb

PMSCOLR 215C

900-201	TMS WHITE	22.0000 lb
900-222	TMS SCARLET	28.0000 lb
900-225	TMS RED	44.4000 lb
900-270	TMS BLACK	5.6000 lb

PMSCOLR 211C

900-201	TMS WHITE	63.0000 lb
900-222	TMS SCARLET	3.5000 lb
900-253	TMS MARINE	1.5000 lb
900-3390	ST FL. MAGENTA	32.0000 lb

PMSCOLR 216C

900-225	TMS RED	51.0000 lb
900-201	TMS WHITE	25.5000 lb
900-270	TMS BLACK	10.2000 lb
900-210	TMS YELLOW	13.3000 lb

PMSCOLR 212C

900-201	TMS WHITE	31.5000 lb
900-222	TMS SCARLET	2.5000 lb
900-225	TMS RED	6.0000 lb
900-3390	ST FL. MAGENTA	60.0000 lb

PMSCOLR 217C

900-225	TMS RED	2.2000 lb
900-201	TMS WHITE	97.8000 lb

PMSCOLR 213C

900-201	TMS WHITE	21.3000 lb
900-222	TMS SCARLET	3.0000 lb
900-225	TMS RED	11.3000 lb
900-3390	ST FL. MAGENTA	64.4000 lb

PMSCOLR 218C

900-201	TMS WHITE	75.0000 lb
900-225	TMS RED	15.0000 lb
900-3390	ST FL. MAGENTA	10.0000 lb

PMSCOLR 214C

900-201	TMS WHITE	30.0000 lb
900-222	TMS SCARLET	25.0000 lb
900-225	TMS RED	44.0000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 219C

900-201	TMS WHITE	19.0000 lb
900-225	TMS RED	20.0000 lb
900-253	TMS MARINE	1.0000 lb
900-3390	ST FL. MAGENTA	60.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 26

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 220C

900-201	TMS WHITE	25.0000 lb
900-225	TMS RED	60.0000 lb
900-222	TMS SCARLET	15.0000 lb

PMSCOLR 225C

900-201	TMS WHITE	25.0000 lb
900-225	TMS RED	10.0000 lb
900-3390	ST FL. MAGENTA	61.0000 lb
900-259	TMS VIOLET	4.0000 lb

PMSCOLR 221C

900-201	TMS WHITE	22.0000 lb
900-222	TMS SCARLET	13.5000 lb
900-225	TMS RED	60.0000 lb
900-253	TMS MARINE	1.5000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 226C

900-253	TMS MARINE	2.0000 lb
900-225	TMS RED	3.5000 lb
900-3390	ST FL. MAGENTA	60.0000 lb
900-3330	ST FL. PINK	34.5000 lb

PMSCOLR 222C

900-201	TMS WHITE	12.0000 lb
900-225	TMS RED	73.0000 lb
900-253	TMS MARINE	5.0000 lb
900-270	TMS BLACK	9.0000 lb
900-210	TMS YELLOW	1.0000 lb

PMSCOLR 227C

900-201	TMS WHITE	3.0000 lb
900-225	TMS RED	18.5000 lb
900-3390	ST FL. MAGENTA	70.5000 lb
900-259	TMS VIOLET	8.0000 lb

PMSCOLR 223C

900-201	TMS WHITE	67.5000 lb
900-3390	ST FL. MAGENTA	30.7000 lb
900-259	TMS VIOLET	1.8000 lb

PMSCOLR 228C

900-201	TMS WHITE	15.0000 lb
900-225	TMS RED	80.0000 lb
900-270	TMS BLACK	5.0000 lb

PMSCOLR 224C

900-201	TMS WHITE	51.0000 lb
900-225	TMS RED	6.0000 lb
900-3390	ST FL. MAGENTA	40.0000 lb
900-259	TMS VIOLET	3.0000 lb

PMSCOLR 229C

900-253	TMS MARINE	2.0000 lb
900-225	TMS RED	79.0000 lb
900-210	TMS YELLOW	2.0000 lb
900-270	TMS BLACK	10.0000 lb
900-201	TMS WHITE	7.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 27

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 230C

900-3390	ST FL. MAGENTA	12.5000 lb
900-201	TMS WHITE	86.7000 lb
900-259	TMS VIOLET	0.8000 lb

PMSCOLR 235C

900-201	TMS WHITE	20.0000 lb
900-259	TMS VIOLET	10.0000 lb
900-225	TMS RED	70.0000 lb

PMSCOLR 231C

900-201	TMS WHITE	51.0000 lb
900-225	TMS RED	6.0000 lb
900-259	TMS VIOLET	1.0000 lb
900-3390	ST FL. MAGENTA	42.0000 lb

PMSCOLR 2365C

900-201	TMS WHITE	95.4000 lb
900-3390	ST FL. MAGENTA	3.6000 lb
900-259	TMS VIOLET	1.0000 lb

PMSCOLR 232C

900-201	TMS WHITE	23.0000 lb
900-225	TMS RED	10.0000 lb
900-259	TMS VIOLET	2.0000 lb
900-3390	ST FL. MAGENTA	65.0000 lb

PMSCOLR 236C

900-201	TMS WHITE	89.8000 lb
900-259	TMS VIOLET	1.2000 lb
900-3390	ST FL. MAGENTA	9.0000 lb

PMSCOLR 233C

900-201	TMS WHITE	0.6200 lb
900-3390	ST FL. MAGENTA	98.4000 lb
900-253	TMS MARINE	0.9800 lb

PMSCOLR 2375C

900-201	TMS WHITE	51.0000 lb
900-225	TMS RED	1.5000 lb
900-259	TMS VIOLET	7.5000 lb
900-3390	ST FL. MAGENTA	40.0000 lb

PMSCOLR 234C

900-201	TMS WHITE	25.0000 lb
900-225	TMS RED	67.0000 lb
900-259	TMS VIOLET	8.0000 lb

PMSCOLR 237C

900-201	TMS WHITE	60.0000 lb
900-259	TMS VIOLET	3.0000 lb
900-3390	ST FL. MAGENTA	37.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 28

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 2385C

900-201	TMS WHITE	9.4000 lb
900-3390	ST FL. MAGENTA	75.0000 lb
900-259	TMS VIOLET	15.6000 lb

PMSCOLR 240C

900-201	TMS WHITE	7.0000 lb
900-259	TMS VIOLET	13.0000 lb
900-3390	ST FL. MAGENTA	80.0000 lb

PMSCOLR 238C

900-201	TMS WHITE	23.5000 lb
900-259	TMS VIOLET	5.1000 lb
900-3390	ST FL. MAGENTA	71.4000 lb

PMSCOLR 2415C

900-201	TMS WHITE	13.0000 lb
900-225	TMS RED	30.0000 lb
900-259	TMS VIOLET	17.0000 lb
900-3390	ST FL. MAGENTA	40.0000 lb

PMSCOLR 2395C

900-3390	ST FL. MAGENTA	89.0000 lb
900-259	TMS VIOLET	11.0000 lb

PMSCOLR 241C

900-201	TMS WHITE	31.5000 lb
900-225	TMS RED	60.0000 lb
900-259	TMS VIOLET	8.5000 lb

PMSCOLR 239C

900-201	TMS WHITE	5.1000 lb
900-259	TMS VIOLET	7.1000 lb
900-3390	ST FL. MAGENTA	87.8000 lb

PMSCOLR 2425C

900-3390	ST FL. MAGENTA	15.0000 lb
900-259	TMS VIOLET	28.0000 lb
900-201	TMS WHITE	21.0000 lb
900-225	TMS RED	36.0000 lb

PMSCOLR 2405C

900-3390	ST FL. MAGENTA	86.0000 lb
900-259	TMS VIOLET	14.0000 lb

PMSCOLR 242C

900-259	TMS VIOLET	22.5000 lb
900-201	TMS WHITE	18.0000 lb
900-225	TMS RED	59.5000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 29

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 243C

900-201	TMS WHITE	92.0000 lb
900-3390	ST FL. MAGENTA	6.0000 lb
900-259	TMS VIOLET	2.0000 lb

PMSCOLR 244C

900-201	TMS WHITE	72.5000 lb
900-259	TMS VIOLET	5.5000 lb
900-3390	ST FL. MAGENTA	22.0000 lb

PMSCOLR 245C

900-201	TMS WHITE	55.8900 lb
900-3390	ST FL. MAGENTA	37.9800 lb
900-259	TMS VIOLET	6.1300 lb

PMSCOLR 246C

900-201	TMS WHITE	5.5000 lb
900-3390	ST FL. MAGENTA	79.1000 lb
900-259	TMS VIOLET	15.4000 lb

PMSCOLR 247C

900-201	TMS WHITE	7.4000 lb
900-225	TMS RED	13.9000 lb
900-259	TMS VIOLET	0.9000 lb
900-3390	ST FL. MAGENTA	20.0000 lb
900-3394	ST FL. VIOLET	57.8000 lb

PMSCOLR 248C

900-201	TMS WHITE	6.5000 lb
900-225	TMS RED	15.0000 lb
900-259	TMS VIOLET	2.0000 lb
900-3390	ST FL. MAGENTA	20.0000 lb
900-3394	ST FL. VIOLET	56.5000 lb

PMSCOLR 249C

900-201	TMS WHITE	22.0000 lb
900-259	TMS VIOLET	12.0000 lb
900-225	TMS RED	60.0000 lb
900-270	TMS BLACK	6.0000 lb

PMSCOLR 250C

900-201	TMS WHITE	97.8000 lb
900-259	TMS VIOLET	1.4000 lb
900-225	TMS RED	0.8000 lb

PMSCOLR 251C

900-201	TMS WHITE	85.0000 lb
900-225	TMS RED	5.0000 lb
900-259	TMS VIOLET	5.0000 lb
900-3390	ST FL. MAGENTA	5.0000 lb

PMSCOLR 252C

900-201	TMS WHITE	53.0000 lb
900-225	TMS RED	15.0000 lb
900-259	TMS VIOLET	12.0000 lb
900-3390	ST FL. MAGENTA	20.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 30

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 253C

900-201	TMS WHITE	13.5000 lb
900-225	TMS RED	15.0000 lb
900-259	TMS VIOLET	12.0000 lb
900-3390	ST FL. MAGENTA	40.0000 lb
900-3394	ST FL. VIOLET	19.5000 lb

PMSCOLR 254C

900-201	TMS WHITE	15.0000 lb
900-225	TMS RED	20.0000 lb
900-259	TMS VIOLET	20.0000 lb
900-3390	ST FL. MAGENTA	20.0000 lb
900-3394	ST FL. VIOLET	25.0000 lb

PMSCOLR 255C

900-270	TMS BLACK	4.0000 lb
900-201	TMS WHITE	20.0000 lb
900-225	TMS RED	32.0000 lb
900-259	TMS VIOLET	44.0000 lb

PMSCOLR 2562C

900-201	TMS WHITE	75.9600 lb
900-259	TMS VIOLET	11.8900 lb
900-3390	ST FL. MAGENTA	12.1500 lb

PMSCOLR 2563C

900-201	TMS WHITE	78.2000 lb
900-259	TMS VIOLET	11.8000 lb
900-225	TMS RED	1.9000 lb
900-3390	ST FL. MAGENTA	8.1000 lb

PMSCOLR 2567C

900-253	TMS MARINE	3.0000 lb
900-259	TMS VIOLET	10.0000 lb
900-3390	ST FL. MAGENTA	7.5000 lb
900-201	TMS WHITE	79.5000 lb

PMSCOLR 256C

900-270	TMS BLACK	0.2000 lb
900-201	TMS WHITE	97.2000 lb
900-225	TMS RED	1.4000 lb
900-253	TMS MARINE	1.2000 lb

PMSCOLR 2572C

900-201	TMS WHITE	52.0000 lb
900-259	TMS VIOLET	24.0000 lb
900-3390	ST FL. MAGENTA	24.0000 lb

PMSCOLR 2573C

900-201	TMS WHITE	68.0000 lb
900-225	TMS RED	10.0000 lb
900-259	TMS VIOLET	22.0000 lb

PMSCOLR 2577C

900-259	TMS VIOLET	31.7000 lb
900-3390	ST FL. MAGENTA	6.9000 lb
900-225	TMS RED	2.0000 lb
900-201	TMS WHITE	59.4000 lb

PMSCOLR 257C

900-201	TMS WHITE	90.5000 lb
900-225	TMS RED	5.0000 lb
900-253	TMS MARINE	4.5000 lb

PMSCOLR 2592C

900-259	TMS VIOLET	8.0000 lb
900-2390	TMS FL. MAGENTA	23.0000 lb
900-3394	ST FL. VIOLET	69.0000 lb

PMSCOLR 2582C

900-201	TMS WHITE	13.0000 lb
900-259	TMS VIOLET	51.0000 lb
900-3390	ST FL. MAGENTA	36.0000 lb

PMSCOLR 2593C

900-201	TMS WHITE	14.0000 lb
900-259	TMS VIOLET	35.0000 lb
900-225	TMS RED	10.0000 lb
900-3390	ST FL. MAGENTA	35.0000 lb
900-253	TMS MARINE	6.0000 lb

PMSCOLR 2583C

900-201	TMS WHITE	52.0000 lb
900-225	TMS RED	15.0000 lb
900-259	TMS VIOLET	33.0000 lb

PMSCOLR 2597C

900-259	TMS VIOLET	43.0000 g
900-3390	ST FL. MAGENTA	33.5000 g
900-201	TMS WHITE	9.5000 g
900-253	TMS MARINE	14.0000 g

PMSCOLR 2587C

900-201	TMS WHITE	23.0000 lb
900-259	TMS VIOLET	61.0000 lb
900-3390	ST FL. MAGENTA	12.0000 lb
900-225	TMS RED	4.0000 lb

PMSCOLR 259C

900-225	TMS RED	23.0000 lb
900-3390	ST FL. MAGENTA	32.0000 lb
900-253	TMS MARINE	28.5000 lb
900-201	TMS WHITE	15.0000 lb
900-259	TMS VIOLET	1.5000 lb

PMSCOLR 258C

900-3390	ST FL. MAGENTA	64.5000 lb
900-201	TMS WHITE	10.8000 lb
900-259	TMS VIOLET	24.7000 lb

PMSCOLR 2602C

900-201	TMS WHITE	7.3000 lb
900-225	TMS RED	2.7000 lb
900-259	TMS VIOLET	52.0000 lb
900-3390	ST FL. MAGENTA	38.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 32

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 2603C

900-201	TMS WHITE	15.0000 lb
900-225	TMS RED	25.0000 lb
900-259	TMS VIOLET	60.0000 lb

PMSCOLR 2617C

900-201	TMS WHITE	2.5000 lb
900-259	TMS VIOLET	76.0000 lb
900-3390	ST FL. MAGENTA	21.5000 lb

PMSCOLR 2607C

900-201	TMS WHITE	5.0000 lb
900-259	TMS VIOLET	72.5000 lb
900-3390	ST FL. MAGENTA	22.5000 lb

PMSCOLR 261C

900-225	TMS RED	48.1000 lb
900-201	TMS WHITE	19.2000 lb
900-259	TMS VIOLET	13.5000 lb
900-270	TMS BLACK	19.2000 lb

PMSCOLR 260C

900-225	TMS RED	31.0000 lb
900-201	TMS WHITE	19.0000 lb
900-259	TMS VIOLET	50.0000 lb

PMSCOLR 2622C

900-201	TMS WHITE	14.0000 lb
900-259	TMS VIOLET	43.0000 lb
900-225	TMS RED	31.0000 lb
900-270	TMS BLACK	12.0000 lb

PMSCOLR 2612C

900-201	TMS WHITE	10.0000 lb
900-225	TMS RED	30.0000 lb
900-259	TMS VIOLET	60.0000 lb

PMSCOLR 2623C

900-253	TMS MARINE	23.0000 lb
900-259	TMS VIOLET	30.0000 lb
900-225	TMS RED	33.0000 lb
900-201	TMS WHITE	14.0000 lb

PMSCOLR 2613C

900-201	TMS WHITE	10.0000 lb
900-225	TMS RED	25.0000 lb
900-259	TMS VIOLET	65.0000 lb

PMSCOLR 2627C

900-201	TMS WHITE	11.5000 lb
900-259	TMS VIOLET	50.5000 lb
900-225	TMS RED	19.0000 lb
900-253	TMS MARINE	19.0000 lb

PMSCOLR 262C

900-225	TMS RED	55.0000 lb
900-270	TMS BLACK	2.0000 lb
900-253	TMS MARINE	20.0000 lb
900-201	TMS WHITE	8.0000 lb
900-259	TMS VIOLET	15.0000 lb

PMSCOLR 2635C

900-259	TMS VIOLET	8.3000 lb
900-201	TMS WHITE	91.3000 lb
900-252	TMS BLUE R/S	0.4000 lb

PMSCOLR 263C

900-259	TMS VIOLET	3.0000 lb
900-253	TMS MARINE	1.0000 lb
900-3390	ST FL. MAGENTA	1.0000 lb
900-201	TMS WHITE	95.0000 lb

PMSCOLR 2645C

900-259	TMS VIOLET	30.0000 lb
900-201	TMS WHITE	70.0000 lb

PMSCOLR 264C

900-201	TMS WHITE	80.0000 lb
900-253	TMS MARINE	4.0000 lb
900-259	TMS VIOLET	12.0000 lb
900-3390	ST FL. MAGENTA	4.0000 lb

PMSCOLR 2655C

900-201	TMS WHITE	50.0000 lb
900-253	TMS MARINE	7.0000 lb
900-259	TMS VIOLET	41.0000 lb
900-3390	ST FL. MAGENTA	2.0000 lb

PMSCOLR 265C

900-201	TMS WHITE	16.0000 lb
900-253	TMS MARINE	16.0000 lb
900-259	TMS VIOLET	48.0000 lb
900-3390	ST FL. MAGENTA	20.0000 lb

PMSCOLR 2665C

900-259	TMS VIOLET	61.0000 lb
900-201	TMS WHITE	21.0000 lb
900-253	TMS MARINE	13.5000 lb
900-3390	ST FL. MAGENTA	4.5000 lb

PMSCOLR 266C

900-259	TMS VIOLET	10.0000 lb
900-253	TMS MARINE	10.0000 lb
900-3394	ST FL. VIOLET	80.0000 lb

PMSCOLR 267C

900-259	TMS VIOLET	58.8000 lb
900-253	TMS MARINE	29.4000 lb
900-3390	ST FL. MAGENTA	9.8000 lb
900-201	TMS WHITE	2.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 34

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 2685C

900-253	TMS MARINE	22.0000 lb
900-259	TMS VIOLET	22.0000 lb
900-3394	ST FL. VIOLET	54.0000 lb
900-225	TMS RED	2.0000 lb

PMSCOLR 2706C

900-253	TMS MARINE	6.2000 lb
900-259	TMS VIOLET	1.7000 lb
900-270	TMS BLACK	0.6000 lb
900-201	TMS WHITE	91.5000 lb

PMSCOLR 268C

900-259	TMS VIOLET	52.5000 lb
900-253	TMS MARINE	15.5000 lb
900-3390	ST FL. MAGENTA	32.0000 lb

PMSCOLR 2707C

900-201	TMS WHITE	93.2000 lb
900-253	TMS MARINE	6.4000 lb
900-270	TMS BLACK	0.4000 lb

PMSCOLR 2695C

900-259	TMS VIOLET	83.1000 lb
900-201	TMS WHITE	7.0000 lb
900-3390	ST FL. MAGENTA	4.6000 lb
900-270	TMS BLACK	5.3000 lb

PMSCOLR 2708C

900-251	TMS BLUE G/S	3.5000 lb
900-201	TMS WHITE	92.0000 lb
900-270	TMS BLACK	0.5000 lb
900-259	TMS VIOLET	4.0000 lb

PMSCOLR 269C

900-259	TMS VIOLET	85.0000 lb
900-201	TMS WHITE	7.0000 lb
900-225	TMS RED	8.0000 lb

PMSCOLR 270C

900-201	TMS WHITE	85.5000 lb
900-225	TMS RED	2.5000 lb
900-253	TMS MARINE	12.0000 lb

PMSCOLR 2705C

900-253	TMS MARINE	14.3000 lb
900-259	TMS VIOLET	12.5000 lb
900-201	TMS WHITE	73.2000 lb

PMSCOLR 2715C

900-201	TMS WHITE	48.0000 lb
900-253	TMS MARINE	28.0000 lb
900-259	TMS VIOLET	24.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 35

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 2716C

900-253	TMS MARINE	22.5000 lb
900-259	TMS VIOLET	7.5000 lb
900-270	TMS BLACK	0.5000 lb
900-201	TMS WHITE	69.5000 lb

PMSCOLR 2717C

900-201	TMS WHITE	76.5000 lb
900-251	TMS BLUE G/S	3.0000 lb
900-253	TMS MARINE	19.0000 lb
900-259	TMS VIOLET	1.5000 lb

PMSCOLR 2718C

900-201	TMS WHITE	24.0000 lb
900-251	TMS BLUE G/S	9.0000 lb
900-253	TMS MARINE	60.0000 lb
900-259	TMS VIOLET	6.0000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 271C

900-201	TMS WHITE	62.9100 lb
900-225	TMS RED	3.6500 lb
900-3394	ST FL. VIOLET	28.8700 lb
900-252	TMS BLUE R/S	4.5700 lb

PMSCOLR 2725C

900-253	TMS MARINE	40.0000 lb
900-259	TMS VIOLET	40.0000 lb
900-201	TMS WHITE	20.0000 lb

PMSCOLR 2726C

900-201	TMS WHITE	12.5000 lb
900-253	TMS MARINE	71.0000 lb
900-259	TMS VIOLET	16.5000 lb

PMSCOLR 2727C

900-201	TMS WHITE	10.0000 lb
900-251	TMS BLUE G/S	10.0000 lb
900-253	TMS MARINE	80.0000 lb

PMSCOLR 2728C

900-201	TMS WHITE	5.0000 lb
900-253	TMS MARINE	86.0000 lb
900-252	TMS BLUE R/S	9.0000 lb

PMSCOLR 272C

900-201	TMS WHITE	56.5000 lb
900-253	TMS MARINE	20.0000 lb
900-259	TMS VIOLET	22.0000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 2735C

900-253	TMS MARINE	86.0000 lb
900-3390	ST FL. MAGENTA	14.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 36

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 2736C

900-253	TMS MARINE	80.0000 lb
900-259	TMS VIOLET	10.0000 lb
900-201	TMS WHITE	10.0000 lb

PMSCOLR 2738C

900-201	TMS WHITE	1.0000 lb
900-253	TMS MARINE	90.0000 lb
900-252	TMS BLUE R/S	9.0000 lb

PMSCOLR 273C

900-253	TMS MARINE	47.0000 lb
900-259	TMS VIOLET	38.0000 lb
900-3390	ST FL. MAGENTA	10.0000 lb
900-201	TMS WHITE	5.0000 lb

PMSCOLR 2745C

900-201	TMS WHITE	1.0000 lb
900-253	TMS MARINE	73.0000 lb
900-259	TMS VIOLET	26.0000 lb

PMSCOLR 2746C

900-201	TMS WHITE	2.0000 lb
900-253	TMS MARINE	80.0000 lb
900-259	TMS VIOLET	18.0000 lb

PMSCOLR 2747C

900-201	TMS WHITE	1.0000 lb
900-251	TMS BLUE G/S	7.5000 lb
900-253	TMS MARINE	77.0000 lb
900-259	TMS VIOLET	12.5000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 2748C

900-201	TMS WHITE	2.0000 lb
900-251	TMS BLUE G/S	20.0000 lb
900-253	TMS MARINE	76.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 274C

900-201	TMS WHITE	3.0000 lb
900-253	TMS MARINE	45.0000 lb
900-259	TMS VIOLET	46.0000 lb
900-225	TMS RED	6.0000 lb

PMSCOLR 2755C

900-253	TMS MARINE	49.0000 lb
900-259	TMS VIOLET	49.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 2756C

900-253	TMS MARINE	54.8000 lb
900-259	TMS VIOLET	42.1000 lb
900-270	TMS BLACK	3.1000 lb

PMSCOLR 2757C

900-201	TMS WHITE	0.5000 lb
900-251	TMS BLUE G/S	12.0000 lb
900-253	TMS MARINE	70.5000 lb
900-259	TMS VIOLET	12.0000 lb
900-270	TMS BLACK	5.0000 lb

PMSCOLR 2758C

900-201	TMS WHITE	1.1000 lb
900-251	TMS BLUE G/S	27.8000 lb
900-253	TMS MARINE	67.8000 lb
900-270	TMS BLACK	3.3000 lb

PMSCOLR 275C

900-253	TMS MARINE	60.0000 lb
900-259	TMS VIOLET	40.0000 lb

PMSCOLR 2765C

900-253	TMS MARINE	42.0000 lb
900-259	TMS VIOLET	58.0000 lb

PMSCOLR 2766C

900-253	TMS MARINE	52.0000 lb
900-259	TMS VIOLET	40.0000 lb
900-270	TMS BLACK	5.0000 lb
900-201	TMS WHITE	3.0000 lb

PMSCOLR 2767C

900-253	TMS MARINE	80.0000 lb
900-270	TMS BLACK	8.0000 lb
900-252	TMS BLUE R/S	12.0000 lb

PMSCOLR 2768C

900-201	TMS WHITE	2.8000 lb
900-270	TMS BLACK	9.2000 lb
900-259	TMS VIOLET	15.0000 lb
900-253	TMS MARINE	73.0000 lb

PMSCOLR 276C

900-253	TMS MARINE	68.5000 lb
900-225	TMS RED	22.5000 lb
900-201	TMS WHITE	4.5000 lb
900-270	TMS BLACK	4.5000 lb

PMSCOLR 277C

900-253	TMS MARINE	6.0000 lb
900-201	TMS WHITE	93.0000 lb
900-270	TMS BLACK	0.4000 lb
900-251	TMS BLUE G/S	0.6000 lb

PMSCOLR 278C

900-201	TMS WHITE	91.7000 lb
900-270	TMS BLACK	0.6000 lb
900-252	TMS BLUE R/S	4.8000 lb
900-259	TMS VIOLET	2.9000 lb

PMSCOLR 279C

900-253	TMS MARINE	64.3000 lb
900-201	TMS WHITE	2.8000 lb
900-251	TMS BLUE G/S	32.9000 lb

PMSCOLR 280C

900-201	TMS WHITE	3.0000 lb
900-253	TMS MARINE	80.0000 lb
900-270	TMS BLACK	2.0000 lb
900-252	TMS BLUE R/S	15.0000 lb

PMSCOLR 281C

900-253	TMS MARINE	72.0000 lb
900-201	TMS WHITE	1.6000 lb
900-251	TMS BLUE G/S	20.4000 lb
900-270	TMS BLACK	6.0000 lb

PMSCOLR 282C

900-201	TMS WHITE	1.9000 lb
900-251	TMS BLUE G/S	20.8000 lb
900-253	TMS MARINE	69.6000 lb
900-270	TMS BLACK	7.7000 lb

PMSCOLR 283C

900-201	TMS WHITE	80.6000 lb
900-251	TMS BLUE G/S	2.5000 lb
900-253	TMS MARINE	16.5000 lb
900-270	TMS BLACK	0.4000 lb

PMSCOLR 283U

900-201	TMS WHITE	84.0000 g
900-251	TMS BLUE G/S	2.0000 g
900-253	TMS MARINE	13.0000 g
900-270	TMS BLACK	1.0000 g

PMSCOLR 284C

900-201	TMS WHITE	77.0000 lb
900-251	TMS BLUE G/S	6.0000 lb
900-253	TMS MARINE	17.0000 lb

PMSCOLR 285C

900-201	TMS WHITE	30.0000 lb
900-253	TMS MARINE	40.0000 lb
900-252	TMS BLUE R/S	30.0000 lb

PMSCOLR 286C

900-201	TMS WHITE	10.0000 lb
900-253	TMS MARINE	50.0000 lb
900-252	TMS BLUE R/S	40.0000 lb

PMSCOLR 286U

900-201	TMS WHITE	8.0000 g
900-253	TMS MARINE	32.0000 g
900-252	TMS BLUE R/S	40.0000 g
900-259	TMS VIOLET	20.0000 g

PMSCOLR 287C

900-201	TMS WHITE	8.5000 lb
900-253	TMS MARINE	44.0000 lb
900-252	TMS BLUE R/S	47.5000 lb

PMSCOLR 287U

900-201	TMS WHITE	5.0000 g
900-253	TMS MARINE	23.0000 g
900-270	TMS BLACK	2.0000 g
900-252	TMS BLUE R/S	50.0000 g
900-259	TMS VIOLET	20.0000 g

PMSCOLR 288C

900-201	TMS WHITE	2.9000 lb
900-270	TMS BLACK	3.1000 lb
900-251	TMS BLUE G/S	52.2000 lb
900-253	TMS MARINE	41.8000 lb

PMSCOLR 289C

900-201	TMS WHITE	2.2000 lb
900-270	TMS BLACK	8.9000 lb
900-251	TMS BLUE G/S	49.4000 lb
900-253	TMS MARINE	39.5000 lb

PMSCOLR 289U

900-201	TMS WHITE	2.0000 g
900-252	TMS BLUE R/S	45.0000 g
900-253	TMS MARINE	20.0000 g
900-259	TMS VIOLET	20.0000 g
900-270	TMS BLACK	13.0000 g

PMSCOLR 2905C

900-201	TMS WHITE	93.2000 lb
900-251	TMS BLUE G/S	3.9000 lb
900-252	TMS BLUE R/S	2.5000 lb
900-270	TMS BLACK	0.4000 lb

PMSCOLR 290C

900-201	TMS WHITE	96.4000 lb
900-270	TMS BLACK	0.4000 lb
900-251	TMS BLUE G/S	1.6000 lb
900-253	TMS MARINE	1.6000 lb

PMSCOLR 2915C

900-201	TMS WHITE	85.0000 lb
900-251	TMS BLUE G/S	8.0000 lb
900-252	TMS BLUE R/S	7.0000 lb

PMSCOLR 291C

900-201	TMS WHITE	94.5000 lb
900-251	TMS BLUE G/S	2.0000 lb
900-253	TMS MARINE	3.0000 lb
900-270	TMS BLACK	0.5000 lb

PMSCOLR 2925C

900-201	TMS WHITE	50.0000 lb
900-251	TMS BLUE G/S	25.0000 lb
900-252	TMS BLUE R/S	25.0000 lb

PMSCOLR 292C

900-201	TMS WHITE	86.0000 lb
900-251	TMS BLUE G/S	6.0000 lb
900-253	TMS MARINE	8.0000 lb

PMSCOLR 2935C

900-251	TMS BLUE G/S	70.0000 lb
900-3350	ST FL. BLUE	30.0000 lb

PMSCOLR 293C

900-201	TMS WHITE	5.5000 lb
900-251	TMS BLUE G/S	61.8000 lb
900-253	TMS MARINE	32.7000 lb

PMSCOLR 2945C

900-201	TMS WHITE	4.4000 lb
900-251	TMS BLUE G/S	95.6000 lb

PMSCOLR 294C

900-201	TMS WHITE	5.0000 lb
900-251	TMS BLUE G/S	60.0000 lb
900-252	TMS BLUE R/S	32.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 2955C

900-201	TMS WHITE	4.0000 g
900-251	TMS BLUE G/S	84.0000 g
900-240	TMS GREEN	10.0000 g
900-270	TMS BLACK	2.0000 g

PMSCOLR 295C

900-201	TMS WHITE	4.3000 lb
900-252	TMS BLUE R/S	31.9000 lb
900-251	TMS BLUE G/S	57.4000 lb
900-270	TMS BLACK	6.4000 lb

PMSCOLR 2965C

900-201	TMS WHITE	1.0000 lb
900-251	TMS BLUE G/S	72.0000 lb
900-270	TMS BLACK	7.0000 lb
900-240	TMS GREEN	20.0000 lb

PMSCOLR 296C

900-201	TMS WHITE	1.0000 lb
900-252	TMS BLUE R/S	22.2000 lb
900-251	TMS BLUE G/S	62.6000 lb
900-270	TMS BLACK	14.2000 lb

PMSCOLR 2975C

900-251	TMS BLUE G/S	2.4000 lb
900-201	TMS WHITE	96.8000 lb
900-240	TMS GREEN	0.8000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 41

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 297C

900-201	TMS WHITE	91.5000 lb
900-251	TMS BLUE G/S	8.1000 lb
900-240	TMS GREEN	0.4000 lb

PMSCOLR 2985C

900-201	TMS WHITE	77.9000 lb
900-251	TMS BLUE G/S	21.5000 lb
900-240	TMS GREEN	0.6000 lb

PMSCOLR 298C

900-201	TMS WHITE	73.5000 lb
900-251	TMS BLUE G/S	26.0000 lb
900-240	TMS GREEN	0.5000 lb

PMSCOLR 2995C

900-251	TMS BLUE G/S	36.0000 lb
900-253	TMS MARINE	10.0000 lb
900-201	TMS WHITE	50.0000 lb
900-3310	ST FL. LEMON	4.0000 lb

PMSCOLR 299C

900-253	TMS MARINE	12.0000 lb
900-251	TMS BLUE G/S	42.0000 lb
900-201	TMS WHITE	42.0000 lb
900-3310	ST FL. LEMON	4.0000 lb

PMSCOLR 3005C

900-251	TMS BLUE G/S	24.0000 lb
900-3350	ST FL. BLUE	76.0000 lb

PMSCOLR 300C

900-251	TMS BLUE G/S	30.0000 lb
900-3350	ST FL. BLUE	70.0000 lb

PMSCOLR 300U

900-201	TMS WHITE	5.0000 g
900-251	TMS BLUE G/S	62.0000 g
900-253	TMS MARINE	33.0000 g

PMSCOLR 3015C

900-201	TMS WHITE	12.5000 lb
900-251	TMS BLUE G/S	55.0000 lb
900-253	TMS MARINE	16.0000 lb
900-240	TMS GREEN	16.5000 lb

PMSCOLR 301C

900-251	TMS BLUE G/S	71.3000 lb
900-3350	ST FL. BLUE	27.7000 lb
900-270	TMS BLACK	1.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 42

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 3025C

900-201	TMS WHITE	2.5000 lb
900-251	TMS BLUE G/S	60.0000 lb
900-253	TMS MARINE	5.5000 lb
900-240	TMS GREEN	32.0000 lb

PMSCOLR 302C

900-251	TMS BLUE G/S	72.7000 lb
900-201	TMS WHITE	3.6000 lb
900-270	TMS BLACK	7.3000 lb
900-240	TMS GREEN	16.4000 lb

PMSCOLR 3035C

900-201	TMS WHITE	6.8000 lb
900-270	TMS BLACK	1.2000 lb
900-210	TMS YELLOW	4.7000 lb
900-252	TMS BLUE R/S	87.3000 lb

PMSCOLR 303C

900-251	TMS BLUE G/S	81.6000 lb
900-201	TMS WHITE	5.6000 lb
900-270	TMS BLACK	11.0000 lb
900-210	TMS YELLOW	1.8000 lb

PMSCOLR 304C

900-201	TMS WHITE	92.2000 lb
900-251	TMS BLUE G/S	3.6000 lb
900-240	TMS GREEN	4.0000 lb
900-270	TMS BLACK	0.2000 lb

PMSCOLR 305C

900-201	TMS WHITE	80.5000 lb
900-251	TMS BLUE G/S	15.5000 lb
900-240	TMS GREEN	4.0000 lb

PMSCOLR 306C

900-201	TMS WHITE	63.0000 lb
900-251	TMS BLUE G/S	30.0000 lb
900-240	TMS GREEN	7.0000 lb

PMSCOLR 307C

900-201	TMS WHITE	10.0000 lb
900-251	TMS BLUE G/S	60.0000 lb
900-240	TMS GREEN	20.0000 lb
900-253	TMS MARINE	10.0000 lb

PMSCOLR 308C

900-201	TMS WHITE	5.0000 lb
900-251	TMS BLUE G/S	60.0000 lb
900-240	TMS GREEN	30.0000 lb
900-253	TMS MARINE	5.0000 lb

PMSCOLR 309C

900-201	TMS WHITE	3.3000 lb
900-251	TMS BLUE G/S	40.0000 lb
900-240	TMS GREEN	50.0000 lb
900-270	TMS BLACK	6.7000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 43

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 3105C

900-251	TMS BLUE G/S	4.4000 lb
900-201	TMS WHITE	90.4000 lb
900-240	TMS GREEN	5.2000 lb

PMSCOLR 312C

900-240	TMS GREEN	10.0000 lb
900-201	TMS WHITE	10.0000 lb
900-3350	ST FL. BLUE	80.0000 lb

PMSCOLR 310C

900-240	TMS GREEN	4.0000 lb
900-251	TMS BLUE G/S	6.0000 lb
900-201	TMS WHITE	90.0000 lb

PMSCOLR 3135C

900-251	TMS BLUE G/S	37.0000 lb
900-201	TMS WHITE	23.0000 lb
900-240	TMS GREEN	25.0000 lb
900-3350	ST FL. BLUE	15.0000 lb

PMSCOLR 3115C

900-201	TMS WHITE	80.0000 lb
900-240	TMS GREEN	10.0000 lb
900-251	TMS BLUE G/S	10.0000 lb

PMSCOLR 313C

900-240	TMS GREEN	11.0000 lb
900-251	TMS BLUE G/S	48.0000 lb
900-201	TMS WHITE	35.0000 lb
900-3310	ST FL. LEMON	6.0000 lb

PMSCOLR 311C

900-201	TMS WHITE	74.0000 lb
900-240	TMS GREEN	8.0000 lb
900-251	TMS BLUE G/S	18.0000 lb

PMSCOLR 3145C

900-201	TMS WHITE	10.0000 lb
900-240	TMS GREEN	40.0000 lb
900-251	TMS BLUE G/S	50.0000 lb

PMSCOLR 3125C

900-201	TMS WHITE	40.0000 lb
900-240	TMS GREEN	30.0000 lb
900-251	TMS BLUE G/S	30.0000 lb

PMSCOLR 314C

900-240	TMS GREEN	9.0000 lb
900-251	TMS BLUE G/S	51.0000 lb
900-201	TMS WHITE	27.0000 lb
900-3310	ST FL. LEMON	13.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 44

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 3155C

900-240	TMS GREEN	50.0000 lb
900-201	TMS WHITE	7.0000 lb
900-251	TMS BLUE G/S	43.0000 lb

PMSCOLR 318C

900-201	TMS WHITE	95.5000 lb
900-240	TMS GREEN	3.0000 lb
900-251	TMS BLUE G/S	1.0000 lb
900-3310	ST FL. LEMON	0.5000 lb

PMSCOLR 315C

900-201	TMS WHITE	5.0000 lb
900-240	TMS GREEN	40.0000 lb
900-251	TMS BLUE G/S	55.0000 lb

PMSCOLR 319C

900-201	TMS WHITE	76.5000 lb
900-240	TMS GREEN	16.0000 lb
900-251	TMS BLUE G/S	7.5000 lb

PMSCOLR 3165C

900-240	TMS GREEN	56.6000 lb
900-201	TMS WHITE	7.1000 lb
900-270	TMS BLACK	3.5000 lb
900-251	TMS BLUE G/S	32.7000 lb

PMSCOLR 320C

900-201	TMS WHITE	10.0000 lb
900-251	TMS BLUE G/S	34.0000 lb
900-3350	ST FL. BLUE	26.0000 lb
900-3310	ST FL. LEMON	30.0000 lb

PMSCOLR 316C

900-251	TMS BLUE G/S	39.8000 lb
900-201	TMS WHITE	1.9000 lb
900-240	TMS GREEN	56.3000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 321C

900-201	TMS WHITE	10.0000 lb
900-240	TMS GREEN	60.0000 lb
900-251	TMS BLUE G/S	30.0000 lb

PMSCOLR 317C

900-201	TMS WHITE	97.8000 lb
900-240	TMS GREEN	1.5000 lb
900-251	TMS BLUE G/S	0.5000 lb
900-210	TMS YELLOW	0.2000 lb

PMSCOLR 322C

900-201	TMS WHITE	7.0000 lb
900-240	TMS GREEN	60.0000 lb
900-251	TMS BLUE G/S	33.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 45

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 323C

900-201	TMS WHITE	10.5000 lb
900-240	TMS GREEN	60.0000 lb
900-251	TMS BLUE G/S	21.9000 lb
900-270	TMS BLACK	7.6000 lb

PMSCOLR 3252C

900-201	TMS WHITE	74.0000 lb
900-240	TMS GREEN	25.0000 lb
900-251	TMS BLUE G/S	1.0000 lb

PMSCOLR 3242C

900-201	TMS WHITE	92.5000 lb
900-240	TMS GREEN	7.3000 lb
900-251	TMS BLUE G/S	0.2000 lb

PMSCOLR 3255C

900-201	TMS WHITE	78.0000 lb
900-210	TMS YELLOW	1.0000 lb
900-240	TMS GREEN	20.0000 lb
900-251	TMS BLUE G/S	1.0000 lb

PMSCOLR 3245C

900-201	TMS WHITE	86.0000 lb
900-240	TMS GREEN	14.0000 lb

PMSCOLR 3258C

900-201	TMS WHITE	72.0000 lb
900-210	TMS YELLOW	0.5000 lb
900-240	TMS GREEN	22.0000 lb
900-251	TMS BLUE G/S	5.5000 lb

PMSCOLR 3248C

900-201	TMS WHITE	85.2500 lb
900-240	TMS GREEN	11.7500 lb
900-251	TMS BLUE G/S	2.7500 lb
900-210	TMS YELLOW	0.2500 lb

PMSCOLR 325C

900-201	TMS WHITE	75.0000 lb
900-240	TMS GREEN	18.0000 lb
900-253	TMS MARINE	7.0000 lb

PMSCOLR 324C

900-201	TMS WHITE	95.2000 lb
900-240	TMS GREEN	1.4000 lb
900-210	TMS YELLOW	0.2000 lb
900-253	TMS MARINE	3.2000 lb

PMSCOLR 3262C

900-201	TMS WHITE	40.0000 lb
900-240	TMS GREEN	55.0000 lb
900-251	TMS BLUE G/S	5.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 46

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 3265C

900-201	TMS WHITE	53.0000 lb
900-240	TMS GREEN	40.0000 lb
900-251	TMS BLUE G/S	2.0000 lb
900-3316	ST FL. YELLOW	5.0000 lb

PMSCOLR 3278C

900-201	TMS WHITE	15.8000 lb
900-240	TMS GREEN	79.0000 lb
900-252	TMS BLUE R/S	3.4000 lb
900-3316	ST FL. YELLOW	1.8000 lb

PMSCOLR 3268C

900-201	TMS WHITE	29.0000 lb
900-240	TMS GREEN	60.0000 lb
900-251	TMS BLUE G/S	7.0000 lb
900-3316	ST FL. YELLOW	4.0000 lb

PMSCOLR 327C

900-201	TMS WHITE	10.0000 lb
900-251	TMS BLUE G/S	48.0000 lb
900-3310	ST FL. LEMON	42.0000 lb

PMSCOLR 326C

900-201	TMS WHITE	32.5000 lb
900-240	TMS GREEN	55.0000 lb
900-251	TMS BLUE G/S	12.5000 lb

PMSCOLR 3282C

900-201	TMS WHITE	9.2500 lb
900-251	TMS BLUE G/S	44.5000 lb
900-3310	ST FL. LEMON	46.2500 lb

PMSCOLR 3272C

900-201	TMS WHITE	19.0000 lb
900-251	TMS BLUE G/S	31.0000 lb
900-3310	ST FL. LEMON	50.0000 lb

PMSCOLR 3285C

900-201	TMS WHITE	21.0000 lb
900-210	TMS YELLOW	3.0000 lb
900-240	TMS GREEN	60.0000 lb
900-251	TMS BLUE G/S	10.0000 lb
900-270	TMS BLACK	6.0000 lb

PMSCOLR 3275C

900-201	TMS WHITE	29.4000 lb
900-240	TMS GREEN	64.7000 lb
900-3316	ST FL. YELLOW	3.9000 lb
900-252	TMS BLUE R/S	2.0000 lb

PMSCOLR 3288C

900-201	TMS WHITE	12.0000 lb
900-210	TMS YELLOW	5.0000 lb
900-240	TMS GREEN	60.0000 lb
900-251	TMS BLUE G/S	20.0000 lb
900-270	TMS BLACK	3.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 47

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 328C

900-251	TMS BLUE G/S	58.0000 lb
900-3310	ST FL. LEMON	42.0000 lb

PMSCOLR 3292C

900-201	TMS WHITE	4.0000 lb
900-210	TMS YELLOW	1.0000 lb
900-240	TMS GREEN	79.0000 lb
900-251	TMS BLUE G/S	10.0000 lb
900-270	TMS BLACK	6.0000 lb

PMSCOLR 3295C

900-201	TMS WHITE	15.0000 lb
900-210	TMS YELLOW	5.0000 lb
900-240	TMS GREEN	60.0000 lb
900-251	TMS BLUE G/S	12.0000 lb
900-270	TMS BLACK	8.0000 lb

PMSCOLR 3298C

900-201	TMS WHITE	7.0000 lb
900-210	TMS YELLOW	5.0000 lb
900-240	TMS GREEN	60.0000 lb
900-251	TMS BLUE G/S	20.0000 lb
900-270	TMS BLACK	8.0000 lb

PMSCOLR 329C

900-201	TMS WHITE	9.0000 lb
900-251	TMS BLUE G/S	53.0000 lb
900-3310	ST FL. LEMON	38.0000 lb

PMSCOLR 3302C

900-201	TMS WHITE	4.2000 lb
900-240	TMS GREEN	92.0000 lb
900-210	TMS YELLOW	1.2000 lb
900-222	TMS SCARLET	2.6000 lb

PMSCOLR 3305C

900-201	TMS WHITE	10.6000 lb
900-251	TMS BLUE G/S	56.8000 lb
900-210	TMS YELLOW	15.6000 lb
900-270	TMS BLACK	17.0000 lb

PMSCOLR 3308C

900-201	TMS WHITE	2.2000 lb
900-251	TMS BLUE G/S	80.6000 lb
900-210	TMS YELLOW	14.0000 lb
900-270	TMS BLACK	3.2000 lb

PMSCOLR 330C

900-201	TMS WHITE	2.0000 lb
900-210	TMS YELLOW	12.5000 lb
900-270	TMS BLACK	4.5000 lb
900-251	TMS BLUE G/S	81.0000 lb

PMSCOLR 331C

900-201	TMS WHITE	97.0000 lb
900-240	TMS GREEN	2.8000 lb
900-210	TMS YELLOW	0.2000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 48

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 332C

900-201	TMS WHITE	87.0000 lb
900-210	TMS YELLOW	1.0000 lb
900-240	TMS GREEN	12.0000 lb

PMSCOLR 3375C

900-201	TMS WHITE	91.9000 lb
900-210	TMS YELLOW	0.6000 lb
900-240	TMS GREEN	7.5000 lb

PMSCOLR 333C

900-201	TMS WHITE	74.0000 lb
900-210	TMS YELLOW	2.0000 lb
900-240	TMS GREEN	24.0000 lb

PMSCOLR 337C

900-201	TMS WHITE	93.2000 lb
900-210	TMS YELLOW	0.6000 lb
900-240	TMS GREEN	5.2000 lb
900-252	TMS BLUE R/S	1.0000 lb

PMSCOLR 334C

900-201	TMS WHITE	9.0000 lb
900-240	TMS GREEN	78.7000 lb
900-251	TMS BLUE G/S	1.0000 lb
900-3316	ST FL. YELLOW	11.3000 lb

PMSCOLR 3385C

900-201	TMS WHITE	51.5000 lb
900-210	TMS YELLOW	2.5000 lb
900-240	TMS GREEN	36.0000 lb
900-3316	ST FL. YELLOW	10.0000 lb

PMSCOLR 335C

900-240	TMS GREEN	80.0000 lb
900-270	TMS BLACK	5.0000 lb
900-210	TMS YELLOW	5.0000 lb
900-201	TMS WHITE	10.0000 lb

PMSCOLR 338C

900-201	TMS WHITE	80.0000 lb
900-210	TMS YELLOW	3.5000 lb
900-240	TMS GREEN	13.0000 lb
900-252	TMS BLUE R/S	3.5000 lb

PMSCOLR 336C

900-240	TMS GREEN	84.0000 lb
900-270	TMS BLACK	5.8000 lb
900-210	TMS YELLOW	2.9000 lb
900-201	TMS WHITE	7.3000 lb

PMSCOLR 3395C

900-301	ST WHITE	40.9000 lb
900-210	TMS YELLOW	6.4000 lb
900-240	TMS GREEN	52.7000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 49

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 339C

900-201	TMS WHITE	37.5000 lb
900-210	TMS YELLOW	2.5000 lb
900-240	TMS GREEN	60.0000 lb

PMSCOLR 3405C

900-201	TMS WHITE	9.0000 lb
900-240	TMS GREEN	45.5000 lb
900-3340	ST FL. GREEN	45.5000 lb

PMSCOLR 340C

900-201	TMS WHITE	14.2000 lb
900-210	TMS YELLOW	1.2000 lb
900-240	TMS GREEN	84.6000 lb

PMSCOLR 3415C

900-201	TMS WHITE	6.0000 lb
900-210	TMS YELLOW	10.0000 lb
900-240	TMS GREEN	76.0000 lb
900-251	TMS BLUE G/S	5.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 341C

900-201	TMS WHITE	5.0000 g
900-210	TMS YELLOW	2.5000 g
900-240	TMS GREEN	87.5000 g
900-251	TMS BLUE G/S	5.0000 g

PMSCOLR 3425C

900-201	TMS WHITE	3.0000 lb
900-210	TMS YELLOW	15.0000 lb
900-240	TMS GREEN	72.0000 lb
900-251	TMS BLUE G/S	4.0000 lb
900-270	TMS BLACK	6.0000 lb

PMSCOLR 342C

900-210	TMS YELLOW	15.0000 lb
900-270	TMS BLACK	13.0000 lb
900-251	TMS BLUE G/S	54.0000 lb
900-201	TMS WHITE	18.0000 lb

PMSCOLR 3435C

900-201	TMS WHITE	5.5000 lb
900-210	TMS YELLOW	7.3000 lb
900-240	TMS GREEN	72.7000 lb
900-251	TMS BLUE G/S	0.9000 lb
900-270	TMS BLACK	13.6000 lb

PMSCOLR 343C

900-210	TMS YELLOW	15.0000 lb
900-270	TMS BLACK	14.0000 lb
900-251	TMS BLUE G/S	61.0000 lb
900-201	TMS WHITE	10.0000 lb

PMSCOLR 344C

900-201	TMS WHITE	96.2000 lb
900-251	TMS BLUE G/S	0.4000 lb
900-210	TMS YELLOW	0.6000 lb
900-240	TMS GREEN	2.8000 lb

PMSCOLR 345C

900-201	TMS WHITE	83.5000 lb
900-210	TMS YELLOW	4.5000 lb
900-240	TMS GREEN	9.0000 lb
900-251	TMS BLUE G/S	1.5000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 346C

900-201	TMS WHITE	63.0000 lb
900-210	TMS YELLOW	9.0000 lb
900-240	TMS GREEN	20.0000 lb
900-251	TMS BLUE G/S	6.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 347C

900-251	TMS BLUE G/S	20.0000 lb
900-3316	ST FL. YELLOW	80.0000 lb

PMSCOLR 348C

900-240	TMS GREEN	60.0000 lb
900-210	TMS YELLOW	20.0000 lb
900-201	TMS WHITE	10.0000 lb
900-251	TMS BLUE G/S	10.0000 lb

PMSCOLR 349C

900-240	TMS GREEN	60.0000 lb
900-210	TMS YELLOW	25.0000 lb
900-270	TMS BLACK	6.0000 lb
900-201	TMS WHITE	4.0000 lb
900-251	TMS BLUE G/S	5.0000 lb

PMSCOLR 350C

900-210	TMS YELLOW	22.2000 lb
900-270	TMS BLACK	34.9000 lb
900-201	TMS WHITE	11.5000 lb
900-251	TMS BLUE G/S	31.4000 lb

PMSCOLR 350U

900-201	TMS WHITE	13.0000 g
900-210	TMS YELLOW	30.0000 g
900-252	TMS BLUE R/S	17.0000 g
900-270	TMS BLACK	40.0000 g

PMSCOLR 351C

900-201	TMS WHITE	95.8000 g
900-210	TMS YELLOW	0.6000 g
900-240	TMS GREEN	3.6000 g

PMSCOLR 352C

900-201	TMS WHITE	89.5000 lb
900-210	TMS YELLOW	3.0000 lb
900-240	TMS GREEN	7.5000 lb

PMSCOLR 353C

900-201	TMS WHITE	78.0000 lb
900-210	TMS YELLOW	6.0000 lb
900-240	TMS GREEN	16.0000 lb

PMSCOLR 354C

900-240	TMS GREEN	15.0000 g
900-3316	ST FL. YELLOW	38.0000 g
900-3340	ST FL. GREEN	47.0000 g

PMSCOLR 359C

900-201	TMS WHITE	80.5000 lb
900-210	TMS YELLOW	9.0000 lb
900-240	TMS GREEN	10.0000 lb
900-270	TMS BLACK	0.5000 lb

PMSCOLR 355C

900-201	TMS WHITE	3.0000 g
900-240	TMS GREEN	29.0000 g
900-3316	ST FL. YELLOW	15.0000 g
900-3340	ST FL. GREEN	53.0000 g

PMSCOLR 360C

900-201	TMS WHITE	41.7000 lb
900-210	TMS YELLOW	20.8000 lb
900-240	TMS GREEN	37.5000 lb

PMSCOLR 356C

900-201	TMS WHITE	4.7000 lb
900-210	TMS YELLOW	20.0000 lb
900-240	TMS GREEN	70.5000 lb
900-270	TMS BLACK	4.8000 lb

PMSCOLR 361C

900-201	TMS WHITE	26.6000 lb
900-210	TMS YELLOW	28.4000 lb
900-240	TMS GREEN	45.0000 lb

PMSCOLR 357C

900-201	TMS WHITE	6.2000 lb
900-210	TMS YELLOW	14.2000 lb
900-240	TMS GREEN	75.6000 lb
900-222	TMS SCARLET	4.0000 lb

PMSCOLR 362C

900-201	TMS WHITE	12.0000 lb
900-210	TMS YELLOW	65.0000 lb
900-251	TMS BLUE G/S	20.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 358C

900-201	TMS WHITE	90.4000 lb
900-210	TMS YELLOW	4.1000 lb
900-240	TMS GREEN	5.1000 lb
900-252	TMS BLUE R/S	0.4000 lb

PMSCOLR 363C

900-201	TMS WHITE	13.2500 lb
900-210	TMS YELLOW	62.3000 lb
900-252	TMS BLUE R/S	17.7500 lb
900-270	TMS BLACK	6.7000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 52

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 364C

900-201	TMS WHITE	10.0000 lb
900-251	TMS BLUE G/S	23.0000 lb
900-210	TMS YELLOW	56.0000 lb
900-270	TMS BLACK	11.0000 lb

PMSCOLR 364U

900-201	TMS WHITE	8.0000 g
900-210	TMS YELLOW	54.0000 g
900-240	TMS GREEN	8.0000 g
900-251	TMS BLUE G/S	7.0000 g
900-270	TMS BLACK	23.0000 g

PMSCOLR 365C

900-201	TMS WHITE	94.0000 lb
900-251	TMS BLUE G/S	1.2000 lb
900-210	TMS YELLOW	4.4000 lb
900-270	TMS BLACK	0.4000 lb

PMSCOLR 366C

900-201	TMS WHITE	88.0000 lb
900-210	TMS YELLOW	10.0000 lb
900-251	TMS BLUE G/S	2.0000 lb

PMSCOLR 367C

900-201	TMS WHITE	81.5000 lb
900-240	TMS GREEN	4.9000 lb
900-210	TMS YELLOW	12.8000 lb
900-251	TMS BLUE G/S	0.8000 lb

PMSCOLR 368C

900-201	TMS WHITE	24.0000 lb
900-240	TMS GREEN	22.1000 lb
900-210	TMS YELLOW	53.9000 lb

PMSCOLR 369C

900-201	TMS WHITE	23.2000 lb
900-240	TMS GREEN	21.5000 lb
900-210	TMS YELLOW	52.0000 lb
900-270	TMS BLACK	3.3000 lb

PMSCOLR 370C

900-201	TMS WHITE	14.5000 lb
900-210	TMS YELLOW	49.5000 lb
900-240	TMS GREEN	29.0000 lb
900-270	TMS BLACK	7.0000 lb

PMSCOLR 371C

900-201	TMS WHITE	11.0000 lb
900-210	TMS YELLOW	60.6000 lb
900-251	TMS BLUE G/S	4.4000 lb
900-270	TMS BLACK	24.0000 lb

PMSCOLR 372C

900-201	TMS WHITE	95.0000 lb
900-210	TMS YELLOW	4.0000 lb
900-240	TMS GREEN	1.0000 lb

PMSCOLR 373C

900-201	TMS WHITE	82.0000 lb
900-210	TMS YELLOW	15.0000 lb
900-240	TMS GREEN	3.0000 lb

PMSCOLR 374C

900-201	TMS WHITE	64.0000 lb
900-210	TMS YELLOW	30.0000 lb
900-240	TMS GREEN	6.0000 lb

PMSCOLR 375C

900-201	TMS WHITE	23.1000 lb
900-210	TMS YELLOW	67.3000 lb
900-240	TMS GREEN	9.6000 lb

PMSCOLR 376C

900-201	TMS WHITE	23.8000 lb
900-210	TMS YELLOW	59.4000 lb
900-240	TMS GREEN	15.8000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 377C

900-201	TMS WHITE	10.0000 lb
900-210	TMS YELLOW	70.0000 lb
900-240	TMS GREEN	12.0000 lb
900-270	TMS BLACK	8.0000 lb

PMSCOLR 378C

900-201	TMS WHITE	8.7000 lb
900-210	TMS YELLOW	62.1000 lb
900-240	TMS GREEN	4.9000 lb
900-270	TMS BLACK	24.3000 lb

PMSCOLR 379C

900-201	TMS WHITE	90.0000 lb
900-210	TMS YELLOW	7.6000 lb
900-3316	ST FL. YELLOW	2.0000 lb
900-251	TMS BLUE G/S	0.4000 lb

PMSCOLR 380C

900-201	TMS WHITE	49.0000 lb
900-210	TMS YELLOW	50.0000 lb
900-240	TMS GREEN	0.5000 lb
900-252	TMS BLUE R/S	0.5000 lb

PMSCOLR 381C

900-201	TMS WHITE	41.5000 lb
900-210	TMS YELLOW	57.0000 lb
900-240	TMS GREEN	1.0000 lb
900-252	TMS BLUE R/S	0.5000 lb

PMSCOLR 382C

900-210	TMS YELLOW	72.0000 lb
900-201	TMS WHITE	24.0000 lb
900-240	TMS GREEN	4.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 54

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 383C

900-201	TMS WHITE	16.5000 lb
900-210	TMS YELLOW	75.0000 lb
900-240	TMS GREEN	5.0000 lb
900-270	TMS BLACK	3.5000 lb

PMSCOLR 384C

900-201	TMS WHITE	8.0000 lb
900-210	TMS YELLOW	81.5000 lb
900-240	TMS GREEN	3.5000 lb
900-270	TMS BLACK	7.0000 lb

PMSCOLR 385C

900-210	TMS YELLOW	72.0000 lb
900-201	TMS WHITE	7.8000 lb
900-222	TMS SCARLET	1.2000 lb
900-270	TMS BLACK	19.0000 lb

PMSCOLR 386C

900-210	TMS YELLOW	7.5000 lb
900-201	TMS WHITE	90.1000 lb
900-240	TMS GREEN	0.4000 lb
900-3316	ST FL. YELLOW	2.0000 lb

PMSCOLR 387C

900-201	TMS WHITE	49.0000 lb
900-210	TMS YELLOW	50.0000 lb
900-240	TMS GREEN	1.0000 lb

PMSCOLR 388C

900-201	TMS WHITE	28.5000 lb
900-210	TMS YELLOW	70.0000 lb
900-240	TMS GREEN	1.5000 lb

PMSCOLR 389C

900-201	TMS WHITE	20.0000 lb
900-210	TMS YELLOW	78.0000 lb
900-240	TMS GREEN	2.0000 lb

PMSCOLR 390C

900-201	TMS WHITE	16.0000 lb
900-210	TMS YELLOW	80.0000 lb
900-240	TMS GREEN	2.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 391C

900-201	TMS WHITE	12.0000 lb
900-210	TMS YELLOW	80.0000 lb
900-240	TMS GREEN	2.5000 lb
900-270	TMS BLACK	5.5000 lb

PMSCOLR 392C

900-201	TMS WHITE	9.5000 g
900-210	TMS YELLOW	79.2000 g
900-222	TMS SCARLET	0.4000 g
900-270	TMS BLACK	10.9000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 55

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 3935C

900-201	TMS WHITE	90.6000 lb
900-210	TMS YELLOW	9.0000 lb
900-3340	ST FL. GREEN	0.4000 lb

PMSCOLR 3956C

900-201	TMS WHITE	19.6000 lb
900-210	TMS YELLOW	80.0000 lb
900-240	TMS GREEN	0.4000 lb

PMSCOLR 393C

900-201	TMS WHITE	95.6000 g
900-210	TMS YELLOW	4.0000 g
900-3340	ST FL. GREEN	0.4000 g

PMSCOLR 395C

900-201	TMS WHITE	34.0000 lb
900-210	TMS YELLOW	65.0000 lb
900-240	TMS GREEN	1.0000 lb

PMSCOLR 3945C

900-201	TMS WHITE	49.5000 lb
900-210	TMS YELLOW	50.0000 lb
900-240	TMS GREEN	0.5000 lb

PMSCOLR 396C

900-201	TMS WHITE	15.2000 g
900-210	TMS YELLOW	79.6000 g
900-240	TMS GREEN	0.6000 g
900-3340	ST FL. GREEN	4.6000 g

PMSCOLR 394C

900-201	TMS WHITE	40.0000 lb
900-210	TMS YELLOW	59.3200 lb
900-240	TMS GREEN	0.6800 lb

PMSCOLR 3975C

900-201	TMS WHITE	9.0000 lb
900-210	TMS YELLOW	81.5000 lb
900-222	TMS SCARLET	0.5000 lb
900-253	TMS MARINE	9.0000 lb

PMSCOLR 3955C

900-201	TMS WHITE	9.5000 lb
900-210	TMS YELLOW	90.0000 lb
900-240	TMS GREEN	0.5000 lb

PMSCOLR 397C

900-201	TMS WHITE	8.5000 lb
900-210	TMS YELLOW	88.5000 lb
900-240	TMS GREEN	1.5000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 3985C

900-210	TMS YELLOW	89.3000 lb
900-222	TMS SCARLET	0.9000 lb
900-253	TMS MARINE	9.8000 lb

PMSCOLR 401C

900-201	TMS WHITE	94.5000 lb
900-270	TMS BLACK	4.0000 lb
900-222	TMS SCARLET	0.5000 lb
900-210	TMS YELLOW	1.0000 lb

PMSCOLR 398C

900-201	TMS WHITE	7.0000 lb
900-210	TMS YELLOW	89.0000 lb
900-240	TMS GREEN	1.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 402C

900-201	TMS WHITE	78.0000 lb
900-210	TMS YELLOW	7.5000 lb
900-222	TMS SCARLET	1.0000 lb
900-270	TMS BLACK	13.5000 lb

PMSCOLR 3995C

900-201	TMS WHITE	3.9000 lb
900-270	TMS BLACK	13.7000 lb
900-222	TMS SCARLET	3.9000 lb
900-210	TMS YELLOW	74.6000 lb
900-251	TMS BLUE G/S	3.9000 lb

PMSCOLR 403C

900-201	TMS WHITE	56.0000 lb
900-210	TMS YELLOW	15.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-270	TMS BLACK	27.0000 lb

PMSCOLR 399C

900-201	TMS WHITE	5.0000 lb
900-210	TMS YELLOW	87.6000 lb
900-222	TMS SCARLET	0.4000 lb
900-270	TMS BLACK	7.0000 lb

PMSCOLR 404C

900-201	TMS WHITE	35.0000 lb
900-210	TMS YELLOW	22.0000 lb
900-222	TMS SCARLET	3.0000 lb
900-270	TMS BLACK	40.0000 lb

PMSCOLR 400C

900-201	TMS WHITE	96.5000 lb
900-270	TMS BLACK	2.5000 lb
900-222	TMS SCARLET	0.3400 lb
900-210	TMS YELLOW	0.6600 lb

PMSCOLR 405C

900-201	TMS WHITE	24.5000 lb
900-210	TMS YELLOW	22.0000 lb
900-222	TMS SCARLET	3.5000 lb
900-270	TMS BLACK	50.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 57

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 406C

900-201	TMS WHITE	89.2000 lb
900-210	TMS YELLOW	3.0000 lb
900-225	TMS RED	1.3000 lb
900-270	TMS BLACK	6.5000 lb

PMSCOLR 411C

900-201	TMS WHITE	49.0000 lb
900-225	TMS RED	8.0000 lb
900-210	TMS YELLOW	10.0000 lb
900-270	TMS BLACK	33.0000 lb

PMSCOLR 407C

900-201	TMS WHITE	88.5000 lb
900-210	TMS YELLOW	3.0000 lb
900-225	TMS RED	1.5000 lb
900-270	TMS BLACK	7.0000 lb

PMSCOLR 412C

900-270	TMS BLACK	50.0000 lb
900-225	TMS RED	36.0000 lb
900-210	TMS YELLOW	14.0000 lb

PMSCOLR 408C

900-201	TMS WHITE	71.0000 lb
900-210	TMS YELLOW	7.5000 lb
900-225	TMS RED	3.5000 lb
900-270	TMS BLACK	18.0000 lb

PMSCOLR 413C

900-270	TMS BLACK	4.1000 lb
900-225	TMS RED	0.3000 lb
900-210	TMS YELLOW	1.0000 lb
900-201	TMS WHITE	94.6000 lb

PMSCOLR 409C

900-201	TMS WHITE	66.0000 lb
900-225	TMS RED	5.0000 lb
900-210	TMS YELLOW	8.0000 lb
900-270	TMS BLACK	21.0000 lb

PMSCOLR 414C

900-201	TMS WHITE	86.5000 lb
900-210	TMS YELLOW	4.0000 lb
900-225	TMS RED	0.5000 lb
900-270	TMS BLACK	9.0000 lb

PMSCOLR 410C

900-201	TMS WHITE	58.0000 lb
900-225	TMS RED	6.5000 lb
900-210	TMS YELLOW	9.5000 lb
900-270	TMS BLACK	26.0000 lb

PMSCOLR 415C

900-201	TMS WHITE	76.0000 g
900-210	TMS YELLOW	6.0000 g
900-225	TMS RED	1.0000 g
900-270	TMS BLACK	17.0000 g

PMSCOLR 416C

900-270	TMS BLACK	27.2000 lb
900-210	TMS YELLOW	4.5400 lb
900-201	TMS WHITE	68.0300 lb
900-222	TMS SCARLET	0.2300 lb

PMSCOLR 421C

900-201	TMS WHITE	88.5000 lb
900-210	TMS YELLOW	2.0000 lb
900-259	TMS VIOLET	1.5000 lb
900-270	TMS BLACK	8.0000 lb

PMSCOLR 417C

900-201	TMS WHITE	51.5000 lb
900-210	TMS YELLOW	14.0000 lb
900-225	TMS RED	1.5000 lb
900-270	TMS BLACK	33.0000 lb

PMSCOLR 422C

900-201	TMS WHITE	77.0000 lb
900-210	TMS YELLOW	4.0000 lb
900-259	TMS VIOLET	3.0000 lb
900-270	TMS BLACK	16.0000 lb

PMSCOLR 418C

900-201	TMS WHITE	28.0000 lb
900-210	TMS YELLOW	20.0000 lb
900-225	TMS RED	2.0000 lb
900-270	TMS BLACK	50.0000 lb

PMSCOLR 423C

900-201	TMS WHITE	55.7700 lb
900-210	TMS YELLOW	7.6900 lb
900-259	TMS VIOLET	5.7700 lb
900-270	TMS BLACK	30.7700 lb

PMSCOLR 419C

900-270	TMS BLACK	78.0000 lb
900-210	TMS YELLOW	9.0000 lb
900-201	TMS WHITE	2.0000 lb
900-240	TMS GREEN	11.0000 lb

PMSCOLR 424C

900-270	TMS BLACK	33.4000 lb
900-201	TMS WHITE	61.8600 lb
900-210	TMS YELLOW	4.1200 lb
900-222	TMS SCARLET	0.6200 lb

PMSCOLR 420C

900-270	TMS BLACK	3.3900 lb
900-201	TMS WHITE	95.4100 lb
900-210	TMS YELLOW	0.4000 lb
900-259	TMS VIOLET	0.8000 lb

PMSCOLR 425C

900-201	TMS WHITE	33.0000 lb
900-210	TMS YELLOW	11.0000 lb
900-259	TMS VIOLET	6.0000 lb
900-270	TMS BLACK	50.0000 lb

PMSCOLR 425U

900-201	TMS WHITE	44.0000 g
900-210	TMS YELLOW	2.0000 g
900-270	TMS BLACK	54.0000 g

PMSCOLR 426C

900-201	TMS WHITE	3.0000 lb
900-210	TMS YELLOW	15.0000 lb
900-259	TMS VIOLET	15.0000 lb
900-270	TMS BLACK	67.0000 lb

PMSCOLR 427C

900-270	TMS BLACK	1.8000 lb
900-201	TMS WHITE	97.3000 lb
900-253	TMS MARINE	0.6000 lb
900-210	TMS YELLOW	0.3000 lb

PMSCOLR 428C

900-270	TMS BLACK	2.4900 lb
900-201	TMS WHITE	97.4700 lb
900-210	TMS YELLOW	0.0400 lb

PMSCOLR 429C

900-270	TMS BLACK	10.6000 lb
900-201	TMS WHITE	86.6000 lb
900-210	TMS YELLOW	0.8000 lb
900-253	TMS MARINE	2.0000 lb

PMSCOLR 429U

900-201	TMS WHITE	70.0000 g
900-210	TMS YELLOW	1.0000 g
900-270	TMS BLACK	25.0000 g
900-253	TMS MARINE	4.0000 g

PMSCOLR 430C

900-270	TMS BLACK	22.0000 lb
900-201	TMS WHITE	73.2000 lb
900-210	TMS YELLOW	0.8000 lb
900-253	TMS MARINE	4.0000 lb

PMSCOLR 431C

900-201	TMS WHITE	22.0000 lb
900-210	TMS YELLOW	8.0000 lb
900-270	TMS BLACK	45.0000 lb
900-253	TMS MARINE	25.0000 lb

PMSCOLR 432C

900-270	TMS BLACK	45.0000 lb
900-201	TMS WHITE	8.0000 lb
900-210	TMS YELLOW	2.0000 lb
900-253	TMS MARINE	45.0000 lb

PMSCOLR 433C

900-270	TMS BLACK	50.0000 lb
900-201	TMS WHITE	5.0000 lb
900-253	TMS MARINE	45.0000 lb

PMSCOLR 433U

900-201	TMS WHITE	36.0000 g
900-210	TMS YELLOW	1.0000 g
900-270	TMS BLACK	56.0000 g
900-253	TMS MARINE	4.0000 g
900-225	TMS RED	3.0000 g

PMSCOLR 434C

900-270	TMS BLACK	1.7600 lb
900-201	TMS WHITE	96.9100 lb
900-222	TMS SCARLET	0.3500 lb
900-210	TMS YELLOW	0.1800 lb
900-240	TMS GREEN	0.8000 lb

PMSCOLR 435C

900-201	TMS WHITE	92.4000 lb
900-210	TMS YELLOW	2.2000 lb
900-222	TMS SCARLET	1.0000 lb
900-240	TMS GREEN	2.2000 lb
900-270	TMS BLACK	2.2000 lb

PMSCOLR 436C

900-201	TMS WHITE	85.0000 lb
900-210	TMS YELLOW	4.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-240	TMS GREEN	4.0000 lb
900-270	TMS BLACK	5.0000 lb

PMSCOLR 437C

900-201	TMS WHITE	38.0000 lb
900-210	TMS YELLOW	12.5000 lb
900-222	TMS SCARLET	11.5000 lb
900-240	TMS GREEN	28.0000 lb
900-270	TMS BLACK	10.0000 lb

PMSCOLR 438C

900-201	TMS WHITE	10.6000 lb
900-222	TMS SCARLET	33.5000 lb
900-210	TMS YELLOW	7.1000 lb
900-240	TMS GREEN	48.8000 lb

PMSCOLR 439C

900-201	TMS WHITE	6.0000 lb
900-210	TMS YELLOW	20.0000 lb
900-222	TMS SCARLET	19.0000 lb
900-240	TMS GREEN	40.0000 lb
900-270	TMS BLACK	15.0000 lb

PMSCOLR 440C

900-210	TMS YELLOW	7.4000 g
900-270	TMS BLACK	12.6000 g
900-222	TMS SCARLET	39.6000 g
900-240	TMS GREEN	40.4000 g

PMSCOLR 441C

900-210	TMS YELLOW	0.2000 lb
900-270	TMS BLACK	2.2000 lb
900-253	TMS MARINE	1.2000 lb
900-201	TMS WHITE	96.4000 lb

PMSCOLR 442C

900-201	TMS WHITE	84.2000 lb
900-210	TMS YELLOW	1.8000 lb
900-222	TMS SCARLET	0.5000 lb
900-240	TMS GREEN	4.5000 lb
900-270	TMS BLACK	9.0000 lb

PMSCOLR 443C

900-210	TMS YELLOW	4.0000 lb
900-270	TMS BLACK	18.0000 lb
900-222	TMS SCARLET	1.0000 lb
900-240	TMS GREEN	10.0000 lb
900-201	TMS WHITE	67.0000 lb

PMSCOLR 444C

900-201	TMS WHITE	51.5000 lb
900-210	TMS YELLOW	6.0000 lb
900-222	TMS SCARLET	0.5000 lb
900-240	TMS GREEN	12.0000 lb
900-270	TMS BLACK	30.0000 lb

PMSCOLR 445C

900-210	TMS YELLOW	4.2000 lb
900-270	TMS BLACK	56.0000 lb
900-222	TMS SCARLET	0.4000 lb
900-240	TMS GREEN	4.6000 lb
900-201	TMS WHITE	34.8000 lb

PMSCOLR 446C

900-201	TMS WHITE	19.0000 lb
900-210	TMS YELLOW	10.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-240	TMS GREEN	14.0000 lb
900-270	TMS BLACK	55.0000 lb

PMSCOLR 447C

900-270	TMS BLACK	80.0000 lb
900-201	TMS WHITE	7.9000 lb
900-210	TMS YELLOW	12.1000 lb

PMSCOLR 4485C

900-201	TMS WHITE	3.6000 lb
900-210	TMS YELLOW	63.6000 lb
900-270	TMS BLACK	18.2000 lb
900-225	TMS RED	14.6000 lb

PMSCOLR 448C

900-201	TMS WHITE	7.4000 lb
900-270	TMS BLACK	13.0000 lb
900-210	TMS YELLOW	40.7000 lb
900-225	TMS RED	22.2000 lb
900-240	TMS GREEN	16.7000 lb

PMSCOLR 4495C

900-201	TMS WHITE	19.0000 lb
900-210	TMS YELLOW	55.0000 lb
900-225	TMS RED	7.0000 lb
900-270	TMS BLACK	19.0000 lb

PMSCOLR 449C

900-201	TMS WHITE	8.0000 lb
900-210	TMS YELLOW	41.0000 lb
900-240	TMS GREEN	22.0000 lb
900-270	TMS BLACK	7.0000 lb
900-225	TMS RED	22.0000 lb

PMSCOLR 4505C

900-201	TMS WHITE	34.5000 g
900-210	TMS YELLOW	45.0000 g
900-225	TMS RED	5.5000 g
900-270	TMS BLACK	15.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 62

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 4505U

900-201	TMS WHITE	67.0000 g
900-210	TMS YELLOW	16.0000 g
900-222	TMS SCARLET	3.5000 g
900-240	TMS GREEN	8.5000 g
900-270	TMS BLACK	5.0000 g

PMSCOLR 452C

900-201	TMS WHITE	72.0000 lb
900-210	TMS YELLOW	14.5000 lb
900-222	TMS SCARLET	0.5000 lb
900-240	TMS GREEN	7.0000 lb
900-270	TMS BLACK	2.0000 lb
900-225	TMS RED	4.0000 lb

PMSCOLR 450C

900-201	TMS WHITE	3.7000 lb
900-210	TMS YELLOW	55.6000 lb
900-225	TMS RED	22.2000 lb
900-240	TMS GREEN	18.5000 lb

PMSCOLR 4535C

900-201	TMS WHITE	88.5000 lb
900-210	TMS YELLOW	8.0000 lb
900-225	TMS RED	1.0000 lb
900-270	TMS BLACK	2.5000 lb

PMSCOLR 4515C

900-201	TMS WHITE	59.0000 lb
900-210	TMS YELLOW	29.0000 lb
900-225	TMS RED	3.0000 lb
900-270	TMS BLACK	9.0000 lb

PMSCOLR 453C

900-201	TMS WHITE	95.6000 lb
900-210	TMS YELLOW	1.4000 lb
900-240	TMS GREEN	0.2000 lb
900-270	TMS BLACK	2.6000 lb
900-222	TMS SCARLET	0.2000 lb

PMSCOLR 451C

900-210	TMS YELLOW	25.0000 lb
900-222	TMS SCARLET	0.5000 lb
900-225	TMS RED	5.0000 lb
900-240	TMS GREEN	10.0000 lb
900-270	TMS BLACK	4.0000 lb
900-201	TMS WHITE	55.5000 lb

PMSCOLR 4545C

900-201	TMS WHITE	95.9000 lb
900-210	TMS YELLOW	1.4000 lb
900-270	TMS BLACK	1.3000 lb
900-225	TMS RED	1.4000 lb

PMSCOLR 4525C

900-201	TMS WHITE	79.0000 lb
900-210	TMS YELLOW	15.0000 lb
900-225	TMS RED	1.5000 lb
900-270	TMS BLACK	4.5000 lb

PMSCOLR 454C

900-201	TMS WHITE	97.5000 lb
900-210	TMS YELLOW	0.8000 lb
900-270	TMS BLACK	1.5000 lb
900-240	TMS GREEN	0.1000 lb
900-222	TMS SCARLET	0.1000 lb

PMSCOLR 455C

900-201	TMS WHITE	2.2000 lb
900-210	TMS YELLOW	69.0000 lb
900-270	TMS BLACK	19.2000 lb
900-225	TMS RED	9.6000 lb

PMSCOLR 459C

900-201	TMS WHITE	77.7000 lb
900-210	TMS YELLOW	20.0000 lb
900-222	TMS SCARLET	0.3000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 456C

900-201	TMS WHITE	13.5000 lb
900-210	TMS YELLOW	75.0000 lb
900-222	TMS SCARLET	1.5000 lb
900-270	TMS BLACK	10.0000 lb

PMSCOLR 460C

900-201	TMS WHITE	88.8000 lb
900-210	TMS YELLOW	10.0000 lb
900-222	TMS SCARLET	0.2000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 457C

900-201	TMS WHITE	8.8000 lb
900-210	TMS YELLOW	81.0000 lb
900-222	TMS SCARLET	1.3000 lb
900-253	TMS MARINE	8.9000 lb

PMSCOLR 460U

900-201	TMS WHITE	86.0000 g
900-210	TMS YELLOW	12.0000 g
900-222	TMS SCARLET	0.5000 g
900-240	TMS GREEN	1.0000 g
900-270	TMS BLACK	0.5000 g

PMSCOLR 458C

900-201	TMS WHITE	66.5000 lb
900-210	TMS YELLOW	30.0000 lb
900-225	TMS RED	0.5000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 461C

900-201	TMS WHITE	96.8000 lb
900-210	TMS YELLOW	2.3000 lb
900-270	TMS BLACK	0.4000 lb
900-222	TMS SCARLET	0.2000 lb
900-240	TMS GREEN	0.3000 lb

PMSCOLR 458U

900-201	TMS WHITE	68.5000 g
900-210	TMS YELLOW	26.0000 g
900-222	TMS SCARLET	1.5000 g
900-240	TMS GREEN	2.5000 g
900-270	TMS BLACK	1.5000 g

PMSCOLR 4625C

900-225	TMS RED	36.7000 lb
900-210	TMS YELLOW	45.0000 lb
900-270	TMS BLACK	18.3000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 64

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 462C

900-201	TMS WHITE	12.0000 lb
900-210	TMS YELLOW	40.0000 lb
900-225	TMS RED	30.0000 lb
900-240	TMS GREEN	18.0000 lb

PMSCOLR 4655C

900-201	TMS WHITE	74.0000 lb
900-210	TMS YELLOW	16.0000 lb
900-225	TMS RED	5.0000 lb
900-270	TMS BLACK	5.0000 lb

PMSCOLR 4635C

900-201	TMS WHITE	8.0000 lb
900-210	TMS YELLOW	63.0000 lb
900-225	TMS RED	17.0000 lb
900-270	TMS BLACK	12.0000 lb

PMSCOLR 465C

900-201	TMS WHITE	50.5000 lb
900-210	TMS YELLOW	40.5000 lb
900-225	TMS RED	3.5000 lb
900-270	TMS BLACK	5.5000 lb

PMSCOLR 463C

900-201	TMS WHITE	9.0000 lb
900-210	TMS YELLOW	61.0000 lb
900-225	TMS RED	16.0000 lb
900-270	TMS BLACK	14.0000 lb

PMSCOLR 4665C

900-201	TMS WHITE	85.0000 lb
900-210	TMS YELLOW	10.0000 lb
900-225	TMS RED	2.5000 lb
900-270	TMS BLACK	2.5000 lb

PMSCOLR 4645C

900-201	TMS WHITE	56.0000 lb
900-210	TMS YELLOW	30.0000 lb
900-225	TMS RED	8.0000 lb
900-270	TMS BLACK	6.0000 lb

PMSCOLR 466C

900-201	TMS WHITE	89.7000 lb
900-210	TMS YELLOW	6.7000 lb
900-225	TMS RED	2.6000 lb
900-251	TMS BLUE G/S	1.0000 lb

PMSCOLR 464C

900-201	TMS WHITE	5.7000 lb
900-210	TMS YELLOW	67.9000 lb
900-225	TMS RED	17.0000 lb
900-270	TMS BLACK	9.4000 lb

PMSCOLR 4675C

900-201	TMS WHITE	88.5000 lb
900-210	TMS YELLOW	8.0000 lb
900-225	TMS RED	2.0000 lb
900-270	TMS BLACK	1.5000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 65

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 467C

900-201	TMS WHITE	90.0000 lb
900-210	TMS YELLOW	8.0000 lb
900-225	TMS RED	1.5000 lb
900-252	TMS BLUE R/S	0.5000 lb

PMSCOLR 4705C

900-270	TMS BLACK	14.0000 lb
900-225	TMS RED	21.0000 lb
900-210	TMS YELLOW	45.0000 lb
900-201	TMS WHITE	20.0000 lb

PMSCOLR 4685C

900-225	TMS RED	0.8000 lb
900-210	TMS YELLOW	0.8000 lb
900-201	TMS WHITE	97.8000 lb
900-270	TMS BLACK	0.6000 lb

PMSCOLR 470C

900-201	TMS WHITE	5.0000 lb
900-210	TMS YELLOW	64.0000 lb
900-270	TMS BLACK	12.0000 lb
900-222	TMS SCARLET	19.0000 lb

PMSCOLR 468C

900-201	TMS WHITE	96.4000 lb
900-225	TMS RED	0.8000 lb
900-210	TMS YELLOW	1.6000 lb
900-270	TMS BLACK	1.2000 lb

PMSCOLR 4715C

900-201	TMS WHITE	49.0000 lb
900-210	TMS YELLOW	28.0000 lb
900-225	TMS RED	13.0000 lb
900-270	TMS BLACK	10.0000 lb

PMSCOLR 4695C

900-270	TMS BLACK	16.0000 lb
900-225	TMS RED	40.0000 lb
900-210	TMS YELLOW	5.0000 lb
900-222	TMS SCARLET	39.0000 lb

PMSCOLR 471C

900-201	TMS WHITE	12.7000 lb
900-210	TMS YELLOW	65.1000 lb
900-222	TMS SCARLET	12.7000 lb
900-253	TMS MARINE	9.5000 lb

PMSCOLR 469C

900-201	TMS WHITE	1.0000 lb
900-225	TMS RED	4.5000 lb
900-210	TMS YELLOW	64.5000 lb
900-270	TMS BLACK	18.0000 lb
900-222	TMS SCARLET	12.0000 lb

PMSCOLR 4725C

900-201	TMS WHITE	74.5000 lb
900-210	TMS YELLOW	14.0000 lb
900-225	TMS RED	6.5000 lb
900-270	TMS BLACK	5.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 66

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 472C

900-201	TMS WHITE	87.5000 g
900-210	TMS YELLOW	9.0000 g
900-222	TMS SCARLET	2.5000 g
900-270	TMS BLACK	1.0000 g

PMSCOLR 4755C

900-270	TMS BLACK	1.2000 lb
900-225	TMS RED	0.4000 lb
900-210	TMS YELLOW	0.8000 lb
900-201	TMS WHITE	97.3000 lb
900-222	TMS SCARLET	0.3000 lb

PMSCOLR 4735C

900-201	TMS WHITE	84.0000 lb
900-210	TMS YELLOW	9.0000 lb
900-225	TMS RED	4.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 475C

900-201	TMS WHITE	98.1000 lb
900-270	TMS BLACK	0.2000 lb
900-222	TMS SCARLET	0.4000 lb
900-210	TMS YELLOW	1.3000 lb

PMSCOLR 473C

900-201	TMS WHITE	89.0000 lb
900-210	TMS YELLOW	8.3000 lb
900-222	TMS SCARLET	1.2000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 476C

900-201	TMS WHITE	1.0000 lb
900-270	TMS BLACK	8.0000 lb
900-222	TMS SCARLET	43.0000 lb
900-210	TMS YELLOW	24.0000 lb
900-240	TMS GREEN	24.0000 lb

PMSCOLR 4745C

900-201	TMS WHITE	92.0000 lb
900-210	TMS YELLOW	4.5000 lb
900-225	TMS RED	2.0000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 477C

900-210	TMS YELLOW	53.0000 lb
900-225	TMS RED	30.0000 lb
900-201	TMS WHITE	2.0000 lb
900-270	TMS BLACK	10.0000 lb
900-253	TMS MARINE	5.0000 lb

PMSCOLR 474C

900-201	TMS WHITE	86.3000 g
900-270	TMS BLACK	1.9000 g
900-222	TMS SCARLET	1.5000 g
900-210	TMS YELLOW	10.3000 g

PMSCOLR 478C

900-210	TMS YELLOW	50.0000 lb
900-225	TMS RED	35.0000 lb
900-201	TMS WHITE	3.0000 lb
900-253	TMS MARINE	12.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 67

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 479C

900-210	TMS YELLOW	11.9000 lb
900-225	TMS RED	13.9000 lb
900-201	TMS WHITE	71.0000 lb
900-251	TMS BLUE G/S	3.2000 lb

PMSCOLR 484C

900-201	TMS WHITE	13.0000 lb
900-225	TMS RED	23.0000 lb
900-210	TMS YELLOW	50.0000 lb
900-270	TMS BLACK	4.0000 lb
900-222	TMS SCARLET	10.0000 lb

PMSCOLR 480C

900-201	TMS WHITE	77.5000 lb
900-210	TMS YELLOW	13.0000 lb
900-225	TMS RED	6.0000 lb
900-270	TMS BLACK	3.5000 lb

PMSCOLR 485C

900-201	TMS WHITE	8.9000 lb
900-225	TMS RED	0.8000 lb
900-222	TMS SCARLET	90.3000 lb

PMSCOLR 481C

900-201	TMS WHITE	91.5000 lb
900-210	TMS YELLOW	3.0000 lb
900-222	TMS SCARLET	1.0000 lb
900-240	TMS GREEN	1.5000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 486C

900-201	TMS WHITE	87.5000 lb
900-225	TMS RED	4.0000 lb
900-210	TMS YELLOW	6.5000 lb
900-222	TMS SCARLET	2.0000 lb

PMSCOLR 482C

900-201	TMS WHITE	98.2000 lb
900-210	TMS YELLOW	0.4000 lb
900-270	TMS BLACK	1.0000 lb
900-222	TMS SCARLET	0.4000 lb

PMSCOLR 487C

900-201	TMS WHITE	83.5000 lb
900-210	TMS YELLOW	11.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-225	TMS RED	3.0000 lb
900-270	TMS BLACK	0.5000 lb

PMSCOLR 483C

900-201	TMS WHITE	8.0000 lb
900-210	TMS YELLOW	40.0000 lb
900-270	TMS BLACK	12.0000 lb
900-225	TMS RED	40.0000 lb

PMSCOLR 488C

900-201	TMS WHITE	97.2000 lb
900-225	TMS RED	1.4000 lb
900-210	TMS YELLOW	1.0000 lb
900-270	TMS BLACK	0.4000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 68

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 489C

900-201	TMS WHITE	95.2000 lb
900-225	TMS RED	1.4000 lb
900-210	TMS YELLOW	3.0000 lb
900-270	TMS BLACK	0.4000 lb

PMSCOLR 494C

900-201	TMS WHITE	92.0000 lb
900-210	TMS YELLOW	3.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-225	TMS RED	1.5000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 490C

900-201	TMS WHITE	4.0000 lb
900-225	TMS RED	40.0000 lb
900-210	TMS YELLOW	40.0000 lb
900-270	TMS BLACK	16.0000 lb

PMSCOLR 495C

900-201	TMS WHITE	95.5000 lb
900-210	TMS YELLOW	1.5000 lb
900-222	TMS SCARLET	1.0000 lb
900-225	TMS RED	1.0000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 491C

900-201	TMS WHITE	5.0000 lb
900-210	TMS YELLOW	38.0000 lb
900-222	TMS SCARLET	15.0000 lb
900-225	TMS RED	22.0000 lb
900-270	TMS BLACK	20.0000 lb

PMSCOLR 496C

900-201	TMS WHITE	98.3000 lb
900-225	TMS RED	1.4000 lb
900-210	TMS YELLOW	0.3000 lb

PMSCOLR 492C

900-201	TMS WHITE	11.9000 lb
900-225	TMS RED	11.9000 lb
900-222	TMS SCARLET	66.4000 lb
900-270	TMS BLACK	9.8000 lb

PMSCOLR 4975C

900-270	TMS BLACK	22.0000 lb
900-210	TMS YELLOW	37.0000 lb
900-201	TMS WHITE	4.0000 lb
900-222	TMS SCARLET	37.0000 lb

PMSCOLR 493C

900-201	TMS WHITE	84.5000 lb
900-210	TMS YELLOW	6.0000 lb
900-222	TMS SCARLET	4.5000 lb
900-225	TMS RED	2.5000 lb
900-270	TMS BLACK	2.5000 lb

PMSCOLR 497C

900-222	TMS SCARLET	57.6000 lb
900-210	TMS YELLOW	0.2000 lb
900-201	TMS WHITE	0.4000 lb
900-240	TMS GREEN	20.4000 lb
900-225	TMS RED	21.4000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 69

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 4985C

900-201	TMS WHITE	39.6000 lb
900-210	TMS YELLOW	14.6000 lb
900-222	TMS SCARLET	32.6000 lb
900-252	TMS BLUE R/S	13.2000 lb

PMSCOLR 498C

900-201	TMS WHITE	5.0000 lb
900-210	TMS YELLOW	50.0000 lb
900-222	TMS SCARLET	15.0000 lb
900-225	TMS RED	10.0000 lb
900-270	TMS BLACK	20.0000 lb

PMSCOLR 4995C

900-201	TMS WHITE	51.5000 lb
900-210	TMS YELLOW	20.0000 lb
900-222	TMS SCARLET	18.0000 lb
900-252	TMS BLUE R/S	6.5000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 499C

900-222	TMS SCARLET	60.6000 lb
900-210	TMS YELLOW	8.8000 lb
900-201	TMS WHITE	14.2000 lb
900-240	TMS GREEN	16.4000 lb

PMSCOLR 5005C

900-201	TMS WHITE	76.0000 lb
900-210	TMS YELLOW	10.0000 lb
900-222	TMS SCARLET	9.0000 lb
900-252	TMS BLUE R/S	3.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 5005U

900-201	TMS WHITE	81.0000 g
900-210	TMS YELLOW	8.0000 g
900-222	TMS SCARLET	5.0000 g
900-225	TMS RED	1.0000 g
900-252	TMS BLUE R/S	2.0000 g
900-270	TMS BLACK	3.0000 g

PMSCOLR 500C

900-201	TMS WHITE	78.0000 lb
900-210	TMS YELLOW	9.0000 lb
900-222	TMS SCARLET	6.0000 lb
900-225	TMS RED	3.0000 lb
900-240	TMS GREEN	1.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 500U

900-201	TMS WHITE	70.0000 g
900-222	TMS SCARLET	11.0000 g
900-210	TMS YELLOW	14.0000 g
900-252	TMS BLUE R/S	5.0000 g

PMSCOLR 5015C

900-201	TMS WHITE	88.5000 lb
900-210	TMS YELLOW	5.0000 lb
900-222	TMS SCARLET	4.0000 lb
900-252	TMS BLUE R/S	1.5000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 5015U

900-201	TMS WHITE	91.0000 g
900-210	TMS YELLOW	4.0000 g
900-222	TMS SCARLET	2.0000 g
900-225	TMS RED	0.5000 g
900-252	TMS BLUE R/S	1.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 70

Report Criteria: | Series: TMS 900-2 | Status: Approved

900-270 TMS BLACK 1.5000 g

PMSCOLR 501C

900-201	TMS WHITE	92.6700 lb
900-210	TMS YELLOW	3.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-225	TMS RED	1.0000 lb
900-240	TMS GREEN	0.3300 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 5025C

900-201	TMS WHITE	93.5000 lb
900-210	TMS YELLOW	3.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-252	TMS BLUE R/S	1.0000 lb
900-270	TMS BLACK	0.5000 lb

PMSCOLR 502C

900-270	TMS BLACK	0.4000 lb
900-225	TMS RED	1.2000 lb
900-210	TMS YELLOW	0.7000 lb
900-240	TMS GREEN	0.2000 lb
900-201	TMS WHITE	97.5000 lb

PMSCOLR 5035C

900-201	TMS WHITE	97.8000 lb
900-210	TMS YELLOW	0.6000 lb
900-225	TMS RED	1.0000 lb
900-270	TMS BLACK	0.6000 lb

PMSCOLR 503C

900-240	TMS GREEN	0.5000 lb
900-201	TMS WHITE	97.0000 lb
900-3316	ST FL. YELLOW	2.0000 lb
900-222	TMS SCARLET	0.5000 lb

PMSCOLR 504C

900-201	TMS WHITE	2.0000 lb
900-210	TMS YELLOW	20.0000 lb
900-225	TMS RED	59.0000 lb
900-270	TMS BLACK	19.0000 lb

PMSCOLR 508C

900-201	TMS WHITE	88.0000 lb
900-210	TMS YELLOW	1.0000 lb
900-222	TMS SCARLET	6.0000 lb
900-253	TMS MARINE	5.0000 lb

PMSCOLR 505C

900-201	TMS WHITE	9.0000 lb
900-210	TMS YELLOW	31.0000 lb
900-225	TMS RED	48.0000 lb
900-270	TMS BLACK	12.0000 lb

PMSCOLR 509C

900-201	TMS WHITE	94.0000 lb
900-210	TMS YELLOW	0.5000 lb
900-222	TMS SCARLET	3.0000 lb
900-253	TMS MARINE	2.5000 lb

PMSCOLR 505U

900-201	TMS WHITE	20.0000 g
900-210	TMS YELLOW	25.0000 g
900-222	TMS SCARLET	20.0000 g
900-225	TMS RED	20.0000 g
900-252	TMS BLUE R/S	15.0000 g

PMSCOLR 510C

900-201	TMS WHITE	96.8000 lb
900-225	TMS RED	2.0000 lb
900-210	TMS YELLOW	0.4000 lb
900-253	TMS MARINE	0.8000 lb

PMSCOLR 506C

900-201	TMS WHITE	17.8000 lb
900-225	TMS RED	62.0000 lb
900-210	TMS YELLOW	11.2000 lb
900-270	TMS BLACK	9.0000 lb

PMSCOLR 5115C

900-252	TMS BLUE R/S	14.5000 lb
900-222	TMS SCARLET	29.0000 lb
900-225	TMS RED	41.0000 lb
900-201	TMS WHITE	15.5000 lb

PMSCOLR 507C

900-201	TMS WHITE	78.0000 lb
900-210	TMS YELLOW	1.5000 lb
900-222	TMS SCARLET	11.0000 lb
900-253	TMS MARINE	9.5000 lb

PMSCOLR 511C

900-201	TMS WHITE	20.8000 lb
900-222	TMS SCARLET	16.4000 lb
900-225	TMS RED	41.4000 lb
900-240	TMS GREEN	21.4000 lb

PMSCOLR 5125C

900-201	TMS WHITE	37.5000 lb
900-210	TMS YELLOW	9.0000 lb
900-222	TMS SCARLET	15.0000 lb
900-225	TMS RED	21.0000 lb
900-252	TMS BLUE R/S	7.5000 lb
900-270	TMS BLACK	10.0000 lb

PMSCOLR 512C

900-201	TMS WHITE	5.3000 lb
900-225	TMS RED	16.4000 lb
900-259	TMS VIOLET	25.7000 lb
900-3390	ST FL. MAGENTA	52.6000 lb

PMSCOLR 5135C

900-201	TMS WHITE	65.0000 lb
900-210	TMS YELLOW	4.5000 lb
900-222	TMS SCARLET	7.5000 lb
900-225	TMS RED	11.0000 lb
900-252	TMS BLUE R/S	4.0000 lb
900-270	TMS BLACK	8.0000 lb

PMSCOLR 513C

900-201	TMS WHITE	7.0000 lb
900-259	TMS VIOLET	15.0000 lb
900-3390	ST FL. MAGENTA	76.0000 lb
900-240	TMS GREEN	2.0000 lb

PMSCOLR 5145C

900-201	TMS WHITE	79.5000 lb
900-210	TMS YELLOW	2.5000 lb
900-222	TMS SCARLET	4.0000 lb
900-225	TMS RED	6.0000 lb
900-252	TMS BLUE R/S	2.0000 lb
900-270	TMS BLACK	6.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 73

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 514C

900-201	TMS WHITE	84.0000 lb
900-225	TMS RED	10.0000 lb
900-240	TMS GREEN	1.5000 lb
900-3390	ST FL. MAGENTA	4.5000 lb

PMSCOLR 5155C

900-201	TMS WHITE	86.0000 lb
900-210	TMS YELLOW	2.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-225	TMS RED	3.0000 lb
900-252	TMS BLUE R/S	1.0000 lb
900-270	TMS BLACK	6.0000 lb

PMSCOLR 515C

900-201	TMS WHITE	86.5000 lb
900-225	TMS RED	3.5000 lb
900-240	TMS GREEN	1.0000 lb
900-3390	ST FL. MAGENTA	9.0000 lb

PMSCOLR 5165C

900-201	TMS WHITE	93.1000 g
900-210	TMS YELLOW	1.5000 g
900-222	TMS SCARLET	1.0000 g
900-225	TMS RED	1.0000 g
900-252	TMS BLUE R/S	0.4000 g
900-270	TMS BLACK	3.0000 g

PMSCOLR 516C

900-201	TMS WHITE	92.5000 lb
900-225	TMS RED	1.0000 lb
900-240	TMS GREEN	0.5000 lb
900-3390	ST FL. MAGENTA	6.0000 lb

PMSCOLR 5175C

900-201	TMS WHITE	96.6000 lb
900-259	TMS VIOLET	3.0000 lb
900-210	TMS YELLOW	0.4000 lb

PMSCOLR 517C

900-201	TMS WHITE	97.8900 lb
900-225	TMS RED	1.3000 lb
900-3390	ST FL. MAGENTA	0.6100 lb
900-240	TMS GREEN	0.2000 lb

PMSCOLR 5185C

900-201	TMS WHITE	6.0000 lb
900-225	TMS RED	35.2000 lb
900-222	TMS SCARLET	37.2000 lb
900-252	TMS BLUE R/S	21.6000 lb

PMSCOLR 518C

900-201	TMS WHITE	14.0000 lb
900-252	TMS BLUE R/S	20.0000 lb
900-222	TMS SCARLET	30.0000 lb
900-225	TMS RED	36.0000 lb

PMSCOLR 5195C

900-201	TMS WHITE	10.0000 lb
900-210	TMS YELLOW	13.0000 lb
900-225	TMS RED	17.5000 lb
900-259	TMS VIOLET	39.5000 lb
900-270	TMS BLACK	20.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 74

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 519C

900-201	TMS WHITE	10.5000 g
900-225	TMS RED	35.5000 g
900-259	TMS VIOLET	54.0000 g

PMSCOLR 5205C

900-201	TMS WHITE	40.0000 g
900-210	TMS YELLOW	10.0000 g
900-225	TMS RED	14.0000 g
900-259	TMS VIOLET	20.0000 g
900-270	TMS BLACK	16.0000 g

PMSCOLR 520C

900-201	TMS WHITE	18.0000 lb
900-225	TMS RED	31.0000 lb
900-259	TMS VIOLET	51.0000 lb

PMSCOLR 5215C

900-201	TMS WHITE	72.5000 g
900-210	TMS YELLOW	6.5000 g
900-225	TMS RED	5.0000 g
900-259	TMS VIOLET	7.5000 g
900-270	TMS BLACK	8.5000 g

PMSCOLR 521C

900-201	TMS WHITE	75.5000 lb
900-225	TMS RED	8.0000 lb
900-259	TMS VIOLET	13.0000 lb
900-270	TMS BLACK	3.5000 lb

PMSCOLR 5225C

900-201	TMS WHITE	85.0000 g
900-210	TMS YELLOW	3.5000 g
900-225	TMS RED	2.5000 g
900-259	TMS VIOLET	4.0000 g
900-270	TMS BLACK	5.0000 g

PMSCOLR 522C

900-201	TMS WHITE	87.0000 lb
900-225	TMS RED	4.0000 lb
900-259	TMS VIOLET	6.5000 lb
900-270	TMS BLACK	2.5000 lb

PMSCOLR 5235C

900-201	TMS WHITE	93.0000 g
900-210	TMS YELLOW	1.5000 g
900-225	TMS RED	1.0000 g
900-259	TMS VIOLET	2.0000 g
900-270	TMS BLACK	2.5000 g

PMSCOLR 523C

900-201	TMS WHITE	95.0000 lb
900-222	TMS SCARLET	1.5000 lb
900-225	TMS RED	1.5000 lb
900-251	TMS BLUE G/S	1.0000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 5245C

900-259	TMS VIOLET	2.5000 lb
900-201	TMS WHITE	96.8000 lb
900-210	TMS YELLOW	0.3000 lb
900-225	TMS RED	0.4000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 75

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 524C

900-201	TMS WHITE	94.8000 lb
900-259	TMS VIOLET	4.0000 lb
900-225	TMS RED	0.8000 lb
900-210	TMS YELLOW	0.4000 lb

PMSCOLR 5275C

900-201	TMS WHITE	19.0000 g
900-253	TMS MARINE	23.0000 g
900-259	TMS VIOLET	32.0000 g
900-270	TMS BLACK	23.0000 g
900-225	TMS RED	3.0000 g

PMSCOLR 5255C

900-201	TMS WHITE	4.0000 lb
900-259	TMS VIOLET	50.0000 lb
900-253	TMS MARINE	30.0000 lb
900-270	TMS BLACK	16.0000 lb

PMSCOLR 527C

900-3394	ST FL. VIOLET	88.5000 lb
900-240	TMS GREEN	2.3000 lb
900-3390	ST FL. MAGENTA	9.2000 lb

PMSCOLR 525C

900-259	TMS VIOLET	44.0000 lb
900-201	TMS WHITE	16.0000 lb
900-225	TMS RED	30.0000 lb
900-240	TMS GREEN	10.0000 lb

PMSCOLR 5285C

900-201	TMS WHITE	62.0000 g
900-253	TMS MARINE	8.0000 g
900-259	TMS VIOLET	12.0000 g
900-270	TMS BLACK	18.0000 g

PMSCOLR 5265C

900-201	TMS WHITE	10.0000 g
900-225	TMS RED	4.0000 g
900-253	TMS MARINE	30.0000 g
900-259	TMS VIOLET	35.0000 g
900-270	TMS BLACK	21.0000 g

PMSCOLR 528C

900-201	TMS WHITE	29.4000 lb
900-259	TMS VIOLET	31.4000 lb
900-3390	ST FL. MAGENTA	39.2000 lb

PMSCOLR 526C

900-201	TMS WHITE	12.5000 g
900-225	TMS RED	18.0000 g
900-259	TMS VIOLET	66.0000 g
900-270	TMS BLACK	3.5000 g

PMSCOLR 5295C

900-201	TMS WHITE	81.0000 g
900-253	TMS MARINE	4.0000 g
900-259	TMS VIOLET	6.0000 g
900-270	TMS BLACK	9.0000 g

PMSCOLR 529C

900-201	TMS WHITE	83.5000 g
900-225	TMS RED	6.0000 g
900-259	TMS VIOLET	10.0000 g
900-270	TMS BLACK	0.5000 g

PMSCOLR 532C

900-201	TMS WHITE	14.0000 lb
900-270	TMS BLACK	56.0000 lb
900-259	TMS VIOLET	26.0000 lb
900-252	TMS BLUE R/S	4.0000 lb

PMSCOLR 5305C

900-201	TMS WHITE	90.5000 g
900-253	TMS MARINE	2.0000 g
900-259	TMS VIOLET	3.0000 g
900-270	TMS BLACK	4.5000 g

PMSCOLR 533C

900-201	TMS WHITE	12.9900 lb
900-259	TMS VIOLET	16.6500 lb
900-225	TMS RED	22.1300 lb
900-240	TMS GREEN	48.2300 lb

PMSCOLR 530C

900-201	TMS WHITE	91.5000 g
900-225	TMS RED	3.0000 g
900-259	TMS VIOLET	5.0000 g
900-270	TMS BLACK	0.5000 g

PMSCOLR 534C

900-201	TMS WHITE	14.0000 lb
900-252	TMS BLUE R/S	18.0000 lb
900-225	TMS RED	30.0000 lb
900-240	TMS GREEN	38.0000 lb

PMSCOLR 5315C

900-201	TMS WHITE	95.6000 lb
900-259	TMS VIOLET	2.0000 lb
900-210	TMS YELLOW	0.2000 lb
900-253	TMS MARINE	0.6000 lb
900-270	TMS BLACK	1.6000 lb

PMSCOLR 535C

900-201	TMS WHITE	78.0000 g
900-225	TMS RED	6.0000 g
900-240	TMS GREEN	5.0000 g
900-252	TMS BLUE R/S	2.5000 g
900-270	TMS BLACK	8.5000 g

PMSCOLR 531C

900-201	TMS WHITE	95.2000 lb
900-259	TMS VIOLET	4.0000 lb
900-210	TMS YELLOW	0.2000 lb
900-225	TMS RED	0.6000 lb

PMSCOLR 536C

900-201	TMS WHITE	87.5000 g
900-225	TMS RED	3.0000 g
900-240	TMS GREEN	2.5000 g
900-252	TMS BLUE R/S	1.5000 g
900-270	TMS BLACK	5.5000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 77

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 537C

900-201	TMS WHITE	92.0000 g
900-225	TMS RED	1.5000 g
900-240	TMS GREEN	1.0000 g
900-252	TMS BLUE R/S	1.0000 g
900-270	TMS BLACK	4.5000 g

PMSCOLR 538C

900-201	TMS WHITE	97.8000 lb
900-270	TMS BLACK	0.8000 lb
900-259	TMS VIOLET	0.8000 lb
900-253	TMS MARINE	0.4000 lb
900-240	TMS GREEN	0.2000 lb

PMSCOLR 5395C

900-251	TMS BLUE G/S	77.2000 lb
900-201	TMS WHITE	2.6000 lb
900-270	TMS BLACK	20.2000 lb

PMSCOLR 539C

900-201	TMS WHITE	1.0000 lb
900-270	TMS BLACK	4.5000 lb
900-251	TMS BLUE G/S	93.5000 lb
900-210	TMS YELLOW	1.0000 lb

PMSCOLR 5405C

900-201	TMS WHITE	7.0000 g
900-210	TMS YELLOW	3.0000 g
900-253	TMS MARINE	45.0000 g
900-270	TMS BLACK	15.0000 g
900-251	TMS BLUE G/S	30.0000 g

PMSCOLR 540C

900-201	TMS WHITE	1.5000 g
900-210	TMS YELLOW	1.0000 g
900-270	TMS BLACK	6.0000 g
900-251	TMS BLUE G/S	91.5000 g

PMSCOLR 5415C

900-201	TMS WHITE	38.0000 g
900-210	TMS YELLOW	1.0000 g
900-253	TMS MARINE	30.0000 g
900-270	TMS BLACK	20.0000 g
900-251	TMS BLUE G/S	11.0000 g

PMSCOLR 541C

900-201	TMS WHITE	6.0000 lb
900-259	TMS VIOLET	2.5000 lb
900-210	TMS YELLOW	0.5000 lb
900-252	TMS BLUE R/S	91.0000 lb

PMSCOLR 5425C

900-201	TMS WHITE	63.5000 g
900-210	TMS YELLOW	0.5000 g
900-251	TMS BLUE G/S	6.0000 g
900-253	TMS MARINE	15.0000 g
900-270	TMS BLACK	15.0000 g

PMSCOLR 542C

900-201	TMS WHITE	36.0000 g
900-210	TMS YELLOW	1.5000 g
900-252	TMS BLUE R/S	11.0000 g
900-253	TMS MARINE	50.0000 g
900-270	TMS BLACK	1.5000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 78

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 5435C

900-201	TMS WHITE	78.5000 g
900-210	TMS YELLOW	0.5000 g
900-251	TMS BLUE G/S	3.0000 g
900-253	TMS MARINE	8.0000 g
900-270	TMS BLACK	10.0000 g

PMSCOLR 543C

900-201	TMS WHITE	66.0000 g
900-210	TMS YELLOW	1.0000 g
900-252	TMS BLUE R/S	6.0000 g
900-253	TMS MARINE	25.0000 g
900-270	TMS BLACK	2.0000 g

PMSCOLR 5445C

900-201	TMS WHITE	88.0000 g
900-210	TMS YELLOW	0.5000 g
900-251	TMS BLUE G/S	1.5000 g
900-253	TMS MARINE	4.0000 g
900-270	TMS BLACK	6.0000 g

PMSCOLR 544C

900-201	TMS WHITE	94.0000 g
900-252	TMS BLUE R/S	1.5000 g
900-253	TMS MARINE	4.0000 g
900-270	TMS BLACK	0.5000 g

PMSCOLR 5455C

900-201	TMS WHITE	94.7000 lb
900-270	TMS BLACK	0.5000 lb
900-210	TMS YELLOW	0.1000 lb
900-253	TMS MARINE	4.7000 lb

PMSCOLR 545C

900-201	TMS WHITE	92.8000 lb
900-210	TMS YELLOW	0.2000 lb
900-253	TMS MARINE	7.0000 lb

PMSCOLR 5463C

900-251	TMS BLUE G/S	88.8000 lb
900-210	TMS YELLOW	5.7000 lb
900-201	TMS WHITE	1.5000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 5467C

900-201	TMS WHITE	3.5000 lb
900-270	TMS BLACK	53.0000 lb
900-210	TMS YELLOW	10.5000 lb
900-252	TMS BLUE R/S	33.0000 lb

PMSCOLR 546C

900-251	TMS BLUE G/S	96.8000 lb
900-210	TMS YELLOW	3.2000 lb

PMSCOLR 5473C

900-201	TMS WHITE	13.0000 lb
900-210	TMS YELLOW	12.0000 lb
900-251	TMS BLUE G/S	55.0000 lb
900-270	TMS BLACK	20.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 79

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 5477C

900-201	TMS WHITE	10.0000 lb
900-210	TMS YELLOW	20.0000 lb
900-252	TMS BLUE R/S	20.0000 lb
900-270	TMS BLACK	50.0000 lb

PMSCOLR 5493C

900-201	TMS WHITE	62.0000 lb
900-210	TMS YELLOW	5.0000 lb
900-251	TMS BLUE G/S	18.0000 lb
900-270	TMS BLACK	15.0000 lb

PMSCOLR 547C

900-201	TMS WHITE	2.0000 g
900-210	TMS YELLOW	4.0000 g
900-251	TMS BLUE G/S	89.0000 g
900-270	TMS BLACK	5.0000 g

PMSCOLR 5497C

900-201	TMS WHITE	70.5000 lb
900-210	TMS YELLOW	6.5000 lb
900-252	TMS BLUE R/S	5.0000 lb
900-270	TMS BLACK	18.0000 lb

PMSCOLR 5483C

900-201	TMS WHITE	35.0000 lb
900-210	TMS YELLOW	10.0000 lb
900-251	TMS BLUE G/S	39.0000 lb
900-270	TMS BLACK	16.0000 lb

PMSCOLR 549C

900-201	TMS WHITE	37.0000 g
900-210	TMS YELLOW	3.0000 g
900-251	TMS BLUE G/S	20.0000 g
900-253	TMS MARINE	30.0000 g
900-270	TMS BLACK	10.0000 g

PMSCOLR 5487C

900-201	TMS WHITE	43.0000 lb
900-210	TMS YELLOW	12.0000 lb
900-252	TMS BLUE R/S	10.0000 lb
900-270	TMS BLACK	35.0000 lb

PMSCOLR 5503C

900-201	TMS WHITE	81.0000 g
900-210	TMS YELLOW	2.5000 g
900-251	TMS BLUE G/S	9.0000 g
900-270	TMS BLACK	7.5000 g

PMSCOLR 548C

900-201	TMS WHITE	3.0000 lb
900-210	TMS YELLOW	7.0000 lb
900-251	TMS BLUE G/S	90.0000 lb

PMSCOLR 5507C

900-201	TMS WHITE	85.0000 lb
900-210	TMS YELLOW	3.5000 lb
900-252	TMS BLUE R/S	2.5000 lb
900-270	TMS BLACK	9.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 80

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 550C

900-201	TMS WHITE	68.5000 g
900-210	TMS YELLOW	1.5000 g
900-251	TMS BLUE G/S	10.0000 g
900-253	TMS MARINE	15.0000 g
900-270	TMS BLACK	5.0000 g

PMSCOLR 5513C

900-201	TMS WHITE	93.0000 lb
900-210	TMS YELLOW	1.0000 lb
900-251	TMS BLUE G/S	2.0000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 5517C

900-201	TMS WHITE	93.0000 lb
900-210	TMS YELLOW	2.0000 lb
900-252	TMS BLUE R/S	0.5000 lb
900-270	TMS BLACK	4.5000 lb

PMSCOLR 551C

900-201	TMS WHITE	84.0000 g
900-210	TMS YELLOW	1.0000 g
900-251	TMS BLUE G/S	5.0000 g
900-253	TMS MARINE	7.5000 g
900-270	TMS BLACK	2.5000 g

PMSCOLR 5523C

900-253	TMS MARINE	7.4500 lb
900-201	TMS WHITE	91.4500 lb
900-270	TMS BLACK	0.3600 lb
900-210	TMS YELLOW	0.7400 lb

PMSCOLR 5527C

900-201	TMS WHITE	97.7000 lb
900-270	TMS BLACK	1.8000 lb
900-210	TMS YELLOW	0.1000 lb
900-252	TMS BLUE R/S	0.4000 lb

PMSCOLR 552C

900-210	TMS YELLOW	0.3800 lb
900-201	TMS WHITE	88.1900 lb
900-253	TMS MARINE	11.4300 lb

PMSCOLR 5535C

900-201	TMS WHITE	2.5000 lb
900-210	TMS YELLOW	6.2000 lb
900-240	TMS GREEN	85.9000 lb
900-222	TMS SCARLET	5.4000 lb

PMSCOLR 553C

900-252	TMS BLUE R/S	42.1000 lb
900-210	TMS YELLOW	30.2000 lb
900-259	TMS VIOLET	27.7000 lb

PMSCOLR 5545C

900-201	TMS WHITE	19.0000 lb
900-210	TMS YELLOW	11.0000 lb
900-222	TMS SCARLET	3.0000 lb
900-240	TMS GREEN	51.0000 lb
900-270	TMS BLACK	16.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 81

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 554C

900-252	TMS BLUE R/S	36.3000 lb
900-210	TMS YELLOW	27.3000 lb
900-259	TMS VIOLET	22.7000 lb
900-201	TMS WHITE	13.7000 lb

PMSCOLR 5575C

900-201	TMS WHITE	68.5000 lb
900-210	TMS YELLOW	5.0000 lb
900-222	TMS SCARLET	1.5000 lb
900-240	TMS GREEN	21.0000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 5555C

900-201	TMS WHITE	35.5000 lb
900-210	TMS YELLOW	9.0000 lb
900-222	TMS SCARLET	2.5000 lb
900-240	TMS GREEN	41.0000 lb
900-270	TMS BLACK	12.0000 lb

PMSCOLR 557C

900-201	TMS WHITE	75.0000 lb
900-210	TMS YELLOW	15.0000 lb
900-225	TMS RED	2.5000 lb
900-252	TMS BLUE R/S	7.5000 lb

PMSCOLR 555C

900-251	TMS BLUE G/S	57.0000 lb
900-210	TMS YELLOW	30.0000 lb
900-201	TMS WHITE	9.5000 lb
900-225	TMS RED	3.5000 lb

PMSCOLR 5585C

900-201	TMS WHITE	83.0000 lb
900-210	TMS YELLOW	3.0000 lb
900-222	TMS SCARLET	1.0000 lb
900-240	TMS GREEN	11.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 5565C

900-201	TMS WHITE	52.0000 lb
900-210	TMS YELLOW	7.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-240	TMS GREEN	31.0000 lb
900-270	TMS BLACK	8.0000 lb

PMSCOLR 558C

900-201	TMS WHITE	88.0000 lb
900-210	TMS YELLOW	7.5000 lb
900-225	TMS RED	1.5000 lb
900-252	TMS BLUE R/S	3.0000 lb

PMSCOLR 556C

900-201	TMS WHITE	50.5000 lb
900-210	TMS YELLOW	30.0000 lb
900-225	TMS RED	4.5000 lb
900-252	TMS BLUE R/S	15.0000 lb

PMSCOLR 5595C

900-201	TMS WHITE	96.6000 lb
900-210	TMS YELLOW	0.4000 lb
900-270	TMS BLACK	2.0000 lb
900-240	TMS GREEN	1.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 82

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 559C

900-201	TMS WHITE	89.5000 lb
900-210	TMS YELLOW	1.0000 lb
900-270	TMS BLACK	0.4000 lb
900-253	TMS MARINE	9.1000 lb

PMSCOLR 5625C

900-201	TMS WHITE	50.0000 lb
900-210	TMS YELLOW	9.0000 lb
900-240	TMS GREEN	7.0000 lb
900-253	TMS MARINE	14.0000 lb
900-270	TMS BLACK	20.0000 lb

PMSCOLR 5605C

900-253	TMS MARINE	45.1000 lb
900-270	TMS BLACK	33.7000 lb
900-201	TMS WHITE	5.7000 lb
900-210	TMS YELLOW	15.5000 lb

PMSCOLR 562C

900-201	TMS WHITE	10.0000 lb
900-210	TMS YELLOW	2.0000 lb
900-240	TMS GREEN	80.0000 lb
900-270	TMS BLACK	8.0000 lb

PMSCOLR 560C

900-240	TMS GREEN	82.6000 lb
900-201	TMS WHITE	5.8000 lb
900-222	TMS SCARLET	5.8000 lb
900-210	TMS YELLOW	5.8000 lb

PMSCOLR 5635C

900-201	TMS WHITE	70.5000 lb
900-210	TMS YELLOW	5.0000 lb
900-240	TMS GREEN	4.0000 lb
900-253	TMS MARINE	7.0000 lb
900-270	TMS BLACK	13.5000 lb

PMSCOLR 5615C

900-201	TMS WHITE	15.0000 lb
900-210	TMS YELLOW	20.0000 lb
900-253	TMS MARINE	30.0000 lb
900-270	TMS BLACK	35.0000 lb

PMSCOLR 563C

900-201	TMS WHITE	76.0000 lb
900-210	TMS YELLOW	1.0000 lb
900-240	TMS GREEN	19.0000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 561C

900-201	TMS WHITE	5.0000 lb
900-210	TMS YELLOW	4.0000 lb
900-240	TMS GREEN	75.0000 lb
900-270	TMS BLACK	16.0000 lb

PMSCOLR 5645C

900-201	TMS WHITE	84.5000 lb
900-210	TMS YELLOW	3.0000 lb
900-240	TMS GREEN	2.0000 lb
900-253	TMS MARINE	3.5000 lb
900-270	TMS BLACK	7.0000 lb

PMSCOLR 564C

900-201	TMS WHITE	87.0000 lb
900-210	TMS YELLOW	1.0000 lb
900-240	TMS GREEN	10.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 567C

900-201	TMS WHITE	11.5000 lb
900-210	TMS YELLOW	6.5000 lb
900-222	TMS SCARLET	5.5000 lb
900-240	TMS GREEN	76.5000 lb

PMSCOLR 5655C

900-201	TMS WHITE	91.0000 lb
900-210	TMS YELLOW	2.0000 lb
900-240	TMS GREEN	1.0000 lb
900-253	TMS MARINE	2.0000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 568C

900-201	TMS WHITE	16.0000 lb
900-210	TMS YELLOW	6.0000 lb
900-222	TMS SCARLET	2.5000 lb
900-240	TMS GREEN	75.5000 lb

PMSCOLR 565C

900-201	TMS WHITE	93.5000 lb
900-210	TMS YELLOW	0.5000 lb
900-240	TMS GREEN	5.0000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 569C

900-222	TMS SCARLET	1.0000 lb
900-201	TMS WHITE	20.4000 lb
900-240	TMS GREEN	59.7000 lb
900-3340	ST FL. GREEN	18.9000 lb

PMSCOLR 5665C

900-253	TMS MARINE	2.5000 lb
900-270	TMS BLACK	1.5000 lb
900-201	TMS WHITE	95.5000 lb
900-210	TMS YELLOW	0.5000 lb

PMSCOLR 570C

900-201	TMS WHITE	77.0000 lb
900-210	TMS YELLOW	1.5000 lb
900-222	TMS SCARLET	0.5000 lb
900-240	TMS GREEN	21.0000 lb

PMSCOLR 566C

900-240	TMS GREEN	2.2500 lb
900-201	TMS WHITE	97.0000 lb
900-222	TMS SCARLET	0.2500 lb
900-210	TMS YELLOW	0.5000 lb

PMSCOLR 571C

900-201	TMS WHITE	83.5000 lb
900-210	TMS YELLOW	1.0000 lb
900-222	TMS SCARLET	0.5000 lb
900-240	TMS GREEN	11.0000 lb
900-3310	ST FL. LEMON	4.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 84

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 572C

900-201	TMS WHITE	87.0000 lb
900-210	TMS YELLOW	0.5000 lb
900-222	TMS SCARLET	0.5000 lb
900-240	TMS GREEN	6.0000 lb
900-3310	ST FL. LEMON	6.0000 lb

PMSCOLR 5757C

900-201	TMS WHITE	15.0000 lb
900-210	TMS YELLOW	50.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-240	TMS GREEN	16.5000 lb
900-270	TMS BLACK	16.5000 lb

PMSCOLR 573C

900-201	TMS WHITE	95.5000 lb
900-240	TMS GREEN	3.0000 lb
900-210	TMS YELLOW	0.5000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 575C

900-201	TMS WHITE	15.0300 g
900-210	TMS YELLOW	69.9300 g
900-225	TMS RED	5.2600 g
900-252	TMS BLUE R/S	9.4000 g
900-270	TMS BLACK	0.3800 g

PMSCOLR 5743C

900-201	TMS WHITE	7.5000 lb
900-222	TMS SCARLET	9.2000 lb
900-210	TMS YELLOW	60.2000 lb
900-252	TMS BLUE R/S	23.1000 lb

PMSCOLR 5763C

900-201	TMS WHITE	36.0000 lb
900-210	TMS YELLOW	41.0000 lb
900-222	TMS SCARLET	4.0000 lb
900-252	TMS BLUE R/S	9.0000 lb
900-270	TMS BLACK	10.0000 lb

PMSCOLR 5747C

900-201	TMS WHITE	2.2000 lb
900-222	TMS SCARLET	1.0000 lb
900-210	TMS YELLOW	53.4000 lb
900-270	TMS BLACK	43.4000 lb

PMSCOLR 5767C

900-201	TMS WHITE	32.5000 lb
900-210	TMS YELLOW	40.0000 lb
900-222	TMS SCARLET	1.5000 lb
900-240	TMS GREEN	13.0000 lb
900-270	TMS BLACK	13.0000 lb

PMSCOLR 5753C

900-201	TMS WHITE	9.0000 lb
900-210	TMS YELLOW	65.0000 lb
900-222	TMS SCARLET	5.0000 lb
900-252	TMS BLUE R/S	9.0000 lb
900-270	TMS BLACK	12.0000 lb

PMSCOLR 576C

900-201	TMS WHITE	17.0000 lb
900-210	TMS YELLOW	73.0000 lb
900-252	TMS BLUE R/S	8.5000 lb
900-225	TMS RED	1.5000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 85

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 5773C

900-201	TMS WHITE	53.0000 lb
900-210	TMS YELLOW	30.0000 lb
900-222	TMS SCARLET	3.0000 lb
900-252	TMS BLUE R/S	6.0000 lb
900-270	TMS BLACK	8.0000 lb

PMSCOLR 5783U

900-201	TMS WHITE	80.0000 g
900-210	TMS YELLOW	12.0000 g
900-222	TMS SCARLET	1.0000 g
900-252	TMS BLUE R/S	3.0000 g
900-270	TMS BLACK	4.0000 g

PMSCOLR 5773U

900-201	TMS WHITE	64.0000 g
900-210	TMS YELLOW	18.0000 g
900-222	TMS SCARLET	1.5000 g
900-252	TMS BLUE R/S	4.5000 g
900-270	TMS BLACK	12.0000 g

PMSCOLR 5787C

900-201	TMS WHITE	82.0000 lb
900-210	TMS YELLOW	10.0000 lb
900-222	TMS SCARLET	0.5000 lb
900-240	TMS GREEN	3.5000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 5777C

900-201	TMS WHITE	56.0000 lb
900-210	TMS YELLOW	25.0000 lb
900-222	TMS SCARLET	1.0000 lb
900-240	TMS GREEN	9.0000 lb
900-270	TMS BLACK	9.0000 lb

PMSCOLR 5787U

900-201	TMS WHITE	84.0000 g
900-210	TMS YELLOW	12.0000 g
900-270	TMS BLACK	1.0000 g
900-252	TMS BLUE R/S	3.0000 g

PMSCOLR 577C

900-201	TMS WHITE	78.0000 lb
900-210	TMS YELLOW	19.0000 lb
900-225	TMS RED	0.5000 lb
900-252	TMS BLUE R/S	2.5000 lb

PMSCOLR 578C

900-201	TMS WHITE	86.0000 lb
900-210	TMS YELLOW	12.0000 lb
900-225	TMS RED	0.5000 lb
900-252	TMS BLUE R/S	1.5000 lb

PMSCOLR 5783C

900-201	TMS WHITE	70.0000 lb
900-210	TMS YELLOW	21.0000 lb
900-222	TMS SCARLET	1.5000 lb
900-252	TMS BLUE R/S	3.0000 lb
900-270	TMS BLACK	4.5000 lb

PMSCOLR 5793C

900-201	TMS WHITE	78.0000 lb
900-210	TMS YELLOW	17.0000 lb
900-222	TMS SCARLET	1.0000 lb
900-252	TMS BLUE R/S	1.5000 lb
900-270	TMS BLACK	2.5000 lb

PMSCOLR 5797C

900-201	TMS WHITE	88.5000 lb
900-210	TMS YELLOW	5.5000 lb
900-222	TMS SCARLET	0.5000 lb
900-240	TMS GREEN	3.0000 lb
900-270	TMS BLACK	2.5000 lb

PMSCOLR 579C

900-201	TMS WHITE	89.0000 lb
900-210	TMS YELLOW	3.0000 lb
900-253	TMS MARINE	8.0000 lb

PMSCOLR 5803C

900-201	TMS WHITE	95.0000 lb
900-222	TMS SCARLET	0.5000 lb
900-210	TMS YELLOW	1.4000 lb
900-270	TMS BLACK	1.0000 lb
900-240	TMS GREEN	2.1000 lb

PMSCOLR 5807C

900-201	TMS WHITE	91.9000 lb
900-222	TMS SCARLET	0.2000 lb
900-210	TMS YELLOW	2.0000 lb
900-270	TMS BLACK	2.2000 lb
900-253	TMS MARINE	3.7000 lb

PMSCOLR 580C

900-201	TMS WHITE	90.9000 g
900-210	TMS YELLOW	2.5000 g
900-253	TMS MARINE	6.6000 g

PMSCOLR 5815C

900-210	TMS YELLOW	48.6000 lb
900-253	TMS MARINE	47.0000 lb
900-222	TMS SCARLET	4.4000 lb

PMSCOLR 581C

900-201	TMS WHITE	7.2000 lb
900-222	TMS SCARLET	6.4000 lb
900-210	TMS YELLOW	73.5000 lb
900-252	TMS BLUE R/S	12.9000 lb

PMSCOLR 5825C

900-201	TMS WHITE	24.5000 lb
900-210	TMS YELLOW	58.0000 lb
900-222	TMS SCARLET	7.0000 lb
900-252	TMS BLUE R/S	10.5000 lb

PMSCOLR 582C

900-201	TMS WHITE	15.5000 lb
900-222	TMS SCARLET	1.5000 lb
900-210	TMS YELLOW	77.0000 lb
900-253	TMS MARINE	3.0000 lb
900-252	TMS BLUE R/S	3.0000 lb

PMSCOLR 5835C

900-201	TMS WHITE	46.0000 lb
900-210	TMS YELLOW	46.0000 lb
900-222	TMS SCARLET	3.0000 lb
900-252	TMS BLUE R/S	5.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 87

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 583C

900-201	TMS WHITE	20.0000 lb
900-222	TMS SCARLET	0.5000 lb
900-210	TMS YELLOW	75.0000 lb
900-253	TMS MARINE	2.5000 lb
900-252	TMS BLUE R/S	2.0000 lb

PMSCOLR 5865C

900-201	TMS WHITE	94.5000 lb
900-210	TMS YELLOW	2.5000 lb
900-222	TMS SCARLET	0.3300 lb
900-240	TMS GREEN	0.6700 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 5845C

900-201	TMS WHITE	73.0000 lb
900-210	TMS YELLOW	23.0000 lb
900-222	TMS SCARLET	1.5000 lb
900-252	TMS BLUE R/S	2.5000 lb

PMSCOLR 586C

900-201	TMS WHITE	87.0000 lb
900-210	TMS YELLOW	11.5000 lb
900-253	TMS MARINE	1.5000 lb

PMSCOLR 584C

900-201	TMS WHITE	52.0000 lb
900-210	TMS YELLOW	42.0000 lb
900-253	TMS MARINE	6.0000 lb

PMSCOLR 5875C

900-201	TMS WHITE	97.4000 lb
900-210	TMS YELLOW	1.2000 lb
900-222	TMS SCARLET	0.2000 lb
900-240	TMS GREEN	0.6000 lb
900-270	TMS BLACK	0.6000 lb

PMSCOLR 5855C

900-201	TMS WHITE	91.5000 lb
900-210	TMS YELLOW	4.0000 lb
900-222	TMS SCARLET	0.5000 lb
900-240	TMS GREEN	1.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 587C

900-201	TMS WHITE	94.0000 lb
900-210	TMS YELLOW	5.2000 lb
900-240	TMS GREEN	0.2000 lb
900-253	TMS MARINE	0.6000 lb

PMSCOLR 585C

900-201	TMS WHITE	74.0000 lb
900-210	TMS YELLOW	23.0000 lb
900-253	TMS MARINE	3.0000 lb

PMSCOLR 600C

900-201	TMS WHITE	97.8000 lb
900-210	TMS YELLOW	2.0000 lb
900-270	TMS BLACK	0.2000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 88

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 601C

900-201	TMS WHITE	96.8000 lb
900-210	TMS YELLOW	3.0000 lb
900-270	TMS BLACK	0.2000 lb

PMSCOLR 602C

900-201	TMS WHITE	87.5000 lb
900-210	TMS YELLOW	12.0000 lb
900-270	TMS BLACK	0.5000 lb

PMSCOLR 603C

900-201	TMS WHITE	75.0000 lb
900-210	TMS YELLOW	24.0000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 604C

900-201	TMS WHITE	51.0000 lb
900-210	TMS YELLOW	48.0000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 605C

900-201	TMS WHITE	18.5000 lb
900-210	TMS YELLOW	80.0000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 606C

900-210	TMS YELLOW	99.2000 lb
900-270	TMS BLACK	0.8000 lb

PMSCOLR 607C

900-210	TMS YELLOW	99.2000 lb
900-270	TMS BLACK	0.8000 lb

PMSCOLR 608C

900-201	TMS WHITE	93.5000 lb
900-270	TMS BLACK	1.0000 lb
900-210	TMS YELLOW	5.5000 lb

PMSCOLR 609C

900-201	TMS WHITE	96.5000 lb
900-270	TMS BLACK	0.5000 lb
900-210	TMS YELLOW	3.0000 lb

PMSCOLR 610C

900-201	TMS WHITE	80.0000 lb
900-210	TMS YELLOW	19.0000 lb
900-270	TMS BLACK	1.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 89

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 611C

900-201	TMS WHITE	60.5000 lb
900-210	TMS YELLOW	38.0000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 612C

900-201	TMS WHITE	35.0000 g
900-210	TMS YELLOW	60.0000 g
900-270	TMS BLACK	3.0000 g
900-222	TMS SCARLET	0.5000 g
900-240	TMS GREEN	1.5000 g

PMSCOLR 613C

900-201	TMS WHITE	18.0000 g
900-210	TMS YELLOW	75.0000 g
900-270	TMS BLACK	4.2000 g
900-222	TMS SCARLET	0.8000 g
900-240	TMS GREEN	2.0000 g

PMSCOLR 614C

900-201	TMS WHITE	97.3300 g
900-210	TMS YELLOW	1.5000 g
900-270	TMS BLACK	0.6700 g
900-222	TMS SCARLET	0.1700 g
900-240	TMS GREEN	0.3300 g

PMSCOLR 615C

900-201	TMS WHITE	89.9000 lb
900-210	TMS YELLOW	7.0000 lb
900-222	TMS SCARLET	0.5000 lb
900-240	TMS GREEN	1.6000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 616C

900-201	TMS WHITE	80.5000 lb
900-210	TMS YELLOW	14.0000 lb
900-222	TMS SCARLET	0.5000 lb
900-240	TMS GREEN	3.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 617C

900-201	TMS WHITE	89.6000 lb
900-270	TMS BLACK	3.8000 lb
900-210	TMS YELLOW	6.4000 lb
900-222	TMS SCARLET	0.2000 lb

PMSCOLR 618C

900-201	TMS WHITE	63.5000 lb
900-210	TMS YELLOW	28.0000 lb
900-222	TMS SCARLET	1.0000 lb
900-240	TMS GREEN	3.5000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 619C

900-201	TMS WHITE	29.0000 lb
900-210	TMS YELLOW	57.0000 lb
900-222	TMS SCARLET	1.5000 lb
900-240	TMS GREEN	4.5000 lb
900-270	TMS BLACK	8.0000 lb

PMSCOLR 620C

900-201	TMS WHITE	10.8000 lb
900-270	TMS BLACK	15.3000 lb
900-210	TMS YELLOW	72.1000 lb
900-222	TMS SCARLET	1.8000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 90

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 621C

900-201	TMS WHITE	97.4000 lb
900-270	TMS BLACK	1.4000 lb
900-210	TMS YELLOW	0.2000 lb
900-240	TMS GREEN	1.0000 lb

PMSCOLR 626C

900-240	TMS GREEN	59.5000 lb
900-270	TMS BLACK	22.5000 lb
900-210	TMS YELLOW	9.0000 lb
900-201	TMS WHITE	9.0000 lb

PMSCOLR 622C

900-201	TMS WHITE	93.5000 lb
900-210	TMS YELLOW	1.0000 lb
900-240	TMS GREEN	2.5000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 627C

900-240	TMS GREEN	80.0000 lb
900-270	TMS BLACK	14.0000 lb
900-210	TMS YELLOW	6.0000 lb

PMSCOLR 623C

900-201	TMS WHITE	83.5000 lb
900-210	TMS YELLOW	2.5000 lb
900-240	TMS GREEN	7.0000 lb
900-270	TMS BLACK	7.0000 lb

PMSCOLR 628C

900-240	TMS GREEN	1.6000 lb
900-270	TMS BLACK	0.6000 lb
900-201	TMS WHITE	96.8000 lb
900-253	TMS MARINE	1.0000 lb

PMSCOLR 624C

900-201	TMS WHITE	65.0000 lb
900-210	TMS YELLOW	5.0000 lb
900-240	TMS GREEN	15.0000 lb
900-270	TMS BLACK	15.0000 lb

PMSCOLR 629C

900-201	TMS WHITE	89.2500 lb
900-240	TMS GREEN	6.1000 lb
900-270	TMS BLACK	0.9000 lb
900-253	TMS MARINE	3.7500 lb

PMSCOLR 625C

900-201	TMS WHITE	30.0000 lb
900-210	TMS YELLOW	10.0000 lb
900-240	TMS GREEN	30.0000 lb
900-270	TMS BLACK	30.0000 lb

PMSCOLR 630C

900-201	TMS WHITE	79.5000 lb
900-240	TMS GREEN	10.0000 lb
900-253	TMS MARINE	8.5000 lb
900-270	TMS BLACK	2.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 91

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 631C

900-201	TMS WHITE	69.0000 lb
900-240	TMS GREEN	14.0000 lb
900-251	TMS BLUE G/S	15.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 632C

900-201	TMS WHITE	38.0000 lb
900-240	TMS GREEN	26.0000 lb
900-251	TMS BLUE G/S	32.0000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 633C

900-201	TMS WHITE	18.0000 lb
900-240	TMS GREEN	24.5000 lb
900-251	TMS BLUE G/S	36.5000 lb
900-253	TMS MARINE	18.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 634C

900-201	TMS WHITE	9.8000 lb
900-240	TMS GREEN	23.0000 lb
900-270	TMS BLACK	1.6000 lb
900-251	TMS BLUE G/S	65.6000 lb

PMSCOLR 635C

900-201	TMS WHITE	92.8000 lb
900-240	TMS GREEN	3.2000 lb
900-253	TMS MARINE	4.0000 lb

PMSCOLR 636C

900-201	TMS WHITE	92.5000 lb
900-240	TMS GREEN	4.0000 lb
900-251	TMS BLUE G/S	3.5000 lb

PMSCOLR 637C

900-201	TMS WHITE	85.0000 lb
900-240	TMS GREEN	5.0000 lb
900-251	TMS BLUE G/S	10.0000 lb

PMSCOLR 638C

900-201	TMS WHITE	55.0000 lb
900-240	TMS GREEN	15.0000 lb
900-251	TMS BLUE G/S	30.0000 lb

PMSCOLR 639C

900-201	TMS WHITE	20.0000 lb
900-240	TMS GREEN	20.0000 lb
900-251	TMS BLUE G/S	40.0000 lb
900-3350	ST FL. BLUE	20.0000 lb

PMSCOLR 640C

900-201	TMS WHITE	10.0000 lb
900-240	TMS GREEN	18.0000 lb
900-251	TMS BLUE G/S	42.0000 lb
900-3350	ST FL. BLUE	30.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 92

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 641C

900-201	TMS WHITE	1.9000 lb
900-240	TMS GREEN	10.7000 lb
900-252	TMS BLUE R/S	19.4000 lb
900-3350	ST FL. BLUE	68.0000 lb

PMSCOLR 646C

900-201	TMS WHITE	15.0000 g
900-252	TMS BLUE R/S	45.0000 g
900-259	TMS VIOLET	20.0000 g
900-270	TMS BLACK	20.0000 g

PMSCOLR 642C

900-201	TMS WHITE	98.0000 lb
900-252	TMS BLUE R/S	0.6000 lb
900-225	TMS RED	0.2000 lb
900-270	TMS BLACK	1.2000 lb

PMSCOLR 647C

900-252	TMS BLUE R/S	2.5000 lb
900-270	TMS BLACK	8.5000 lb
900-201	TMS WHITE	52.0000 lb
900-253	TMS MARINE	37.0000 lb

PMSCOLR 643C

900-201	TMS WHITE	92.5000 lb
900-252	TMS BLUE R/S	1.0000 lb
900-259	TMS VIOLET	1.5000 lb
900-270	TMS BLACK	5.0000 lb

PMSCOLR 648C

900-252	TMS BLUE R/S	82.5000 lb
900-270	TMS BLACK	7.5000 lb
900-225	TMS RED	5.0000 lb
900-201	TMS WHITE	5.0000 lb

PMSCOLR 644C

900-201	TMS WHITE	81.5000 lb
900-252	TMS BLUE R/S	5.0000 lb
900-259	TMS VIOLET	3.5000 lb
900-270	TMS BLACK	10.0000 lb

PMSCOLR 649C

900-270	TMS BLACK	1.6000 lb
900-201	TMS WHITE	96.0000 lb
900-259	TMS VIOLET	0.4000 lb
900-253	TMS MARINE	2.0000 lb

PMSCOLR 645C

900-201	TMS WHITE	70.0000 lb
900-252	TMS BLUE R/S	9.0000 lb
900-259	TMS VIOLET	6.0000 lb
900-270	TMS BLACK	15.0000 lb

PMSCOLR 650C

900-201	TMS WHITE	92.0000 lb
900-253	TMS MARINE	4.0000 lb
900-259	TMS VIOLET	1.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 651C

900-201	TMS WHITE	66.0000 lb
900-253	TMS MARINE	25.0000 lb
900-259	TMS VIOLET	2.0000 lb
900-270	TMS BLACK	7.0000 lb

PMSCOLR 656C

900-225	TMS RED	0.4000 lb
900-270	TMS BLACK	0.8000 lb
900-201	TMS WHITE	98.2000 lb
900-252	TMS BLUE R/S	0.6000 lb

PMSCOLR 652C

900-201	TMS WHITE	33.0000 lb
900-253	TMS MARINE	58.5000 lb
900-270	TMS BLACK	8.5000 lb

PMSCOLR 657C

900-201	TMS WHITE	96.0000 lb
900-225	TMS RED	1.0000 lb
900-252	TMS BLUE R/S	1.5000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 653C

900-201	TMS WHITE	17.0000 lb
900-252	TMS BLUE R/S	20.0000 lb
900-253	TMS MARINE	50.5000 lb
900-259	TMS VIOLET	2.5000 lb
900-270	TMS BLACK	10.0000 lb

PMSCOLR 658C

900-201	TMS WHITE	92.0000 lb
900-225	TMS RED	2.0000 lb
900-252	TMS BLUE R/S	3.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 654C

900-201	TMS WHITE	4.0000 lb
900-252	TMS BLUE R/S	54.0000 lb
900-253	TMS MARINE	10.0000 lb
900-259	TMS VIOLET	16.0000 lb
900-270	TMS BLACK	16.0000 lb

PMSCOLR 659C

900-201	TMS WHITE	46.5000 lb
900-252	TMS BLUE R/S	11.0000 lb
900-253	TMS MARINE	25.0000 lb
900-259	TMS VIOLET	14.0000 lb
900-270	TMS BLACK	3.5000 lb

PMSCOLR 655C

900-201	TMS WHITE	2.0000 lb
900-252	TMS BLUE R/S	14.0000 lb
900-253	TMS MARINE	70.0000 lb
900-270	TMS BLACK	10.0000 lb
900-259	TMS VIOLET	4.0000 lb

PMSCOLR 660C

900-201	TMS WHITE	28.0000 lb
900-252	TMS BLUE R/S	15.0000 lb
900-253	TMS MARINE	30.0000 lb
900-259	TMS VIOLET	21.0000 lb
900-270	TMS BLACK	6.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 94

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 661C

900-201	TMS WHITE	11.0000 lb
900-252	TMS BLUE R/S	29.5000 lb
900-253	TMS MARINE	44.0000 lb
900-259	TMS VIOLET	15.5000 lb

PMSCOLR 666C

900-201	TMS WHITE	75.5000 lb
900-225	TMS RED	2.0000 lb
900-259	TMS VIOLET	10.5000 lb
900-270	TMS BLACK	12.0000 lb

PMSCOLR 662C

900-252	TMS BLUE R/S	20.0000 lb
900-253	TMS MARINE	80.0000 lb

PMSCOLR 667C

900-270	TMS BLACK	11.7000 lb
900-222	TMS SCARLET	0.4000 lb
900-259	TMS VIOLET	45.6000 lb
900-201	TMS WHITE	42.3000 lb

PMSCOLR 663C

900-225	TMS RED	0.2000 lb
900-270	TMS BLACK	0.6000 lb
900-201	TMS WHITE	98.4000 lb
900-259	TMS VIOLET	0.8000 lb

PMSCOLR 668C

900-201	TMS WHITE	25.0000 lb
900-225	TMS RED	5.0000 lb
900-259	TMS VIOLET	35.0000 lb
900-270	TMS BLACK	35.0000 lb

PMSCOLR 664C

900-201	TMS WHITE	96.0000 lb
900-225	TMS RED	0.5000 lb
900-259	TMS VIOLET	1.0000 lb
900-270	TMS BLACK	2.5000 lb

PMSCOLR 669C

900-259	TMS VIOLET	78.0000 lb
900-201	TMS WHITE	7.0000 lb
900-225	TMS RED	6.0000 lb
900-270	TMS BLACK	9.0000 lb

PMSCOLR 665C

900-201	TMS WHITE	92.5000 lb
900-225	TMS RED	0.5000 lb
900-259	TMS VIOLET	2.0000 lb
900-270	TMS BLACK	5.0000 lb

PMSCOLR 670C

900-201	TMS WHITE	98.6700 lb
900-225	TMS RED	0.6700 lb
900-270	TMS BLACK	0.3300 lb
900-210	TMS YELLOW	0.3300 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 95

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 671C

900-201	TMS WHITE	96.5000 lb
900-225	TMS RED	1.5000 lb
900-270	TMS BLACK	1.0000 lb
900-222	TMS SCARLET	1.0000 lb

PMSCOLR 676C

900-201	TMS WHITE	9.1000 lb
900-225	TMS RED	58.6000 lb
900-3390	ST FL. MAGENTA	28.4000 lb
900-253	TMS MARINE	3.9000 lb

PMSCOLR 672C

900-201	TMS WHITE	92.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-225	TMS RED	4.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 677C

900-201	TMS WHITE	97.7500 lb
900-225	TMS RED	1.0000 lb
900-270	TMS BLACK	0.5000 lb
900-210	TMS YELLOW	0.2500 lb
900-253	TMS MARINE	0.5000 lb

PMSCOLR 673C

900-201	TMS WHITE	84.0000 lb
900-222	TMS SCARLET	4.0000 lb
900-225	TMS RED	8.0000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 678C

900-201	TMS WHITE	98.0000 lb
900-222	TMS SCARLET	0.5000 lb
900-225	TMS RED	0.5000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 674C

900-201	TMS WHITE	63.5000 lb
900-222	TMS SCARLET	12.0000 lb
900-225	TMS RED	17.0000 lb
900-253	TMS MARINE	7.5000 lb

PMSCOLR 679C

900-201	TMS WHITE	96.5000 lb
900-222	TMS SCARLET	0.5000 lb
900-225	TMS RED	1.0000 lb
900-253	TMS MARINE	0.5000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 675C

900-201	TMS WHITE	27.0000 lb
900-222	TMS SCARLET	14.0000 lb
900-225	TMS RED	21.0000 lb
900-253	TMS MARINE	3.0000 lb
900-3394	ST FL. VIOLET	35.0000 lb

PMSCOLR 680C

900-201	TMS WHITE	82.5000 lb
900-222	TMS SCARLET	3.5000 lb
900-225	TMS RED	6.0000 lb
900-270	TMS BLACK	8.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 96

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 681C

900-201	TMS WHITE	62.0000 lb
900-222	TMS SCARLET	10.0000 lb
900-225	TMS RED	12.0000 lb
900-270	TMS BLACK	16.0000 lb

PMSCOLR 682C

900-201	TMS WHITE	41.0000 lb
900-222	TMS SCARLET	16.0000 lb
900-225	TMS RED	19.0000 lb
900-270	TMS BLACK	24.0000 lb

PMSCOLR 683C

900-201	TMS WHITE	6.0000 lb
900-225	TMS RED	60.0000 lb
900-3390	ST FL. MAGENTA	24.0000 lb
900-253	TMS MARINE	10.0000 lb

PMSCOLR 684C

900-201	TMS WHITE	98.0000 lb
900-225	TMS RED	1.3000 lb
900-270	TMS BLACK	0.6000 lb
900-210	TMS YELLOW	0.1000 lb

PMSCOLR 685C

900-201	TMS WHITE	95.5000 lb
900-222	TMS SCARLET	0.5000 lb
900-225	TMS RED	1.0000 lb
900-253	TMS MARINE	0.5000 lb
900-270	TMS BLACK	2.0000 lb
900-210	TMS YELLOW	0.5000 lb

PMSCOLR 686C

900-201	TMS WHITE	88.5000 lb
900-210	TMS YELLOW	1.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-225	TMS RED	3.5000 lb
900-253	TMS MARINE	1.0000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 687C

900-201	TMS WHITE	77.5000 lb
900-210	TMS YELLOW	1.5000 lb
900-222	TMS SCARLET	4.0000 lb
900-225	TMS RED	7.0000 lb
900-253	TMS MARINE	2.0000 lb
900-270	TMS BLACK	8.0000 lb

PMSCOLR 688C

900-201	TMS WHITE	55.0000 lb
900-210	TMS YELLOW	3.0000 lb
900-222	TMS SCARLET	8.0000 lb
900-225	TMS RED	14.0000 lb
900-253	TMS MARINE	4.0000 lb
900-270	TMS BLACK	16.0000 lb

PMSCOLR 689C

900-201	TMS WHITE	33.0000 lb
900-210	TMS YELLOW	4.0000 lb
900-222	TMS SCARLET	12.0000 lb
900-225	TMS RED	21.0000 lb
900-253	TMS MARINE	6.0000 lb
900-270	TMS BLACK	24.0000 lb

PMSCOLR 690C

900-3390	ST FL. MAGENTA	9.9000 lb
900-253	TMS MARINE	19.5000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 97

Report Criteria: | Series: TMS 900-2 | Status: Approved

900-225	TMS RED	65.3000 lb
900-201	TMS WHITE	5.3000 lb

PMSCOLR 691C

900-201	TMS WHITE	98.4000 lb
900-210	TMS YELLOW	0.2000 lb
900-270	TMS BLACK	0.8000 lb
900-222	TMS SCARLET	0.6000 lb

PMSCOLR 692C

900-201	TMS WHITE	95.5000 lb
900-210	TMS YELLOW	1.0000 lb
900-222	TMS SCARLET	1.5000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 693C

900-201	TMS WHITE	90.5000 lb
900-210	TMS YELLOW	2.5000 lb
900-222	TMS SCARLET	3.0000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 694C

900-201	TMS WHITE	81.0000 lb
900-210	TMS YELLOW	5.0000 lb
900-222	TMS SCARLET	6.0000 lb
900-270	TMS BLACK	8.0000 lb

PMSCOLR 695C

900-201	TMS WHITE	62.0000 lb
900-210	TMS YELLOW	10.0000 lb
900-222	TMS SCARLET	12.0000 lb
900-270	TMS BLACK	16.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 98

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 696C

900-201	TMS WHITE	20.0000 lb
900-210	TMS YELLOW	15.0000 lb
900-222	TMS SCARLET	25.0000 lb
900-225	TMS RED	10.0000 lb
900-270	TMS BLACK	30.0000 lb

PMSCOLR 701C

900-201	TMS WHITE	73.0000 lb
900-210	TMS YELLOW	6.0000 lb
900-222	TMS SCARLET	12.0000 lb
900-225	TMS RED	2.0000 lb
900-270	TMS BLACK	7.0000 lb

PMSCOLR 697C

900-225	TMS RED	50.0000 lb
900-201	TMS WHITE	6.0000 lb
900-210	TMS YELLOW	4.0000 lb
900-270	TMS BLACK	10.0000 lb
900-222	TMS SCARLET	30.0000 lb

PMSCOLR 702C

900-201	TMS WHITE	50.5000 lb
900-210	TMS YELLOW	5.0000 lb
900-222	TMS SCARLET	30.0000 lb
900-225	TMS RED	5.5000 lb
900-270	TMS BLACK	9.0000 lb

PMSCOLR 698C

900-210	TMS YELLOW	0.2000 lb
900-270	TMS BLACK	0.4000 lb
900-201	TMS WHITE	98.8000 lb
900-222	TMS SCARLET	0.6000 lb

PMSCOLR 703C

900-201	TMS WHITE	26.0000 lb
900-210	TMS YELLOW	6.5000 lb
900-222	TMS SCARLET	46.0000 lb
900-225	TMS RED	9.0000 lb
900-270	TMS BLACK	12.5000 lb

PMSCOLR 699C

900-201	TMS WHITE	97.0000 lb
900-210	TMS YELLOW	0.5000 lb
900-222	TMS SCARLET	1.5000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 704C

900-201	TMS WHITE	8.0000 lb
900-222	TMS SCARLET	72.0000 lb
900-240	TMS GREEN	2.0000 lb
900-225	TMS RED	18.0000 lb

PMSCOLR 700C

900-201	TMS WHITE	87.0000 lb
900-210	TMS YELLOW	3.0000 lb
900-222	TMS SCARLET	6.0000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 705C

900-210	TMS YELLOW	0.1000 lb
900-270	TMS BLACK	0.1000 lb
900-201	TMS WHITE	99.0300 lb
900-222	TMS SCARLET	0.4900 lb
900-240	TMS GREEN	0.2800 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page 99

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 706C

900-201	TMS WHITE	97.0000 lb
900-210	TMS YELLOW	0.5000 lb
900-222	TMS SCARLET	2.0000 lb
900-270	TMS BLACK	0.5000 lb

PMSCOLR 707C

900-201	TMS WHITE	94.5000 lb
900-210	TMS YELLOW	1.0000 lb
900-222	TMS SCARLET	4.0000 lb
900-270	TMS BLACK	0.5000 lb

PMSCOLR 708C

900-201	TMS WHITE	87.5000 lb
900-210	TMS YELLOW	1.5000 lb
900-222	TMS SCARLET	8.5000 lb
900-225	TMS RED	1.5000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 709C

900-201	TMS WHITE	75.0000 lb
900-210	TMS YELLOW	3.0000 lb
900-222	TMS SCARLET	17.0000 lb
900-225	TMS RED	3.0000 lb
900-270	TMS BLACK	2.0000 lb

PMSCOLR 710C

900-201	TMS WHITE	44.0000 lb
900-210	TMS YELLOW	6.0000 lb
900-222	TMS SCARLET	40.0000 lb
900-225	TMS RED	6.0000 lb
900-270	TMS BLACK	4.0000 lb

PMSCOLR 711C

900-225	TMS RED	20.0000 lb
900-201	TMS WHITE	10.0000 lb
900-222	TMS SCARLET	70.0000 lb

PMSCOLR 712C

900-201	TMS WHITE	97.2000 lb
900-222	TMS SCARLET	0.4000 lb
900-210	TMS YELLOW	2.2000 lb
900-270	TMS BLACK	0.2000 lb

PMSCOLR 713C

900-201	TMS WHITE	90.5000 lb
900-210	TMS YELLOW	8.0000 lb
900-222	TMS SCARLET	1.0000 lb
900-270	TMS BLACK	0.5000 lb

PMSCOLR 714C

900-201	TMS WHITE	77.0000 lb
900-210	TMS YELLOW	20.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 715C

900-201	TMS WHITE	54.5000 lb
900-210	TMS YELLOW	40.0000 lb
900-222	TMS SCARLET	4.5000 lb
900-270	TMS BLACK	1.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 716C

900-201	TMS WHITE	32.0000 lb
900-210	TMS YELLOW	60.0000 lb
900-222	TMS SCARLET	7.0000 lb
900-270	TMS BLACK	1.0000 lb

PMSCOLR 721C

900-201	TMS WHITE	75.0000 lb
900-210	TMS YELLOW	20.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 717C

900-210	TMS YELLOW	78.2000 lb
900-222	TMS SCARLET	10.9000 lb
900-201	TMS WHITE	9.1000 lb
900-270	TMS BLACK	1.8000 lb

PMSCOLR 721U

900-201	TMS WHITE	84.0000 g
900-210	TMS YELLOW	12.0000 g
900-222	TMS SCARLET	2.0000 g
900-270	TMS BLACK	2.0000 g

PMSCOLR 718C

900-210	TMS YELLOW	80.0000 lb
900-222	TMS SCARLET	10.9000 lb
900-201	TMS WHITE	7.3000 lb
900-270	TMS BLACK	1.8000 lb

PMSCOLR 722C

900-201	TMS WHITE	49.0000 lb
900-210	TMS YELLOW	40.0000 lb
900-222	TMS SCARLET	5.0000 lb
900-270	TMS BLACK	6.0000 lb

PMSCOLR 719C

900-210	TMS YELLOW	1.9000 lb
900-222	TMS SCARLET	0.6000 lb
900-201	TMS WHITE	96.7000 lb
900-270	TMS BLACK	0.8000 lb

PMSCOLR 723C

900-201	TMS WHITE	23.5000 lb
900-210	TMS YELLOW	60.0000 lb
900-222	TMS SCARLET	7.5000 lb
900-270	TMS BLACK	9.0000 lb

PMSCOLR 720C

900-201	TMS WHITE	87.5000 lb
900-210	TMS YELLOW	10.0000 lb
900-222	TMS SCARLET	1.0000 lb
900-270	TMS BLACK	1.5000 lb

PMSCOLR 724C

900-201	TMS WHITE	3.0000 lb
900-210	TMS YELLOW	72.0000 lb
900-222	TMS SCARLET	14.0000 lb
900-270	TMS BLACK	11.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 725C

900-240	TMS GREEN	63.0000 lb
900-210	TMS YELLOW	14.0000 lb
900-222	TMS SCARLET	23.0000 lb

PMSCOLR 730C

900-201	TMS WHITE	30.0000 lb
900-210	TMS YELLOW	50.0000 lb
900-222	TMS SCARLET	6.0000 lb
900-270	TMS BLACK	14.0000 lb

PMSCOLR 726C

900-210	TMS YELLOW	1.9000 lb
900-222	TMS SCARLET	0.5000 lb
900-201	TMS WHITE	96.4000 lb
900-270	TMS BLACK	1.2000 lb

PMSCOLR 731C

900-210	TMS YELLOW	59.9000 lb
900-222	TMS SCARLET	25.0000 lb
900-240	TMS GREEN	14.1000 lb
900-201	TMS WHITE	1.0000 lb

PMSCOLR 727C

900-201	TMS WHITE	88.0000 lb
900-210	TMS YELLOW	8.0000 lb
900-222	TMS SCARLET	1.0000 lb
900-270	TMS BLACK	3.0000 lb

PMSCOLR 732C

900-210	TMS YELLOW	67.0000 lb
900-222	TMS SCARLET	12.0000 lb
900-240	TMS GREEN	12.0000 lb
900-225	TMS RED	9.0000 lb

PMSCOLR 728C

900-201	TMS WHITE	76.0000 lb
900-210	TMS YELLOW	16.0000 lb
900-222	TMS SCARLET	2.0000 lb
900-270	TMS BLACK	6.0000 lb

PMSCOLR 7401C

900-201	TMS WHITE	93.1500 g
900-210	TMS YELLOW	6.0000 g
900-222	TMS SCARLET	0.1500 g
900-270	TMS BLACK	0.7000 g

PMSCOLR 729C

900-201	TMS WHITE	52.0000 lb
900-210	TMS YELLOW	32.0000 lb
900-222	TMS SCARLET	4.0000 lb
900-270	TMS BLACK	12.0000 lb

PMSCOLR 7402C

900-201	TMS WHITE	89.8000 g
900-210	TMS YELLOW	9.0000 g
900-222	TMS SCARLET	0.2000 g
900-270	TMS BLACK	1.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7403C

900-201	TMS WHITE	74.8000 g
900-210	TMS YELLOW	23.0000 g
900-222	TMS SCARLET	0.4000 g
900-270	TMS BLACK	1.8000 g

PMSCOLR 7404C

900-201	TMS WHITE	45.0000 g
900-210	TMS YELLOW	54.6000 g
900-222	TMS SCARLET	0.2000 g
900-270	TMS BLACK	0.2000 g

PMSCOLR 7405C

900-201	TMS WHITE	19.0000 g
900-210	TMS YELLOW	80.5000 g
900-222	TMS SCARLET	0.2000 g
900-270	TMS BLACK	0.3000 g

PMSCOLR 7406C

900-201	TMS WHITE	31.0000 g
900-210	TMS YELLOW	68.4000 g
900-222	TMS SCARLET	0.3500 g
900-270	TMS BLACK	0.2500 g

PMSCOLR 7407C

900-201	TMS WHITE	48.0000 g
900-210	TMS YELLOW	45.4000 g
900-222	TMS SCARLET	2.2000 g
900-270	TMS BLACK	4.4000 g

PMSCOLR 7408C

900-201	TMS WHITE	26.5000 g
900-210	TMS YELLOW	71.5000 g
900-225	TMS RED	2.0000 g

PMSCOLR 7409C

900-201	TMS WHITE	34.0000 g
900-210	TMS YELLOW	64.0000 g
900-225	TMS RED	2.0000 g

PMSCOLR 7410C

900-201	TMS WHITE	66.7000 g
900-210	TMS YELLOW	29.0000 g
900-222	TMS SCARLET	4.0000 g
900-270	TMS BLACK	0.3000 g

PMSCOLR 7411C

900-201	TMS WHITE	56.3000 g
900-210	TMS YELLOW	40.0000 g
900-222	TMS SCARLET	2.2000 g
900-270	TMS BLACK	1.5000 g

PMSCOLR 7412C

900-201	TMS WHITE	26.2000 g
900-210	TMS YELLOW	64.0000 g
900-222	TMS SCARLET	6.8000 g
900-270	TMS BLACK	3.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7413C

900-201	TMS WHITE	16.0000 g
900-210	TMS YELLOW	75.0000 g
900-222	TMS SCARLET	6.0000 g
900-270	TMS BLACK	3.0000 g

PMSCOLR 7418C

900-201	TMS WHITE	47.0000 g
900-210	TMS YELLOW	22.0000 g
900-222	TMS SCARLET	25.0000 g
900-225	TMS RED	4.0000 g
900-270	TMS BLACK	2.0000 g

PMSCOLR 7414C

900-201	TMS WHITE	13.5000 g
900-210	TMS YELLOW	75.0000 g
900-222	TMS SCARLET	8.0000 g
900-270	TMS BLACK	3.5000 g

PMSCOLR 7419C

900-201	TMS WHITE	35.0000 g
900-222	TMS SCARLET	45.0000 g
900-253	TMS MARINE	20.0000 g

PMSCOLR 7415C

900-201	TMS WHITE	93.7000 g
900-210	TMS YELLOW	4.0000 g
900-225	TMS RED	2.1000 g
900-270	TMS BLACK	0.2000 g

PMSCOLR 7420C

900-201	TMS WHITE	15.0000 g
900-222	TMS SCARLET	35.0000 g
900-225	TMS RED	45.0000 g
900-270	TMS BLACK	5.0000 g

PMSCOLR 7416C

900-201	TMS WHITE	50.8000 g
900-210	TMS YELLOW	36.0000 g
900-222	TMS SCARLET	6.6000 g
900-225	TMS RED	6.6000 g

PMSCOLR 7421C

900-201	TMS WHITE	9.0000 g
900-222	TMS SCARLET	35.0000 g
900-225	TMS RED	45.0000 g
900-270	TMS BLACK	11.0000 g

PMSCOLR 7417C

900-201	TMS WHITE	43.0000 g
900-210	TMS YELLOW	40.0000 g
900-222	TMS SCARLET	8.5000 g
900-225	TMS RED	8.5000 g

PMSCOLR 7422C

900-201	TMS WHITE	98.9000 g
900-210	TMS YELLOW	0.4000 g
900-222	TMS SCARLET	0.6000 g
900-270	TMS BLACK	0.1000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7423C

900-201	TMS WHITE	71.6000 g
900-222	TMS SCARLET	20.0000 g
900-225	TMS RED	8.0000 g
900-270	TMS BLACK	0.4000 g

PMSCOLR 7424C

900-201	TMS WHITE	29.5000 g
900-225	TMS RED	19.0000 g
900-3390	ST FL. MAGENTA	51.5000 g

PMSCOLR 7425C

900-201	TMS WHITE	46.5000 g
900-222	TMS SCARLET	30.0000 g
900-225	TMS RED	20.5000 g
900-270	TMS BLACK	3.0000 g

PMSCOLR 7426C

900-201	TMS WHITE	31.5000 g
900-222	TMS SCARLET	40.0000 g
900-225	TMS RED	24.0000 g
900-270	TMS BLACK	4.5000 g

PMSCOLR 7427C

900-201	TMS WHITE	18.8000 g
900-222	TMS SCARLET	50.0000 g
900-225	TMS RED	26.0000 g
900-270	TMS BLACK	5.2000 g

PMSCOLR 7428C

900-201	TMS WHITE	10.0000 g
900-210	TMS YELLOW	10.0000 g
900-222	TMS SCARLET	25.0000 g
900-225	TMS RED	40.0000 g
900-270	TMS BLACK	15.0000 g

PMSCOLR 7429C

900-201	TMS WHITE	96.9000 g
900-210	TMS YELLOW	0.4000 g
900-225	TMS RED	2.0000 g
900-270	TMS BLACK	0.7000 g

PMSCOLR 7430C

900-201	TMS WHITE	95.0000 g
900-210	TMS YELLOW	0.5000 g
900-222	TMS SCARLET	1.5000 g
900-225	TMS RED	2.0000 g
900-270	TMS BLACK	1.0000 g

PMSCOLR 7431C

900-201	TMS WHITE	89.7000 g
900-210	TMS YELLOW	1.2000 g
900-222	TMS SCARLET	3.0000 g
900-225	TMS RED	4.5000 g
900-270	TMS BLACK	1.6000 g

PMSCOLR 7432C

900-201	TMS WHITE	73.0000 g
900-210	TMS YELLOW	3.0000 g
900-222	TMS SCARLET	10.0000 g
900-225	TMS RED	10.0000 g
900-270	TMS BLACK	4.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7433C

900-201	TMS WHITE	51.0000 g
900-222	TMS SCARLET	20.0000 g
900-225	TMS RED	24.0000 g
900-270	TMS BLACK	5.0000 g

PMSCOLR 7438C

900-201	TMS WHITE	80.5000 g
900-259	TMS VIOLET	7.0000 g
900-270	TMS BLACK	0.5000 g
900-3390	ST FL. MAGENTA	12.0000 g

PMSCOLR 7434C

900-201	TMS WHITE	43.0000 g
900-222	TMS SCARLET	25.0000 g
900-225	TMS RED	27.0000 g
900-270	TMS BLACK	5.0000 g

PMSCOLR 7439C

900-201	TMS WHITE	72.0000 g
900-225	TMS RED	8.0000 g
900-259	TMS VIOLET	15.0000 g
900-270	TMS BLACK	5.0000 g

PMSCOLR 7435C

900-201	TMS WHITE	20.0000 g
900-222	TMS SCARLET	25.0000 g
900-225	TMS RED	40.0000 g
900-270	TMS BLACK	15.0000 g

PMSCOLR 7440C

900-201	TMS WHITE	66.0000 g
900-225	TMS RED	12.0000 g
900-259	TMS VIOLET	12.0000 g
900-270	TMS BLACK	10.0000 g

PMSCOLR 7436C

900-201	TMS WHITE	98.0000 g
900-225	TMS RED	1.5000 g
900-270	TMS BLACK	0.5000 g

PMSCOLR 7441C

900-201	TMS WHITE	24.0000 g
900-225	TMS RED	6.0000 g
900-259	TMS VIOLET	15.0000 g
900-3394	ST FL. VIOLET	55.0000 g

PMSCOLR 7437C

900-201	TMS WHITE	90.0000 g
900-225	TMS RED	3.5000 g
900-259	TMS VIOLET	3.5000 g
900-270	TMS BLACK	3.0000 g

PMSCOLR 7442C

900-201	TMS WHITE	15.0000 g
900-225	TMS RED	7.0000 g
900-259	TMS VIOLET	18.0000 g
900-3394	ST FL. VIOLET	60.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7443C

900-201	TMS WHITE	85.5000 g
900-253	TMS MARINE	6.0000 g
900-259	TMS VIOLET	5.5000 g
900-270	TMS BLACK	3.0000 g

PMSCOLR 7449C

900-201	TMS WHITE	5.0000 g
900-225	TMS RED	35.0000 g
900-259	TMS VIOLET	15.0000 g
900-270	TMS BLACK	45.0000 g

PMSCOLR 7444C

900-201	TMS WHITE	85.5000 g
900-253	TMS MARINE	6.0000 g
900-259	TMS VIOLET	5.5000 g
900-270	TMS BLACK	3.0000 g

PMSCOLR 7450C

900-201	TMS WHITE	93.0000 g
900-253	TMS MARINE	4.5000 g
900-259	TMS VIOLET	1.0000 g
900-270	TMS BLACK	1.5000 g

PMSCOLR 7445C

900-201	TMS WHITE	81.0000 g
900-253	TMS MARINE	6.0000 g
900-259	TMS VIOLET	8.0000 g
900-270	TMS BLACK	5.0000 g

PMSCOLR 7451C

900-201	TMS WHITE	73.9000 g
900-251	TMS BLUE G/S	3.0000 g
900-253	TMS MARINE	20.0000 g
900-259	TMS VIOLET	2.6000 g
900-270	TMS BLACK	0.5000 g

PMSCOLR 7447C

900-201	TMS WHITE	23.0000 g
900-225	TMS RED	5.0000 g
900-259	TMS VIOLET	55.0000 g
900-270	TMS BLACK	17.0000 g

PMSCOLR 7452C

900-201	TMS WHITE	55.0000 g
900-251	TMS BLUE G/S	5.0000 g
900-253	TMS MARINE	20.0000 g
900-259	TMS VIOLET	20.0000 g

PMSCOLR 7448C

900-201	TMS WHITE	12.0000 g
900-225	TMS RED	12.0000 g
900-259	TMS VIOLET	32.0000 g
900-270	TMS BLACK	44.0000 g

PMSCOLR 7453C

900-201	TMS WHITE	36.7000 g
900-251	TMS BLUE G/S	5.0000 g
900-253	TMS MARINE	55.0000 g
900-259	TMS VIOLET	1.3000 g
900-270	TMS BLACK	2.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7454C

900-201	TMS WHITE	32.0000 g
900-251	TMS BLUE G/S	5.0000 g
900-253	TMS MARINE	55.0000 g
900-270	TMS BLACK	8.0000 g

PMSCOLR 7455C

900-201	TMS WHITE	20.0000 g
900-251	TMS BLUE G/S	3.0000 g
900-253	TMS MARINE	57.0000 g
900-259	TMS VIOLET	15.0000 g
900-270	TMS BLACK	5.0000 g

PMSCOLR 7456C

900-201	TMS WHITE	27.0000 g
900-251	TMS BLUE G/S	3.0000 g
900-253	TMS MARINE	40.0000 g
900-259	TMS VIOLET	25.0000 g
900-270	TMS BLACK	5.0000 g

PMSCOLR 7457C

900-201	TMS WHITE	97.5000 g
900-210	TMS YELLOW	0.2000 g
900-251	TMS BLUE G/S	1.5000 g
900-270	TMS BLACK	0.8000 g

PMSCOLR 7458C

900-201	TMS WHITE	87.0000 g
900-251	TMS BLUE G/S	9.0000 g
900-270	TMS BLACK	4.0000 g

PMSCOLR 7459C

900-201	TMS WHITE	66.0000 g
900-251	TMS BLUE G/S	25.0000 g
900-270	TMS BLACK	9.0000 g

PMSCOLR 7460C

900-210	TMS YELLOW	0.7500 g
900-3350	ST FL. BLUE	99.2500 g

PMSCOLR 7461C

900-201	TMS WHITE	47.3000 g
900-210	TMS YELLOW	0.7000 g
900-252	TMS BLUE R/S	18.0000 g
900-253	TMS MARINE	30.0000 g
900-270	TMS BLACK	4.0000 g

PMSCOLR 7462C

900-201	TMS WHITE	14.0000 g
900-210	TMS YELLOW	2.0000 g
900-252	TMS BLUE R/S	30.0000 g
900-253	TMS MARINE	50.0000 g
900-270	TMS BLACK	4.0000 g

PMSCOLR 7463C

900-201	TMS WHITE	5.0000 g
900-252	TMS BLUE R/S	75.0000 g
900-270	TMS BLACK	20.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7464C

900-201	TMS WHITE	92.0000 g
900-240	TMS GREEN	7.0000 g
900-270	TMS BLACK	1.0000 g

PMSCOLR 7469C

900-201	TMS WHITE	13.3000 g
900-251	TMS BLUE G/S	76.2000 g
900-270	TMS BLACK	10.5000 g

PMSCOLR 7465C

900-201	TMS WHITE	70.0000 g
900-240	TMS GREEN	28.3000 g
900-270	TMS BLACK	1.7000 g

PMSCOLR 7470C

900-201	TMS WHITE	10.0000 g
900-240	TMS GREEN	18.0000 g
900-251	TMS BLUE G/S	60.0000 g
900-270	TMS BLACK	12.0000 g

PMSCOLR 7466C

900-201	TMS WHITE	42.0000 g
900-240	TMS GREEN	40.0000 g
900-251	TMS BLUE G/S	18.0000 g

PMSCOLR 7471C

900-201	TMS WHITE	91.0000 g
900-240	TMS GREEN	9.0000 g

PMSCOLR 7467C

900-201	TMS WHITE	25.0000 g
900-240	TMS GREEN	50.0000 g
900-251	TMS BLUE G/S	25.0000 g

PMSCOLR 7472C

900-201	TMS WHITE	72.5000 g
900-240	TMS GREEN	20.0000 g
900-251	TMS BLUE G/S	4.0000 g
900-270	TMS BLACK	3.5000 g

PMSCOLR 7468C

900-201	TMS WHITE	40.0000 g
900-251	TMS BLUE G/S	53.0000 g
900-270	TMS BLACK	7.0000 g

PMSCOLR 7473C

900-201	TMS WHITE	35.0000 g
900-240	TMS GREEN	60.0000 g
900-270	TMS BLACK	5.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7474C

900-201	TMS WHITE	30.0000 g
900-240	TMS GREEN	40.0000 g
900-251	TMS BLUE G/S	25.0000 g
900-270	TMS BLACK	5.0000 g

PMSCOLR 7479C

900-201	TMS WHITE	35.0000 g
900-240	TMS GREEN	20.0000 g
900-3316	ST FL. YELLOW	5.0000 g
900-3340	ST FL. GREEN	40.0000 g

PMSCOLR 7475C

900-201	TMS WHITE	38.0000 g
900-210	TMS YELLOW	5.0000 g
900-240	TMS GREEN	20.0000 g
900-251	TMS BLUE G/S	18.0000 g
900-270	TMS BLACK	19.0000 g

PMSCOLR 7480C

900-201	TMS WHITE	17.0000 g
900-240	TMS GREEN	35.0000 g
900-3316	ST FL. YELLOW	8.0000 g
900-3340	ST FL. GREEN	40.0000 g

PMSCOLR 7476C

900-201	TMS WHITE	7.0000 g
900-240	TMS GREEN	63.0000 g
900-251	TMS BLUE G/S	15.0000 g
900-270	TMS BLACK	15.0000 g

PMSCOLR 7481C

900-201	TMS WHITE	8.0000 g
900-240	TMS GREEN	22.0000 g
900-3316	ST FL. YELLOW	35.0000 g
900-3340	ST FL. GREEN	35.0000 g

PMSCOLR 7477C

900-201	TMS WHITE	5.0000 g
900-240	TMS GREEN	37.0000 g
900-251	TMS BLUE G/S	38.0000 g
900-270	TMS BLACK	20.0000 g

PMSCOLR 7482C

900-201	TMS WHITE	15.0000 g
900-210	TMS YELLOW	15.0000 g
900-240	TMS GREEN	70.0000 g

PMSCOLR 7478C

900-201	TMS WHITE	88.0000 g
900-210	TMS YELLOW	3.0000 g
900-240	TMS GREEN	9.0000 g

PMSCOLR 7483C

900-201	TMS WHITE	11.0000 g
900-210	TMS YELLOW	20.0000 g
900-240	TMS GREEN	40.0000 g
900-270	TMS BLACK	29.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7484

900-201	TMS WHITE	6.0000 g
900-210	TMS YELLOW	10.0000 g
900-240	TMS GREEN	70.0000 g
900-270	TMS BLACK	14.0000 g

PMSCOLR 7489C

900-201	TMS WHITE	40.0000 g
900-210	TMS YELLOW	30.0000 g
900-240	TMS GREEN	24.0000 g
900-270	TMS BLACK	6.0000 g

PMSCOLR 7485C

900-201	TMS WHITE	97.5000 g
900-210	TMS YELLOW	1.0000 g
900-240	TMS GREEN	0.5000 g
900-270	TMS BLACK	1.0000 g

PMSCOLR 7490C

900-201	TMS WHITE	15.0000 g
900-210	TMS YELLOW	50.0000 g
900-240	TMS GREEN	20.0000 g
900-270	TMS BLACK	15.0000 g

PMSCOLR 7486C

900-201	TMS WHITE	82.5000 g
900-210	TMS YELLOW	12.0000 g
900-240	TMS GREEN	5.0000 g
900-270	TMS BLACK	0.5000 g

PMSCOLR 7491C

900-201	TMS WHITE	15.0000 g
900-210	TMS YELLOW	55.0000 g
900-240	TMS GREEN	15.0000 g
900-270	TMS BLACK	15.0000 g

PMSCOLR 7487C

900-201	TMS WHITE	62.5000 g
900-210	TMS YELLOW	21.5000 g
900-240	TMS GREEN	16.0000 g

PMSCOLR 7492C

900-201	TMS WHITE	79.0000 g
900-210	TMS YELLOW	15.0000 g
900-240	TMS GREEN	3.0000 g
900-270	TMS BLACK	3.0000 g

PMSCOLR 7488C

900-201	TMS WHITE	15.0000 g
900-210	TMS YELLOW	12.0000 g
900-3340	ST FL. GREEN	73.0000 g

PMSCOLR 7493C

900-201	TMS WHITE	80.0000 g
900-210	TMS YELLOW	13.0000 g
900-240	TMS GREEN	3.0000 g
900-270	TMS BLACK	4.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7494C

900-201	TMS WHITE	65.0000 g
900-210	TMS YELLOW	13.0000 g
900-240	TMS GREEN	11.0000 g
900-270	TMS BLACK	11.0000 g

PMSCOLR 7499C

900-201	TMS WHITE	96.7500 g
900-210	TMS YELLOW	2.8500 g
900-225	TMS RED	0.1500 g
900-270	TMS BLACK	0.2500 g

PMSCOLR 7495C

900-201	TMS WHITE	18.0000 g
900-210	TMS YELLOW	63.0000 g
900-240	TMS GREEN	7.5000 g
900-270	TMS BLACK	11.5000 g

PMSCOLR 7500C

900-201	TMS WHITE	93.6000 g
900-210	TMS YELLOW	4.8000 g
900-225	TMS RED	0.4000 g
900-270	TMS BLACK	1.2000 g

PMSCOLR 7496C

900-201	TMS WHITE	10.0000 g
900-210	TMS YELLOW	65.0000 g
900-240	TMS GREEN	10.0000 g
900-270	TMS BLACK	15.0000 g

PMSCOLR 7501C

900-201	TMS WHITE	89.5000 g
900-210	TMS YELLOW	8.0000 g
900-222	TMS SCARLET	0.5000 g
900-270	TMS BLACK	2.0000 g

PMSCOLR 7497C

900-201	TMS WHITE	42.0000 g
900-210	TMS YELLOW	22.0000 g
900-222	TMS SCARLET	1.0000 g
900-270	TMS BLACK	35.0000 g

PMSCOLR 7502C

900-201	TMS WHITE	78.0000 g
900-210	TMS YELLOW	17.0000 g
900-222	TMS SCARLET	1.0000 g
900-270	TMS BLACK	4.0000 g

PMSCOLR 7498C

900-201	TMS WHITE	8.0000 g
900-210	TMS YELLOW	45.0000 g
900-240	TMS GREEN	7.0000 g
900-270	TMS BLACK	40.0000 g

PMSCOLR 7503C

900-201	TMS WHITE	59.4000 g
900-210	TMS YELLOW	29.6000 g
900-225	TMS RED	6.3000 g
900-240	TMS GREEN	4.7000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7504C

900-201	TMS WHITE	32.0000 g
900-210	TMS YELLOW	40.0000 g
900-225	TMS RED	11.0000 g
900-270	TMS BLACK	17.0000 g

PMSCOLR 7509C

900-201	TMS WHITE	66.3000 g
900-210	TMS YELLOW	28.4000 g
900-222	TMS SCARLET	2.2000 g
900-270	TMS BLACK	3.1000 g

PMSCOLR 7505C

900-201	TMS WHITE	18.0000 g
900-210	TMS YELLOW	47.4000 g
900-210	TMS YELLOW	7.3000 g
900-270	TMS BLACK	27.3000 g

PMSCOLR 7510C

900-201	TMS WHITE	32.0000 g
900-210	TMS YELLOW	57.0000 g
900-222	TMS SCARLET	4.4000 g
900-270	TMS BLACK	6.6000 g

PMSCOLR 7506C

900-201	TMS WHITE	92.2000 g
900-210	TMS YELLOW	6.7000 g
900-222	TMS SCARLET	0.2000 g
900-270	TMS BLACK	0.9000 g

PMSCOLR 7511C

900-201	TMS WHITE	16.0000 g
900-210	TMS YELLOW	70.5000 g
900-222	TMS SCARLET	5.5000 g
900-270	TMS BLACK	8.0000 g

PMSCOLR 7507C

900-201	TMS WHITE	91.0000 g
900-210	TMS YELLOW	8.3000 g
900-222	TMS SCARLET	0.5000 g
900-270	TMS BLACK	0.2000 g

PMSCOLR 7512C

900-201	TMS WHITE	7.0000 g
900-210	TMS YELLOW	75.0000 g
900-222	TMS SCARLET	8.0000 g
900-270	TMS BLACK	10.0000 g

PMSCOLR 7508C

900-201	TMS WHITE	82.4000 g
900-210	TMS YELLOW	15.0000 g
900-222	TMS SCARLET	1.0000 g
900-270	TMS BLACK	1.6000 g

PMSCOLR 7513C

900-201	TMS WHITE	95.6000 g
900-210	TMS YELLOW	3.0000 g
900-222	TMS SCARLET	0.7000 g
900-270	TMS BLACK	0.7000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7514C

900-201	TMS WHITE	83.0000 g
900-210	TMS YELLOW	12.0000 g
900-222	TMS SCARLET	2.0000 g
900-270	TMS BLACK	3.0000 g

PMSCOLR 7519C

900-201	TMS WHITE	4.8000 g
900-210	TMS YELLOW	42.0000 g
900-222	TMS SCARLET	7.6000 g
900-225	TMS RED	3.8000 g
900-270	TMS BLACK	41.8000 g

PMSCOLR 7515C

900-201	TMS WHITE	64.5000 g
900-210	TMS YELLOW	24.0000 g
900-222	TMS SCARLET	4.5000 g
900-270	TMS BLACK	7.0000 g

PMSCOLR 7520C

900-201	TMS WHITE	96.1000 g
900-210	TMS YELLOW	2.5000 g
900-222	TMS SCARLET	0.9000 g
900-270	TMS BLACK	0.5000 g

PMSCOLR 7516C

900-201	TMS WHITE	27.0000 g
900-210	TMS YELLOW	48.0000 g
900-222	TMS SCARLET	10.0000 g
900-270	TMS BLACK	15.0000 g

PMSCOLR 7521C

900-201	TMS WHITE	84.9000 g
900-210	TMS YELLOW	9.0000 g
900-222	TMS SCARLET	0.6000 g
900-225	TMS RED	2.5000 g
900-270	TMS BLACK	3.0000 g

PMSCOLR 7517C

900-201	TMS WHITE	9.0000 g
900-210	TMS YELLOW	55.0000 g
900-222	TMS SCARLET	13.5000 g
900-225	TMS RED	4.5000 g
900-270	TMS BLACK	18.0000 g

PMSCOLR 7522C

900-201	TMS WHITE	60.0000 g
900-210	TMS YELLOW	25.0000 g
900-222	TMS SCARLET	4.5000 g
900-225	TMS RED	4.0000 g
900-270	TMS BLACK	6.5000 g

PMSCOLR 7518C

900-201	TMS WHITE	23.0000 g
900-210	TMS YELLOW	30.0000 g
900-222	TMS SCARLET	5.0000 g
900-225	TMS RED	7.0000 g
900-270	TMS BLACK	35.0000 g

PMSCOLR 7523C

900-201	TMS WHITE	43.0000 g
900-210	TMS YELLOW	30.0000 g
900-222	TMS SCARLET	9.0000 g
900-225	TMS RED	8.0000 g
900-270	TMS BLACK	10.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7524C

900-201	TMS WHITE	25.0000 g
900-210	TMS YELLOW	43.5000 g
900-222	TMS SCARLET	11.5000 g
900-225	TMS RED	9.0000 g
900-270	TMS BLACK	11.0000 g

PMSCOLR 7525C

900-201	TMS WHITE	32.0000 g
900-210	TMS YELLOW	40.0000 g
900-222	TMS SCARLET	3.0000 g
900-225	TMS RED	10.0000 g
900-270	TMS BLACK	15.0000 g

PMSCOLR 7526C

900-201	TMS WHITE	9.0000 g
900-210	TMS YELLOW	52.0000 g
900-222	TMS SCARLET	21.0000 g
900-225	TMS RED	6.0000 g
900-270	TMS BLACK	12.0000 g

PMSCOLR 7527C

900-201	TMS WHITE	96.4000 g
900-210	TMS YELLOW	1.5000 g
900-222	TMS SCARLET	0.1000 g
900-270	TMS BLACK	2.0000 g

PMSCOLR 7528C

900-201	TMS WHITE	90.7000 g
900-210	TMS YELLOW	3.0000 g
900-222	TMS SCARLET	0.3000 g
900-270	TMS BLACK	6.0000 g

PMSCOLR 7529C

900-201	TMS WHITE	84.0000 g
900-210	TMS YELLOW	8.5000 g
900-225	TMS RED	4.0000 g
900-240	TMS GREEN	3.5000 g

PMSCOLR 7530C

900-201	TMS WHITE	69.6000 g
900-210	TMS YELLOW	12.0000 g
900-222	TMS SCARLET	1.4000 g
900-270	TMS BLACK	17.0000 g

PMSCOLR 7531C

900-201	TMS WHITE	47.0000 g
900-210	TMS YELLOW	25.0000 g
900-222	TMS SCARLET	3.0000 g
900-270	TMS BLACK	25.0000 g

PMSCOLR 7532C

900-201	TMS WHITE	21.0000 g
900-210	TMS YELLOW	37.0000 g
900-222	TMS SCARLET	5.0000 g
900-270	TMS BLACK	37.0000 g

PMSCOLR 7533C

900-201	TMS WHITE	8.0000 g
900-210	TMS YELLOW	43.0000 g
900-222	TMS SCARLET	6.0000 g
900-270	TMS BLACK	43.0000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7534C

900-201	TMS WHITE	96.1000 g
900-210	TMS YELLOW	1.6000 g
900-225	TMS RED	0.1000 g
900-270	TMS BLACK	2.2000 g

PMSCOLR 7539C

900-201	TMS WHITE	72.3000 g
900-210	TMS YELLOW	3.6000 g
900-240	TMS GREEN	1.8000 g
900-270	TMS BLACK	22.3000 g

PMSCOLR 7535C

900-201	TMS WHITE	89.0000 g
900-210	TMS YELLOW	8.0000 g
900-225	TMS RED	1.5000 g
900-252	TMS BLUE R/S	1.5000 g

PMSCOLR 7540C

900-201	TMS WHITE	40.5000 g
900-210	TMS YELLOW	6.0000 g
900-225	TMS RED	3.5000 g
900-270	TMS BLACK	50.0000 g

PMSCOLR 7536C

900-201	TMS WHITE	78.5000 g
900-210	TMS YELLOW	9.5000 g
900-225	TMS RED	1.0000 g
900-270	TMS BLACK	11.0000 g

PMSCOLR 7541C

900-201	TMS WHITE	98.4000 g
900-210	TMS YELLOW	0.1000 g
900-251	TMS BLUE G/S	0.2000 g
900-270	TMS BLACK	1.3000 g

PMSCOLR 7537C

900-201	TMS WHITE	81.7000 g
900-210	TMS YELLOW	4.4000 g
900-240	TMS GREEN	0.9000 g
900-270	TMS BLACK	13.0000 g

PMSCOLR 7542C

900-201	TMS WHITE	93.3000 g
900-210	TMS YELLOW	0.5000 g
900-251	TMS BLUE G/S	2.0000 g
900-270	TMS BLACK	4.2000 g

PMSCOLR 7538C

900-201	TMS WHITE	79.0000 g
900-210	TMS YELLOW	5.0000 g
900-240	TMS GREEN	1.0000 g
900-270	TMS BLACK	15.0000 g

PMSCOLR 7543

900-201	TMS WHITE	85.0000 g
900-251	TMS BLUE G/S	1.8000 g
900-270	TMS BLACK	13.2000 g

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 7544C

900-201	TMS WHITE	69.0000 g
900-251	TMS BLUE G/S	3.0000 g
900-270	TMS BLACK	28.0000 g

PMSCOLR 802C

900-3340	ST FL. GREEN	37.5000 lb
900-201	TMS WHITE	5.7000 lb
900-3316	ST FL. YELLOW	56.8000 lb

PMSCOLR 7545C

900-201	TMS WHITE	43.0000 g
900-251	TMS BLUE G/S	7.0000 g
900-270	TMS BLACK	50.0000 g

PMSCOLR 803C

900-201	TMS WHITE	9.0000 lb
900-3316	ST FL. YELLOW	90.0000 lb
900-3318	ST FL. ORANGE	1.0000 lb

PMSCOLR 7546C

900-201	TMS WHITE	18.0000 g
900-251	TMS BLUE G/S	15.0000 g
900-270	TMS BLACK	67.0000 g

PMSCOLR 804C

900-3316	ST FL. YELLOW	88.9000 lb
900-3318	ST FL. ORANGE	11.1000 lb

PMSCOLR 7547C

900-201	TMS WHITE	5.0000 g
900-252	TMS BLUE R/S	30.0000 g
900-270	TMS BLACK	65.0000 g

PMSCOLR 805C

900-3318	ST FL. ORANGE	67.0000 lb
900-201	TMS WHITE	2.0000 lb
900-3330	ST FL. PINK	31.0000 lb

PMSCOLR 801C

900-3350	ST FL. BLUE	90.0000 lb
900-3340	ST FL. GREEN	4.0000 lb
900-201	TMS WHITE	6.0000 lb

PMSCOLR 806C

900-201	TMS WHITE	5.0000 lb
900-3390	ST FL. MAGENTA	95.0000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR 807C

900-2394	TMS FL. PURPLE	25.0000 lb
900-2390	TMS FL. MAGENTA	75.0000 lb

PMSCOLR 808C

900-2350	TMS FL. BLUE	63.0000 lb
900-2340	TMS FL. GREEN	9.0000 lb
900-2316	TMS FL. YELLOW	27.0000 lb
900-201	TMS WHITE	1.0000 lb

PMSCOLR 809C

900-2340	TMS FL. GREEN	2.5000 lb
900-2316	TMS FL. YELLOW	92.0000 lb
900-201	TMS WHITE	5.0000 lb
900-2318	TMS FL. ORANGE	0.5000 lb

PMSCOLR 810C

900-2316	TMS FL. YELLOW	97.0000 lb
900-2318	TMS FL. ORANGE	3.0000 lb

PMSCOLR 811C

900-2316	TMS FL. YELLOW	64.0000 lb
900-2318	TMS FL. ORANGE	26.0000 lb
900-2330	TMS FL. PINK	10.0000 lb

PMSCOLR 812C

900-2318	TMS FL. ORANGE	8.0000 lb
900-2330	TMS FL. PINK	61.0000 lb
900-2320	TMS FL. RED	25.0000 lb
900-2390	TMS FL. MAGENTA	6.0000 lb

PMSCOLR 813C

900-2394	TMS FL. PURPLE	10.0000 lb
900-2390	TMS FL. MAGENTA	90.0000 lb

PMSCOLR 814C

900-2394	TMS FL. PURPLE	60.0000 lb
900-2390	TMS FL. MAGENTA	30.0000 lb
900-2350	TMS FL. BLUE	10.0000 lb

PMSCOLR BLK 2C

900-210	TMS YELLOW	35.0000 lb
900-201	TMS WHITE	2.5000 lb
900-225	TMS RED	11.0000 lb
900-270	TMS BLACK	51.5000 lb

PMSCOLR BLK 3C

900-210	TMS YELLOW	17.9000 lb
900-270	TMS BLACK	80.4000 lb
900-201	TMS WHITE	1.7000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR BLK 4C

900-210	TMS YELLOW	26.0000 lb
900-270	TMS BLACK	60.0000 lb
900-201	TMS WHITE	3.0000 lb
900-222	TMS SCARLET	11.0000 lb

PMSCOLR BLK 5C

900-270	TMS BLACK	46.6000 lb
900-201	TMS WHITE	6.0000 lb
900-222	TMS SCARLET	22.0000 lb
900-225	TMS RED	25.4000 lb

PMSCOLR BLK 6C

900-253	TMS MARINE	45.2000 lb
900-270	TMS BLACK	48.5000 lb
900-201	TMS WHITE	5.5000 lb
900-225	TMS RED	0.8000 lb

PMSCOLR BLK 7C

900-270	TMS BLACK	73.7000 lb
900-201	TMS WHITE	13.6000 lb
900-225	TMS RED	5.3000 lb
900-210	TMS YELLOW	7.4000 lb

PMSCOLR BLK C

900-201	TMS WHITE	1.0000 lb
900-210	TMS YELLOW	18.0000 lb
900-225	TMS RED	17.0000 lb
900-270	TMS BLACK	64.0000 lb

PMSCOLR P CYAN

900-2310	TMS FL. LEMON	2.7000 lb
900-2350	TMS FL. BLUE	97.3000 lb

PMSCOLR PRBL C

900-2310	TMS FL. LEMON	2.7000 lb
900-2350	TMS FL. BLUE	97.3000 lb

PMSCOLR PUR C

900-2390	TMS FL. MAGENTA	30.0000 lb
900-2394	TMS FL. PURPLE	70.0000 lb

PMSCOLR RHRED

900-201	TMS WHITE	4.5000 lb
900-2390	TMS FL. MAGENTA	91.0000 lb
900-259	TMS VIOLET	4.5000 lb

PMSCOLR RUB R

900-225	TMS RED	20.0000 lb
900-253	TMS MARINE	0.4000 lb
900-2390	TMS FL. MAGENTA	79.6000 lb

Triangle Matching System

Compact Formula Book

Date: 4/13/2007 Time: 12:12:31 PM

Page

Report Criteria: | Series: TMS 900-2 | Status: Approved

PMSCOLR RXB C

900-253	TMS MARINE	64.3000 lb
900-201	TMS WHITE	2.8000 lb
900-251	TMS BLUE G/S	32.9000 lb

PMSCOLR VIOLET

900-259	TMS VIOLET	15.0000 lb
900-253	TMS MARINE	15.0000 lb
900-2394	TMS FL. PURPLE	70.0000 lb

PMSCOLR WMR C

900-210	TMS YELLOW	26.0000 lb
900-222	TMS SCARLET	46.0000 lb
900-201	TMS WHITE	28.0000 lb

PMSCOLR YELL C

900-210	TMS YELLOW	33.0000 lb
900-201	TMS WHITE	11.0000 lb
900-2310	TMS FL. LEMON	56.0000 lb